

## Robertson, Jean

---

**From:** Daren Nelson [daren.nelson@brockwayeng.com]  
**Sent:** Thursday, February 09, 2006 3:44 PM  
**To:** Robertson, Jean  
**Subject:** RE: Ed Rosa transfers on 37-7009...

Jeanie, Thanks for catching the error. I am submitting the corrected pages for the transfers. Thanks again for your cooperation and help.

Daren T. Nelson (*Hydrologist*)  
Brockway Engineering, PLLC  
2016 North Washington #4  
Twin Falls, Idaho 83301  
[daren.nelson@brockwayeng.com](mailto:daren.nelson@brockwayeng.com)

-----Original Message-----

**From:** Robertson, Jean [mailto:Jean.Robertson@idwr.idaho.gov]  
**Sent:** Thursday, February 09, 2006 10:20 AM  
**To:** daren.nelson@brockwayeng.com  
**Subject:** Ed Rosa transfers on 37-7009...

Hi Daren,

I split 37-7009 up front in preparation for data entry of the two transfers and I think there is a problem on the Part 2, B, 3. on each. On the one that is drying up 6.4 acres, you show they are being dried up in Sec. 14, but I think you meant Sec. 11?

On the other that is drying up 54.8 acres, I think you have the Sec. 11 & 14 switched?

Anyway, could you check on this when you get a chance and, if necessary, shoot me new copies of those pages?

Thanks, Jeanie