

Lester, Steve

From: Lester, Steve
Sent: Monday, August 03, 2009 4:03 PM
To: 'Roxanne Brown'
Subject: RE: Application 61-12096, Elk Creek Canyon

Roxanne:

This email approves more time to respond to the 4/29/09 IDWR request for additional information for Application 61-12096. The amended application was received 6/18/09, as you noted. The other supporting information delineated in my 4/29/09 request is due by December 31, 2009.

As usual, the application will be voided without a timely response. The response can include the requested information or a request for more time in which to provide the information. A request for more time beyond the end of this year should include a summary of due diligence to date and an explanation of why more time would be needed.

Thank you for your follow up on this application. Please let me know if you have any questions or concerns.

Steve

From: Roxanne Brown [mailto:RBrown@spfwater.com]
Sent: Monday, August 03, 2009 2:34 PM
To: Lester, Steve
Cc: NSemanko@roselawgroup.com
Subject: RE: Application 61-12096, Elk Creek Canyon

Steve,

Thank you for sending a copy of the April 2009 letter. I've had a chance to review it and find we have previously responded to the question concerning possessory interest and have amended the application as requested (see letter from SPF to IDWR dated June 16, 2009).

Questions concerning sufficiency of ground water supply, ground water declines in the area and injury to existing water rights will be answered, at least in part, when the final Order is issued for application 61-12090. As you probably know, IDWR granted the petition for reconsideration of the original order on 7/30/2009.

We understand our client has recently updated their application with Elmore County and we would like to review that before finalizing our response to your letter.

Given the complicated nature of this project and the pending order for application 61-12090, we would request an additional 90 days to complete our response.

Thank you for your consideration.

Roxanne Brown

SPF Water Engineering LLC

8/3/2009

300 E. Mallard Dr., Suite 350
Boise ID 83706
(208) 383-4140
rbrown@spfwater.com

From: Lester, Steve [mailto:Steve.Lester@idwr.idaho.gov]
Sent: Monday, August 03, 2009 10:01 AM
To: Roxanne Brown
Subject: Application 61-12096, Elk Creek Canyon

Roxanne:

I requested additional information for this application 4/29/09. A reply was due within 90 days but has not been received.

The application is on the verge of being voided unless the additional information or a request for more time is provided very soon. Please let me know what to expect and when to expect it.

Thanks.

Steve

8/3/2009