

CONTOUR INTERVAL 40 FEET


Datum is mean sea level

Polyconic projection—1927 North American Datum
 MAPPED, EDITED AND PUBLISHED BY THE
 U.S. GEOLOGICAL SURVEY, 1976

10,000-foot grid based on Idaho coordinate system, west zone. 1000 metre Universal Transverse Mercator grid, zone 11.

Prepared by the U.S. Forest Service Geometrics Service Center, Salt Lake City utilizing 1976 field checked compilation guides. Maps were photomechanically reproduced and converted to 1:24,000 scale from 1:48,000 scale maps. All revised information was added at 1:48,000 scale.

FOREST SUPERVISOR HEADQUARTERS



ADJACENT QUADRANGLE LOCATIONS



-  Alienated Land within the National Forest Boundary as of January, 1979
-  National Forest Boundary
-  Special Area Boundary
-  Paved Primary
-  Paved Secondary
-  Improved Road
-  Unimproved Road

SCALE



LE

13. Map of proposed project: show clearly the township and range number.



1" = 400'

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

06/22/1990

Carl Agnew
(Applicant)

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has been filed to appropriate the public waters of the State of Idaho:

81-07646 ✓st

AGENBROAD, CARL
MAYFIELD STATE HC 34
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: NESWNE Sec 27 T 01N R 04E

Use: IRRIGATION (1.500 CFS); STOCKWATER (.030 CFS); DOMESTIC (.180 CFS); Total Diversion (1.710 CFS)

Date Filed: 4/5/1990

In: T01N R04E S26 SWNW NWSW SWSW; S27 SWNE SENE SESW NESE NWSE SWSE SESE
75.0 ACRES TOTAL

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 23, 1990.

R. KEITH HIGGINSON, Director
Published 7/4/1990 & 7/11/1990.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Mike Thornberry do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on the 4th day of July, 1990, and the last publication having been made on the 11th day of July, 1990; every Wednesday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.


And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Mike Thornberry
Subscribed and sworn to me this 13th day of July, 1990
Robert D. Sue
Notary Public

RECEIVED
JUL 19 1990

Department of Water Resources
Western Regional Office

MICROFILMED
OCT 22 1990




440000 FEET 583 584 57'30"

MICROFILMED
AUG 19 1997

(MAYFIELD SW)

63-11382
SCALE-1:24,000




VAL 40 FEET
sea level

North American Datum
PUBLISHED BY THE

XY BY AK	DRUCK	BY MTN
----------	-------	--------

LEGEND

Pink = 40 ac tracts
 Yellow = Project outline
 Lots 11 + 17 = Roads



Allow 1/2 ac / Lt:

Sec. 26	SWNW	.5 ac	Lt 13
	NWSW	1.0	12, 14
	SWSW	1.0	9, 10
27	SWNE	.5	19
	SESW	2.0	1, 2, 3, 4
	NESE	1.0	15, 16
	NWSE	.5	18
	SWSE	1.0	5, 6
	SESE	1.0	7, 8

8.5 acres

MICROFILMED
 AUG 19 1997


63-11382

12" well
20 HP submersible
pump



Four 100 gal pressure tanks

4000 gal
storage tank
MICROFILMED
AUG 19 1997



Tank house located in SWSE
3-11382



1
developed lots as part of P/U



MICROFILMED
AUG 19 1997

63-11387

State of Idaho
 Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11382

Priority: May 15, 1990

Maximum Diversion Rate:

0.22 CFS

Maximum Diversion Volume:

44.2 AF

This is to certify, that CARL AGENBROAD
 1309 TETONIA DR
 BOISE ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 5, 1990; and has submitted Proof of Beneficial Use on December 6, 1994. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.17 CFS	34.0 AF
DOMESTIC	01/01 to 12/31	0.18 CFS	10.2 AF
	Totals	0.22 CFS	44.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE, Sec. 27, Township 01N, Range 04E
 ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N 04E 26	SWNW 0.5	NWSW 1	SWSW 1	2.5
27	SWNE 0.5	SESW 2	NESE 1	
	NWSE 0.5	SWSE 1	SESE 1	6

Total number of acres irrigated: 8.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

AUG 19 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11382

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 17 homes and does not include lawn, garden, landscape, or other types of irrigation.
7. The irrigation use occurring under this right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
8. Point of diversion is located in Lot 19, Blk. 1, Danskin Properties.
9. Place of use known as Lots 1-10, 12-16, 18 and 19, Blk. 1, Danskin Properties.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of July, 1997.



 for KARL J. DREIER, Director



MICROFILMED

AUG 19 1997

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11382)
)
IN THE NAME OF CARL AGENBROAD) **ORDER OF**
) **REINSTATEMENT**
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before October 1, 1993; and,

WHEREAS, the Department did not notify the permit holder until July 31, 1994, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on September 22, 1994, the permit holder submitted proof without the required \$100.00 license examination fee; and,


WHEREAS, the Department notified the permit holder on November 21, 1994, that the permit had lapsed for failure to submit the required fee; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting the \$100.00 license examination fee on December 6, 1994;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11382 be REINSTATED with an advance in priority to May 15, 1990.

Dated this 19th day of December, 1994.


L. GLEN SAXTON
Chief, Water Allocation Bureau

DEC 20 1994

RECEIVED

DEC 6 1994

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No. 6031781
Receipt By: PT
Date Received: 12-6-94

RECEIVED

SEP 22 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1. Permit No. 63-11382 Telephone No. 208-343-1924
208-342-6532
- 2. Name(s) of Permit Holder(s): Danskin Properties Ltd. & Carl Agenbroad
- 3. Mailing Address: 1309 Tetonia Drive Boise, Idaho 83705
- 4. Source of Water: groundwater If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 93
- a. Well Driller: Pete Cope Drilling Drilling Permit Number: 63 - 93 - C - 0869000

b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

- 5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 16 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .4 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes x or No _____
 Has the measuring device been installed? Yes _____ or No x
 Measuring Device will be in place by 10-1-94

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No x
 Has the measurement port been installed? Yes _____ or No x

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.
 Carl Agenbroad 208-343-1924
 Name: Jim Underwood Telephone Number: 208-342-6532
 Address: 1309 Tetonia Drive Boise, Idaho 83705

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Carl Agenbroad Date: 9/21/94
 (include your title, if on behalf of company or organization)
 CARL AGENBROAD, for himself and as President of
 Danskin Properties Ltd.

DEC 20 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11382

Name(s) of Permit Holder: Carl Agenbroad

Mailing Address: 1309 Tetonia Drive, Boise, Idaho 83705

Date Proof is Due October 1, 1992 Telephone No. 343-1924

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Engineering services and plans;
Partial installation of water lines, bailing well, test pump well

Approx. Costing \$ 30,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The Department of Health has been unable to act on public water
system application because of backlog; construction delayed;
may have to change point of diversion (new well)

Permit holder(s) request an extension to October 1, 19 93

FEE: \$15.00

Carl Agenbroad
(Signature)*

RECORDED

OCT 27 1992


*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to October 1, 1993.

Signed this 24th day September, 19 92

J. Glen Saylor
Chief, Water Allocation Bureau



CONTOUR INTERVAL 40 FEET


Datum is mean sea level

Folyconic projection—1927 North American Datum
 MAPPED, EDITED AND PUBLISHED BY THE
 U.S. GEOLOGICAL SURVEY, 1976


10,000-foot grid based on Idaho coordinate system, west zone. 1000 metre Universal Transverse Mercator grid, zone 11.

Prepared by the U.S. Forest Service Geometrics Service Center, Salt Lake City utilizing 1976 field checked compilation guides. Maps were photomechanically reproduced and converted to 1:24,000 scale from 1:48,000 scale maps. All revised information was added at 1:48,000 scale.

FOREST SUPERVISOR HEADQUARTERS



ADJACENT QUADRANGLE LOCATIONS



- Alienated Land within the National Forest Boundary as of January, 1979
- National Forest Boundary
- Special Area Boundary
- Paved Primary
- Paved Secondary
- Improved Road
- Unimproved Road

LE

Affidavit of Publication

RECEIVED

APR 16 1993

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR AMENDMENT
NO. 63-11382**

Notice is hereby given that permit No. 63-11382 in the name of Carl Agnbroad was filed on 4/5/1990 for the diversion of 1.71 cfs from Groundwater with a point of diversion within the NESWNE T01N R04E Sec. 27 to be used for Irrigation 3/15 to 11/15; Stockwater and Domestic purposes from 1/1 to 12/31 within portions of T01N R04W Sec. 26 SWNW, W1/2SW and Sec. 27 S1/2NE, SESW, SE1/4; (75 acres total), Elmore County.

The permit holder now proposed to amend the permit by adding a point of diversion T01N R04E Sec. 27 SWSE.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 26, 1993.

R. Keith Higginson, Director
Published in the Mountain Home News on 4/7 and 4/14/1993.

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on 7th day of

April, 19 93, and the last publication having been made on the 14th day of

April, 19 93; every Wednesday

issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 14th day of

April, 19 93

Brenda M. Jacobs
Notary Public

JUL 01 1993

Residing in Mountain Home, Elmore County, Idaho. My commission expires 11-16-98.

FEB 25 1993

STATE OF IDAHO

Department of Water Resources

RECEIVED
MAY 13 1993

APPLICATION FOR AMENDMENT OF A PERMIT
Department of Water Resources

APPROVED

To change the point of diversion and/or the place of use.

Comes now Danskin Properties Ltd. & Carl Agenbroad Phone 343-1924
of (address) 1309 Tetonia Drive, Boise, Idaho 83705, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 63-11382, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW 1/4 NE 1/4, Section 27, Township 1N, Range 4E, B.M.,
County of Elmore. Other points of diversion: SW 1/4 SE 1/4
Section 27, T. 1N, R 4E, Boise Meridian

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) no change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: no change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated = _____

Danskin Properties Ltd., an Idaho

4. a. Who owns the property at the point of diversion? Corporation; Carl Agenbroad, Pres.

b. Who owns the land to be irrigated or the place of use? same


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

RECEIVED
JUL 01 1993

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

T. 1 N., R. 4 E



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, ID, this 19 day of February, 19 93.

Carl Agnew
 (Signature)
 as an individual and as
 President, Danskin Properties, Ltd.

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00

Received by [Signature] Date 3-25-93

Publication prepared by H.A. Date 3-31-1993

Published in Mountain Home News

Publication dates 4/7 & 4/14/1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby
 approve the above referenced application for amendment. See the attached
 sheet for conditions of approval.

Witness my hand this 20th day of May, 19 93

L. Glen Saxton
 Chief, Water Allocation Bureau


[Stamp]
 JUL 01 1993

CONDITIONS OF APPROVAL

Amendment of Permit No. 63-11382

1. The previous conditions as set forth in Permit No. 63-11382 must be met.
2. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.

Dated this 20th day of May, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

FILED
JUL 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by JW
Date 10-26-93
Receipt # C020859

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED
OCT 26 1993
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11382

Name(s) of Permit Holder: Carl Agenbroad (Danskin Properties Ltd.)

Post Office Address: 605 West Franklin Street Boise, Idaho 83702

Telephone No. 343-1924

Date Proof is Due: 10-1-93

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled and tested by air lifting. Pipes, tank pumps, pumphouse and distribution system for public water supply are in place and tested

Costing \$ 20,000.00 plus

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Idaho Power has not delivered power to the well site. Power should be available some time before December 1, 1993

DANSKIN PROPERTIES LTD.

Permit holder(s) request an extension to Dec. 1, 19 93. By: [Signature]
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.
James S. Underwood, Jr.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to October 1, 1994.

OCT 28 1993

IT IS FURTHER ORDERED that this permit be REINSTATED and the priority date advanced to April 30, 1990.

Signed this 28th day of October, 1993.

[Signature]
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11382

Proposed Priority: April 5, 1990 Maximum Diversion Rate: 1.71 CFS
This is to certify, that **CARL AGENBROAD**
HC 34 MAYFIELD STAGE
BOISE, ID 83706

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.50 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
DOMESTIC	01/01 to 12/31	0.18 CFS
Totals		1.71 CFS

LOCATION OF POINT(S) OF DIVERSION: NESWNE Sec. 27, Township 01N, Range 04E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	04E	26	SWNW 7.5	NWSW 7.5	SWSW 7.5		22.5
		27	SWNE 7.5	SENE 7.5	SESW 7.5		
			NESE 7.5	NWSE 7.5	SWSE 7.5		
			SESE 7.5				52.5

Total number of acres irrigated: 75

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

OCT 22 1990

Permit To Appropriate Water

NO. 63-11382

CONDITIONS/REMARKS:

- 7. Stockwater use is for 100 cattle and horses; domestic use is for 15 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.

for 
 R. Keith Higginson, Director



MICROFILMED

OCT 22 1990

~~63-11382~~
63-11382
61-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 61-

To appropriate the public waters of the State of Idaho

1. Name of applicant Carl Agnewbrood Phone 343-1924

Post office address Mayfield Stage HC 34 Boise 83706

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE ¼ of SW ¼ of NE ¼, Govt. Lot 2

Sec. 27 Township 1N Range 4E B.M. Elmore County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.5 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .18 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.71 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, Pump, Pipeline, Sprinklers, Stock Tanks

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

Well Drilled & Completed 10-8-1974

MICROFILMED

OCT 22 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 100 HEAD BEEF CATTLE & HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 15 Households, 100 HEAD BEEF CATTLE or HORSES
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼													
1N	4E	27			7.5	7.5								7.5	7.5	7.5	7.5	7.5	52.5
		26						7.5				7.5	7.5						22.5

Total number of acres to be irrigated 75

10. Describe any other water rights used for the same purposes as described above. NONE



- 11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

OCT 22 1990

13. Map of proposed project: show place, township and range number.



MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

06/27/1990

Carl Agnew
(Applicant)

Received by RL Date 4-5-90 Time 9:05 Preliminary check by PW
Fee \$ 65.00 Received by RS # W011823 Date 4-5-90
Publication prepared by GG Date 6-27-90 Published in Mountain Home News
Publication approved A Date 7-27-90
7/4 & 7/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
 - e. Other:

MICROFILMED
OCT 22 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has been filed to appropriate the public waters of the State of Idaho:

61-07848 ✓st

AGENBROAD, CARL
MAYFIELD STATE HC 34

BOISE, ID 83706

Source: GROUNDWATER

~~RECEIVED FROM SYN...~~

Use: IRRIGATION (1.500 CFS);
STOCKWATER (.030 CFS); DOMESTIC (.180 CFS); Total Diversion (1.710 CFS)

Date Filed: 4/5/1990

In: T01N R04E S26 SWNW NWSW
SWSW; S27 SWNE SENE SESW NESE
NWSE SWSE SESE

75.0 ACRES TOTAL

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 23, 1990.

R. KEITH HIGGINSON, Director
Published 7/4/1990 & 7/11/1990.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Mike Thornberry do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having been made on the 4th day of July, 1990, and the last publication having been made on the 11th day of July, 1990; every Wednesday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Mike Thornberry
Subscribed and sworn to me this 13th

day of July, 1990

Robert B. Swa
Notary Public



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705

RE: WATER RIGHT NO. 63-11382

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a **preliminary order** issued by the Department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED
INDEXED

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-11382

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705


Kari Lynn Townsend
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11382

DATE 7/3/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>use addr. on blue form</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate 1.71 cfs
 Fee limit 1.0 cfs \$10000
 Measured — cfs
 Theoretical .22 cfs

Recommended Total Div Rate .22 cfs

**ANNUAL VOLUME/
NATURE OF USES**

Use ✓

Volume Calculation

<u>DOM</u>	<u>17 x .6 = 10.2</u> af
<u>SM</u>	<u>8.5 x 4 = 34.0</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>44.2</u> af

Flow rate 17 cfs X 214 days X 1.9835 = 72.0 af

Total volume recommended 44.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

All aka Lots 1-10, 12-16
8 & 19, Blk 1, Danstien Prop.
~~17 homes may not incl.~~

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R31 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter —
 2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 29 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11382

1. Owner: Carl Agendbrood Phone No. 342-6532

Current Address: PO Box 387 Boise Id 83701

2. Accompanied by: Jim Underwood EXAM DATE: 8/16/95

Address: 605 W Franklin Phone No. 342-6532

Relationship to Permit Holder: Partner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	NE	27	1N	4E	Elmore	USGS Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE													
1N	4E	26						.5			1	1							2.5
		27			.5							2	1	.5	1	1			6.0
					D			D			D	D	D	D	D	D	D		

MICROFILMED

AUG 19 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		20	Submersible	CROWN	
			Model 6L-160		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: attached pump curve supplied by Don Watt, A+B Engineering (342-7751)

E. NARRATIVE/REMARKS/COMMENTS

A 12" well equipped with a 20 HP submersible pump can supply water to a total of 17 lots within Danckin Properties. All the lots have been stubbed into the system, but several have yet to be developed. 1/2 ac/lot was recommended for irrigation use since the only irrigation use happening at the time of the exam was for lawns associated with developed lots. The permit listed domestic use for 15 homes, the proof listed 16 homes and the potential for 17 was found. Since much of the irrigation use permitted was not developed, the additional volume required for the 2 extra lots is well within the implied permit limits and does not constitute an expansion.

The water is pumped through a 6" buried pipe to a 4000 gal storage tank. The system then utilizes four 100 gal pressure tanks and 3"-4" buried lines leading to the lots. There are 19 total lots listed on the blueprints, however lots 11 + 17 are roads. No other water rights are used.

Have conditions of permit approval been met? yes no

MICROFILMED

AUG 19 1967

pump curve

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

* *20 HP pump*
* *set @ 390'*
* *460' TDH* } $100 \text{ GPM} = .22 \text{ cfs}$

* *per A+B Engineers*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8.5 \times 4.0 = 34$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .17 \times 214 \times 1.9835 = 72.2$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 34$

2. Volume Calculations for Other Uses:

17 homes, internal use: 17 x .6 = 10.2

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>4/1</i>	<i>10/31</i>	<i>.17</i>	<i>34</i>
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>.18</i>	<i>10.2</i>
Totals:			<i>.22</i>	<i>44.2</i>

2. Recommended Amendments

Change P.D. as reflected above Add P.D. as reflected above None
 Change P.U. as reflected above Add P.U. as reflected above Other

I. AUTHENTICATION

Field Examiner's Name *Loi Guaner* Date *3/5/96*

Reviewer _____ Date _____

SEAL

MICROFILMED
AUG 19 1997



440000 FEET 583 584 57'30" MICROFILMED (MAYFIELD SW) 158

AUG 19 1997 63-11382 SCALE-1:24,000

VAL 40 FEET
 sea level
 North American Datum
 PUBLISHED BY THE

WV. H. P. K.	CONROCK	PI. M. TN.
--------------	---------	------------



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-93-C-086900 OTHER APPLICABLE NO: 63-11382

2. OWNER: Carl Lymbrook Phone: 342-6532
Address: HC 34 Mayfield Stage Boise 83706

3. WELL LOCATION: Twp 1N, Rge. 4E, Sec. 27, SW 1/4 Ne 1/4
County Elmore (Provide sketch map and photo on reverse.)

4. DRILLER: Cope Lic. No. 213
When Drilled? 10/20/93

5. WELL CONSTRUCTION:

Casing Diameter 12" inches Water tight cap? Yes No Access Port: Yes No
Casing \geq 12 inches above ground? Yes No - Describe _____
Depth of Casing 460 ft. Method Drilled reverse circulation
Condition of Well Casing: Good Fair Poor Describe _____
Control Valve? Yes No Pressure Gauge: Yes No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal Yes No
Are there obvious construction problems that may be a source for contamination or waste of water?
 Yes No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water ? ft. Water Temperature 65 °F
Flowing Artesian Yes No Pressure: _____ (psi)
Water Sample Taken? Yes No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

Domestic Irrigation Stock
 Test Municipal Industrial
 Abandoned Waste Disposal/Injection Not Used
 Other: _____

MICROFILMED
AUG 19 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? Yes No

If yes, is there a check-valve present? Yes No

Is there a possible source of contamination nearby? Yes No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

ly

Signature of Dept. Representative & Title


8/16/95

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED
AUG 19 1997

Pink = 40 ac tracts
 Yellow = Project outline
 Lots 11 + 17 = roads



Allow 1/2 ac/Lt:

Sec. 26	SWNW	.5 ac	Lt 13
	NWSW	1.0	12, 14
	SWSW	1.0	9, 10
27	SWNE	.5	19
	SESW	2.0	1, 2, 3, 4
	NESE	1.0	15, 16
	NWSE	.5	18
	SWSE	1.0	5, 6
	SESE	1.0	7, 8

8.5 acres

MICROFILMED
 AUG 19 1997

63-11382



Danskix Well

MODEL 6L-160


PERFORMANCE CHARACTERISTICS

MINIMUM WELL SIZE 7"

6L-160




Lori - Pump setting - 905'

Pumping level - less than 325'



PROFILMED
AUG 19 1997

12" well
20 HP submersible
pump




Four 100 gal pressure tanks

4000 gal
storage tank
MILMEC
AUG 19 1997

Tank house located in SWSE

-11382



1
developed lots as part of P/u



MICROFILMED
AUG 19 1997

63-11382

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11382 Reviewed by [Signature] Date 12-15-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-93-C-0869-000

200.00 Amount paid for permit yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

100.00 Required?

yes Amount Submitted

 Correct?

MEASURING DEVICE

yes Required?

yes Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received 12-6-94 340

Date proof ^{lapsed} due 11-21-94 - 325

No. of days late = 15

Priority Date 4-30-90 + 120

New Priority Date 5-15-90 135

> 5/15/90

DEFICIENCIES OR ACTION ITEMS

Reinstate & advance priority to May 15, 1990.
 Proof acceptable

DATA ENTRY

New Address X

Proof Made 12/6/94



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 19, 1994

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11382

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to May 15, 1990.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

A rectangular stamp that is mostly illegible due to fading, but appears to contain some text or a logo.

DEC 20 1994

Danskin Properties, Ltd.

RECEIVED
DEC 6 1994
Department of Water Resources

December 2, 1994

Mr. Glen Saxton, Chief
Ms. Julie L. Yarbrough,
Senior Secretary
State of Idaho Department of
Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: DANSKIN PROPERTIES LTD.
Permit No. 63-11382

Dear Ms. Yarbrough and Mr. Saxton:

It is our understanding, after several telephone conferences with you, Mr. Saxton, that by resubmitting our Proof of Beneficial Use form and including the license exam fee of \$100.00 prior to January 21, 1995, our permit will be reinstated.

We are enclosing our original proof along with a license examination fee of \$100.00 as directed in the letter of October 18, 1994, from Ms. Yarbrough to Mr. Carl Agenbroad (photocopy attached). Due to personnel changes and reorganization of responsibilities at Danskin Properties, the October letter was inadvertently overlooked. We apologize for the delay in responding.

Please contact us if there is anything further that we need to do in order to comply with the Department of Water Resources. You may direct any inquiries to me at 342-6581 or at 342-6532 or you may leave a message with Sue. Thank you for your assistance in this matter.

Sincerely,

James S. Underwood, Jr. /reg.
James S. Underwood, Jr.

Enclosures

DEC 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 18, 1994

Danskin Properties Ltd.
Carl Agenbroad
1309 Tetonia Dr.
Boise, ID 83705

RE: Permit No. 63-11382

Dear Permit Holder :

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it can not be accepted as filed.

The proof indicates the total rate of diversion of water to be 0.40 cfs from a groundwater water source. The license exam fee for a rate of 0.40 cfs is \$100.00.

Please return the **original proof** along with a license examination fee of \$100.00 within thirty (30) days of receipt of this letter. **Please address any correspondence directly to me.**

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

RECEIVED

DEC 20 1994

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

November 21, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Danskin Properties Ltd.
Carl Agenbroad
1309 Tetonia Dr.
Boise, ID 83705

LAPSE NOTICE

RE: Permit No. ~~25-08008~~
63-11382

Dear Permit Holder:

On October 18, 1994, the Department of Water Resources (Department) sent you a letter informing you of the need to submit a \$100.00 license examination fee before the Department could accept your proof of beneficial use form which was received September 22, 1994, for the above referenced permit. You were given thirty (30) days to provide the Department with the additional information. To this date the Department has not received the requested information.

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has **lapsed**. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an **acceptable** Proof of Beneficial Use or an acceptable Request for Extension of Time showing reasonable cause for the delay. Either the completed Proof of Beneficial Use Submittal including the examination fee, or a completed field examination report; or the extension request form together with the ~~\$50.00~~ fee, must be received by this department within **sixty (60) days** of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

If you have any questions or concerns, please do not hesitate to contact the Department. NOV 20 1994

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

CERTIFICATION OF MAILING

I hereby certify that on 11/21/94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 18, 1994

Danskin Properties Ltd.
Carl Agenbroad
1309 Tetonia Dr.
Boise, ID 83705

RE: Permit No. 63-11382

Dear Permit Holder :

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it can not be accepted as filed.

The proof indicates the total rate of diversion of water to be 0.40 cfs from a groundwater water source. The license exam fee for a rate of 0.40 cfs is \$100.00.

Please return the **original proof** along with a license examination fee of \$100.00 within thirty (30) days of receipt of this letter. **Please address any correspondence directly to me.**

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

OCT 20 1994

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11382 Reviewed by [Signature] Date 10/12/94

GENERAL CONSIDERATIONS

YES Name same as permit?
YES Address same as permit?
YES Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom.

Correct Uses? YES

SOURCE OF WATER

Surface water source
 Ground water source
YES Drilling permit required?
no Copy in the file? Drilling Permit No. 63-93-C-0869-000
200.00 Amount paid for permit YES Correct?
YES Well log in the file?

LICENSE EXAMINATION FEE

YES Required?
0 Amount Submitted
no Correct?

MEASURING DEVICE

YES Required?
no Installed? *- will be*

Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____ = _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Return for 100.00 lic. exam fee

DATA ENTRY

New Address _____

Proof Made 9-22-94

g-01

Danskin Properties, Ltd.

September 21, 1994

RECEIVED

SEP 22 1994

Department of Water Resources


Ms. Julie J. Yarbrough
State of Idaho Department
of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Permit No. 63-11382

Dear Ms. Yarbrough:

We are submitting a Proof of Beneficial Use form which has been executed by Carl Agenbroad for himself and as President of Danskin Properties Ltd.

Sincerely,



James S. Underwood, Jr.

Enclosure

JSU:seg



DEC 20 1994

July 31, 1994

CARL AGENBROAD
DANSKIN PROPERTIES LTD
P O BOX 387
BOISE ID 83701

PROOF DUE NOTICE

RE: PERMIT NO. 63-11382

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

DEC 20 1994



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen


10F3 RECEIVED

1. DRILLING PERMIT NO. 63 93 - 869 - 0
Other IDWR No. 63-11382

2. OWNER:
Name DANSKIN PROPERTIES LTD
Address INDIAN CR. RD. HC 34 MAYFIELD STAGE
City BOISE State ID Zip 83706

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Address of Well Site INDIAN CR RD HC34 MAYFIELD STAGE

(Give at least Direction + Distance to Road or Landmark)

Lot No. 19 Block No. 1 Subdivision DANSKIN PROPERTIES

4. PROPOSED USE: DOMESTIC
 Domestic Municipal Monitor Irrigation
 Thermal Injection Other

5. TYPE OF WORK NEW WELL
 New Well Modify or Repair Replacement Abandonment

6. DRILL METHOD REVERSE CIRCULATION
 Mud Rotary Air Rotary Cable Other

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	126	22,500#	POURED
BENTONITE	360	380	2500#	POURED

Was drive shoe seal tested? YES NO How?

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
12"	43	420	.250			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10"	460	480	.250			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoes
Top Packer or Headpipe Bottom Tailpipe

9. PERFORATIONS/SCREENS

Perforations Method
 Screens Type HOUSTON Material STAINLESS STEEL

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Liner
420	460	.20		10"		<input type="checkbox"/>	<input type="checkbox"/>

10. WELL TESTS: N/A
 Pump Bailor Air Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
NA	NA	NA	NA

Temperature of water 65 Was a water analysis done? Yes No

By whom?

Water Quality (odor, etc.) GOOD

Bottom Hole Temperature 65

11. STATIC WATER LEVEL:

NA ft. below surface Depth artesian flow found

Artesian pressure WELL CAP lb. Describe access port

Describe Controlling Devices:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
26"	0	10	TOPSOIL		N
	10	35	COURSE SAND		Y
	35	55	CLAY & CRSE SAND MIX		Y
	55	65	CRS & FINE SAND SOME CLAY MIX		Y
	65	75	CRS SAND W/BRN CLAY MIX		N
	75	105	CRS SAND W/BRN CLAY & GRAVEL MIX		Y
	105	115	BRN CLAY W/CRS SAND & SMALL ROCK MIX		N
	115	120	BRN CLAY		N
	120	125	FINE TO COURSE SAND, WITH CLAY		N
			AND SMALL GRAVEL & LARGE ROCKS MIXED		
	125	140	CRS SAND, CLAY, SMALL & LARGE GRAVEL MIXED		N
	140	160	FINE TO CRS SAND		N
	160	165	BROWN CLAY		N
	165	195	FINE TO CRS SAND W/CLAY & GRAVEL MIX		N
	195	218	FINE TO CRS SAND & GRAVEL		N
	218	223	FINE TO CRS SAND & CLAY MIX		N
	223	235	FINE TO CRS SAND & GRAVEL		N
	235	245	FINE TO CRS SAND & SMALL GRAVEL		N
	245	255	FINE TO CRS SAND W/ CLAY MIX		N
	255	260	FINE TO CRS SAND		N
	260	265	FINE SAND & CLAY MIX		N
	265	271	FINE TO CRS SAND W/CLAY&GRAVEL MIX		N
	271	275	FINE SAND		Y
	275	285	FINE SAND WITH CLAY MIX		N
	285	295	FINE TO CRS SAND		N
	295	305	CLAY & FINE SAND MIX		N

Date: Started 10-15-93 Completed 10-20-93

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name PETE COPE DRILLING Firm No. 213

Firm Official [Signature] Date 10/29/93

and Supervisor or Operator [Signature] Date 10/29/93

(Sign once if Firm Official & Operator)

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT


Use Typewriter
or
Ball Point Pen

20F3

1. DRILLING PERMIT NO. 63 93 C - 869 - 0
Other IDWR No. _____

2. OWNER:
Name DANSKIN PROPERTIES LTD
Address _____
City _____ State _____ Zip _____

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.



Address of Well Site INDIAN CREEK RD
(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:
 Domestic Municipal Monitor Irrigation
 Thermal Injection Other _____

5. TYPE OF WORK
 New Well Modify or Repair Replacement Abandonment

6. DRILL METHOD
 Mud Rotary Air Rotary Cable Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	

Was drive shoe seal tested? Y N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoes _____
Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS
 Perforations Method _____
 Screens Type _____ Material _____

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Liner
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

10. WELL TESTS:
 Pump Bailor Air Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time

Temperature of water _____ Was a water analysis done? Yes No
By whom? _____
Water Quality (odor, etc.) _____
Bottom Hole Temperature _____

11. STATIC WATER LEVEL:
_____ ft. below surface Depth artesian flow found _____
Artesian pressure _____ lb. Describe access port _____
Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
	305	315	FINE SAND AND CLAY MIX		N
	315	325	CLAY & FINE SAND MIX		N
	325	335	LIGHT BRN CLAY		N
	335	339	LIGHT BRN CLAY		N
	339	341	FINE TO CRS SAND		N
	341	351	SANDY LIGHT BRN CLAY		N
	351	355	FINE TO CRS SAND & GRAVEL		N
	355	365	FINE SAND W/SMALL AMOUNT CLAY MIX		N
	365	370	FINE SAND		N
	370	372	FINE TO CRS SAND & BOULDERS		N
	372	374	FINE TO CRS SAND W/BOULDERS & BROKEN ROCK		N
	374	376	SAND & CLAY MIXED		N
	376	382	SANDY CLAY LIGHT BROWN COLOR		N
	382	387	SANDY CLAY & SHALE MIXED		N
	387	400	CRS SAND & CLAY MIXED		N
	400	407	FINE TO MED SAND		N
	407	413	SAND & CLAY MIXED		Y
	413	423	FINE TO MED SAND & CLAY MIXED SOME PEA GRAVEL MIXED		Y
	423	429	FINE TO MED SAND & PEA GRAVEL		Y
	429	433	FINE SAND, & SMALL AMOUNT CLAY MIXED		Y
	433	440	FINE MED SAND		Y
	440	443	FINE TO CRS SAND W/GRAVEL & CLAY MIXED		Y
	443	449	FINE TO COURSE SAND		Y
	449	450	BRN CLAY		N
	450	453	SAND, GRAVEL & CLAY MIXED		Y

Date: Started _____ Completed _____

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name _____ Firm No. _____
Firm Official _____ Date _____
and
Supervisor or Operator _____ Date _____
(Sign once if Firm Official & Operator)

Danskin Properties, Ltd.
Post Office Box 387
Boise, Idaho 83701
(208) 342-6532

April 18, 1994

RECEIVED

APR 20 1994

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83620-9000

Re: Permit No. 63-11382

Dear Sir or Madam:

Please be advised that Danskin Properties now has a new mailing address, effective immediately. Please refer all correspondence and billing to:

Danskin Properties, Ltd.
Post Office Box 387
Boise, Idaho 83701
(208) 342-6532

Sincerely,



James S. Underwood, Jr.



DEC 20 1994

Database updated
4-21-94
gly



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1993

Carl Agenbroad
Danskin Properties Inc
605 W Franklin
Boise, ID 83702

Re: Permit No. 63-11382

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to October 1, 1994. However, since the extension was received after the proof of beneficial use date, it was necessary for the department to reinstate your permit and advance your priority date to April 30, 1990.

Please note that the department has granted this extension based on governmental agency delay. It is important that you work diligently toward the completion of this project during the construction period allowed. The department will not be able to grant additional requests based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Regional Office

RECORDED

OCT 28 1993

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 63-11382 Reviewed by KLg Date 10/27/93

BASIC INFORMATION

10/26/93 Date stamp received
NO Extension received timely
YES Fee received and receipted
YES Name and signature same as permit
YES Address Change

BASIS FOR EXTENSION REQUEST

YES Has adequate work been completed to demonstrate due diligence?
 _____ Has the permit been involved in litigation?
 _____ Is supporting documentation needed to complete the file? _____ Requested?
 _____ Is delay by a government agency?
 _____ Is supporting documentation needed to complete the file? _____ Requested?
 _____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend for approval Based on due diligence
 Extend to ~~10/1/94~~ 10/1/94*

PRIORITY CALCULATION

Date extension received	<u>10/26/93</u>	=	<u>299</u>
Proof due date	<u>10/1/93</u>	=	<u>274</u>
Number of days late		=	<u>25</u>
Priority date	<u>4/5/90</u>	=	<u>95</u>
New Priority Date	<u>4/30/90</u>	=	<u>120</u>

DATA ENTRY

New Address 605 W Franklin St
 Change Proof Due Date 10/28/93
 Change Priority Date _____

October 6, 1993

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705

LAPSE NOTICE

RE: PERMIT NO. 63-11382

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated July 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 10/6/93
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

OCT 28 1993

July 31, 1993

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705

PROOF DUE NOTICE

RE: PERMIT NO. 63-11382

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



OCT 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 25, 1993

CARL AGENBROAD
1309 TETONIA DR
BOISE ID 83705


RE: Permit No. 63-11382

Dear Water Right Holder:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

c: Jim Underwood, Attorney

MICROFILMED

JUL 01 1993

AMENDMENT OF PERMIT NO. 63-11382 REVIEW

23

TYPE OF CHANGE: P/D P/U ADD P/D NATURE OF USE

AREA OF CONCERN: Snake River Basin Mor.

PROOF OF BENEFICIAL DUE DATE 10/1/93 Under 6 months? Y

GROUNDWATER:

- GT. 0.2 cfs - 01G
- LT. 0.2 cfs - NMR <flow chart>
- Drilling Permit No. - _____
- Not included - 046, 46B

SURFACE WATER: not in w/d - 01C (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. 63
- Surface water - 005, R04-01H (LT.2 w/pump)
R04-01J (GT.2)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS (Surface Water)

- Boise (63) - 05A & 11E
- Payette (65) - 047, 059
- Snake (01, 02 & 03) - 11A (01), 061 (02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E, or 010 (WQ/Choose One),
042 (req.), 002 (MD), 07A (Spec.),
044 (Policy 5G)
- Power - _____ Use Power Review
- Mining - 06A, 010, or 09E & 054(req.)
- Storage - 18A-for multiple m/devices(In WD),
18B (Size)
- Rec/Wildlf/Aes - 027 (Non-Consumptive)
- Domestic - 021 (restricted areas & Boise River
upstream from Lucky Peak) N/A
27A (Payette River & main tributaries)

NON LAND OWNER - 004

PROTEST AGREEMENT - 020

Recommended conditions same as on the permit or subsequent amendment(s) to the permit? Yes No _____

Conditions of Approval Standard, ~~46B~~ 01G, 046, 46B (adding new well)

=====
Remarks: Stockwater use is for 100 cattle and horses; domestic use is for
15 homes.

Dates: App. Received: 04/05/1990 Priority Date: 04/05/1990
Proof Due Date: 10/01/1993 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 09/23/1992 User-ID: ANDREGG Subject: Extension of Time Received
Extension of Time Received

Date: 05/13/1993 User-ID: ZIMMERMA Subject: AMENDED PERMIT
This permit has been amended to add a point of diversion.

Audit: 05/13/93 ZIMMERMA

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CARL AGENBROAD 1309 TETONIA DR BOISE ID 83705 (208) 343-1924	04/05/1990	IRRIGATION STOCKWATER DOMESTIC	03-15 11-15 01-01 12-31 01-01 12-31	1.50 CFS 0.03 CFS 0.18 CFS	
TOTAL DIVERSION:					1.71 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T01N R04E S27 NE SW NE SW SE

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE						
T	R S	Lt	Ac	SUM																
01N	04E 26	:		:		:		07	:			07	07	:						22.5
01N	04E 27	:		07	07	:								07	:	07	07	07	07	52.5
																			TOTAL ACRES	75.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Post County: ELMORE

Non-Irrigation Uses: STOCKWATER FOR 100 RANGE AND HORSES

Other Water Rights with Same Point(s) of Diversion and Source:
63-11382

Other Water Rights Listing Overlapping Place(s) of use:
63-11382

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 026 - Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- 468 - Construction of the well must comply with Idaho well construction standards.

NOTICE OF APPLICATION FOR AMENDMENT
NO. 63-11382

Notice is hereby given that permit No. 63-11382 in the name of Carl Agenbroad was filed on 4/5/1990 for the diversion of 1.71 cfs from Groundwater with a point of diversion within the NESWNE T01N R04E Sec. 27 to be used for Irrigation 3/15 to 11/15; Stockwater and Domestic purposes from 1/1 to 12/31 within portions of T01N R04W Sec. 26 SWNW, W1/2SW and Sec. 27 S1/2NE, SESW, SE1/4; (75 acres total).

The permit holder now proposes to amend the permit by adding a point of diversion T01N R04E Sec 27 SWSE.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 26, 1993.

R. Keith Higginson, Director

Published in the Mountain Home News on 4/7 and 4/14/1993

MICROFILMED

JUL 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 24, 1992

Carol Agenbroad
1309 Tetonia Drive
Boise, ID 83705

Re: Permit No. 63-11382

Dear Permit Holder:

Enclosed is a copy of your approved Request for Extension of Time submitted in connection with the above referenced permit. The time within which to submit proof of beneficial use is extended to October 1, 1993.

Please note that the department has granted this extension based upon governmental agency delay. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

Enclosure

c: IDWR-Regional Office

MICROFILMED

OCT 27 1992

July 31, 1992

CARL AGENBROAD
HC 34 MAYFIELD STAGE
BOISE ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 63-11382

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

OCT 27 1992



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 1, 1990

CARL AGENBROAD
HC 34 MAYFIELD STAGE
BOISE, ID 83706

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-11382

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

OCT 22 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

OCT 22 1990

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

*Revised
10-30-74
DWR*

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

<p>1. WELL OWNER</p> <p>Name <u>Carl Agenbrood</u></p> <p>Address <u>6 20 13th Ave., So.ampa, Idaho 83651</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL</p> <p>Static water level <u>6</u> feet below land surface</p> <p>Flowing? <input type="checkbox"/> Yes <input type="checkbox"/> No G.P.M. flow _____</p> <p>Temperature _____ ° F. Quality _____</p> <p>Artesian closed in pressure _____ p.s.i.</p> <p>Controlled by <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p>																																																																																																										
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning)</p>	<p>8. WELL TEST DATA</p> <p><input type="checkbox"/> Pump <input type="checkbox"/> Boiler <input type="checkbox"/> Other</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> <tr> <td><u>300</u></td> <td><u>10-15</u></td> <td></td> </tr> </table>	Discharge G.P.M.	Draw Down	Hours Pumped	<u>300</u>	<u>10-15</u>																																																																																																					
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																									
<u>300</u>	<u>10-15</u>																																																																																																										
<p>3. PROPOSED USE</p> <p><input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Other (specify type)</p> <p><input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p>	<p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Depth</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yield</th> <th>Quality</th> </tr> </thead> <tbody> <tr><td></td><td>0</td><td>10</td><td>Top Soil</td><td></td><td></td></tr> <tr><td></td><td>10</td><td>47</td><td>coarse white & gray sand</td><td></td><td></td></tr> <tr><td></td><td>47</td><td>52</td><td>brown clay</td><td></td><td></td></tr> <tr><td></td><td>52</td><td>64</td><td>coarse gray & white sand</td><td></td><td></td></tr> <tr><td></td><td>64</td><td>103</td><td>brown clay & sand</td><td></td><td></td></tr> <tr><td></td><td>103</td><td>118</td><td>brown clay</td><td></td><td></td></tr> <tr><td></td><td>118</td><td>128</td><td>brown, grayer sand</td><td></td><td></td></tr> <tr><td></td><td>125</td><td>128</td><td>gray clay & white sand</td><td></td><td></td></tr> <tr><td></td><td>128</td><td>133</td><td>blue clay</td><td></td><td></td></tr> <tr><td></td><td>133</td><td>146</td><td>brown sand/streaks of clay</td><td></td><td></td></tr> <tr><td></td><td>146</td><td>147</td><td>brown clay</td><td></td><td></td></tr> <tr><td></td><td>147</td><td>150</td><td>brown sand</td><td></td><td></td></tr> <tr><td></td><td>150</td><td>160</td><td>brown sand/clay streaks</td><td></td><td></td></tr> <tr><td></td><td>160</td><td>165</td><td>brown clay/sand</td><td></td><td></td></tr> <tr><td></td><td>165</td><td>180</td><td>brown sand/clay streaks</td><td></td><td></td></tr> <tr><td></td><td>180</td><td>200</td><td>coarse brown sand/pea gravel</td><td></td><td></td></tr> </tbody> </table>	Hole Depth	Depth		Material	Water		From	To	Yield	Quality		0	10	Top Soil				10	47	coarse white & gray sand				47	52	brown clay				52	64	coarse gray & white sand				64	103	brown clay & sand				103	118	brown clay				118	128	brown, grayer sand				125	128	gray clay & white sand				128	133	blue clay				133	146	brown sand/streaks of clay				146	147	brown clay				147	150	brown sand				150	160	brown sand/clay streaks				160	165	brown clay/sand				165	180	brown sand/clay streaks				180	200	coarse brown sand/pea gravel		
Hole Depth	Depth		Material	Water																																																																																																							
	From	To		Yield	Quality																																																																																																						
	0	10	Top Soil																																																																																																								
	10	47	coarse white & gray sand																																																																																																								
	47	52	brown clay																																																																																																								
	52	64	coarse gray & white sand																																																																																																								
	64	103	brown clay & sand																																																																																																								
	103	118	brown clay																																																																																																								
	118	128	brown, grayer sand																																																																																																								
	125	128	gray clay & white sand																																																																																																								
	128	133	blue clay																																																																																																								
	133	146	brown sand/streaks of clay																																																																																																								
	146	147	brown clay																																																																																																								
	147	150	brown sand																																																																																																								
	150	160	brown sand/clay streaks																																																																																																								
	160	165	brown clay/sand																																																																																																								
	165	180	brown sand/clay streaks																																																																																																								
	180	200	coarse brown sand/pea gravel																																																																																																								
<p>4. METHOD DRILLED</p> <p style="text-align: center;">Reverse</p> <p><input type="checkbox"/> Cable <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Dug <input type="checkbox"/> Other</p>																																																																																																											
<p>5. WELL CONSTRUCTION</p> <p>Diameter of hole <u>27</u> inches Total depth <u>200</u> feet</p> <p>Casing schedule: <input type="checkbox"/> Steel <input type="checkbox"/> Concrete</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>16</u> inches</td> <td><u>12</u> feet</td> <td><u>17</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Was a packer or seal used? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td><u>13</u> feet</td> <td><u>200</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Well screen installed? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Manufacturer's name _____</p> <p>Type <u>DeLong</u> Model No. <u>1000</u></p> <p>Diameter <u>14</u> Slot size <u>26</u> Set from <u>13</u> feet to <u>200</u> feet</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size of gravel <u>3/8" min</u></p> <p>Placed from <u>13</u> feet to <u>200</u> feet</p> <p>Surface seal depth <u>13</u> Material used in seal <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Pudding clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used <input type="checkbox"/> Slurry pit <input type="checkbox"/> Temporary surface casing <input checked="" type="checkbox"/> Overbore to seal depth</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>16</u> inches	<u>12</u> feet	<u>17</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	<u>13</u> feet	<u>200</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																							
Thickness	Diameter	From	To																																																																																																								
<u>250</u> inches	<u>16</u> inches	<u>12</u> feet	<u>17</u> feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
Number	From	To																																																																																																									
_____ perforations	<u>13</u> feet	<u>200</u> feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location.</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> </div> <div> <p>Subdivision Name _____</p> <p>Lot No. _____ Block No. _____</p> </div> </div>	<p>10. Work started <u>Oct 3</u> finished <u>Oct 9-74</u></p>																																																																																																										
	<p>11. DRILLERS CERTIFICATION</p> <p>Firm Name <u>Pete Cope Drilling Co., Inc</u> Firm No. <u>213</u></p> <p>Address <u>Box 56, Marsden, Wyo 82401</u></p> <p>Signed by (Firm Official) <u>Pete Cope</u></p> <p style="text-align: right;">and <u>Jack Cope</u></p>																																																																																																										

MICROFILMED
OCT 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JUNE 27, 1990

Mountain Home News
Drawer O
Mountain Home, ID 83647

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 23, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

OCT 22 1990

61-07646

AGENBROAD, CARL
MAYFIELD STAGE HC 34
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NESWNE Sec 27 T 01N R 04E

Use: IRRIGATION	(1.500 CFS)
STOCKWATER	(.030 CFS)
DOMESTIC	(.180 CFS)
Total Diversion: (1.710 CFS)	

Date Filed: 4/ 5/ 1990

In: T01N R04E S26	SWNW	NWSW	SWSW	
S27	SWNE	SENE	SESW	NESE
	NWSE	SWSE	SESE	

75.0 ACRES TOTAL

RECORDED

OCT 2 1990