



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E FRONT ST STE 648 • PO BOX 83720 • BOISE ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

June 28, 2018

Re: Preliminary Order Requiring Controlling Works and Measuring Devices in Water District No. 29-D

Dear Water User,

The Idaho Department of Water Resources ("Department") has issued the enclosed Preliminary Order ("Order") requiring installation of controlling works and measuring devices for certain surface water diversions in Water District 29-D ("WD 29-D"), Lower Portneuf River and tributaries. Pursuant to Idaho Code § 42-1701A(3), any person aggrieved by the Order may, within fifteen days after receipt of written notice of the Order or receipt of actual notice, file with the Director of the Department a written petition stating the grounds for contesting the Order and requesting a hearing.

The Order **excludes diversions for irrigation uses less than or equal to 5 acres and non-irrigation uses with a total rate of diversion less than or equal to 0.24 cfs (approximately 108 gallons per minute).** A common or shared point of diversion serving multiple water rights must be measured if the sum of the total irrigated acres exceeds 5 acres or the total diversion rate of non-irrigation use is greater than 0.24 cfs.

Please note that **irrigation diversions must be controlled and measured by the start of the 2021 irrigation season and non-irrigation diversions by January 1, 2021.**

Enclosed is the Department's "Minimum Acceptable Standards and Requirements for Open Channel and Closed Conduit Measuring Devices" qualifying types of measuring devices acceptable to the Department. This document and related information about acceptable measuring devices is available on the Department's Internet site at the following address: <https://idwr.idaho.gov/water-data/water-measurement/>

Users are encouraged to attend a water measurement workshop to be held by the Department on **Monday August 13, 2018, 6 pm, at the City of Pocatello Council Chambers.** The workshop will provide additional information on requirements for controlling works and measuring devices.

If you have questions concerning this order, please contact IDWR State Office (208-287-4800) or WD 29-D watermaster, Hal Armstrong (208-233-4346).

Respectfully,

A handwritten signature in black ink, appearing to read "Tim Luke".

Tim Luke
Chief, Water Compliance Bureau

Enclosures: *Preliminary Order Requiring Controlling Works and Measuring Devices in Water District 29-D, Dated June 28, 2018 (6 pages)*
IDWR Minimum Acceptable Standards and Requirements for Open Channel and Closed Conduit Measuring Devices (2 pages)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF REQUIRING)	
LOCKABLE HEADGATES,)	
CONTROLLING WORKS AND)	PRELIMINARY ORDER REQUIRING
MEASURING DEVICES ON DIVERSIONS)	CONTROLLING WORKS AND
IN WATER DISTRICT NO. 29-D (LOWER)	MEASURING DEVICES
PORTNEUF RIVER AND TRIBUTARIES))	
_____)	

The Director (“Director”) of the Idaho Department of Water Resources (“IDWR” or “Department”) finds, concludes, and orders as follows:

FINDINGS OF FACT

1. On June 22, 2009, the Department issued a *Preliminary Order Creating A Water District For The Lower Portneuf River And Tributaries, And Combining Water Districts 29-C, 29-F, And 29-U With The New District; And Expanding Water District No. 29, Portneuf River And Tributaries*. Water District No. 29-D (“WD 29-D”) was created for the administration of surface water rights from the Lower Portneuf River and tributaries between the confluence of Harkness Creek and the Portneuf River near McCammon, Idaho, downstream to the Fort Hall Reservation boundary near Chubbuck, Idaho, including Indian Creek near Inkom, Idaho, excluding Marsh Creek and its tributaries, excluding Pocatello Creek and tributaries, and excluding the Fort Hall Reservation and water sources within the Reservation that are administered by the Shoshone-Bannock Tribes pursuant to the “1990 Fort Hall Indian Water Right Agreement”.

2. At the WD 29-D annual meeting on March 12, 2018, Department representatives announced they would issue an order mandating measurement of diversions within WD 29-D in the summer of 2018. The WD 29-D watermaster and some water users supported the proposal to require measurement because of the resulting benefit to proper delivery and recordkeeping.

3. The Department met with the WD 29-D advisory committee and the watermaster on May 30, 2018, to discuss details associated with the proposed order requiring the installation of measuring devices on diversions in the water district. The advisory committee recommended a three year period of time to install measuring devices, with the final deadline to install measuring devices for irrigation occurring at the start of the 2021 irrigation season. The advisory committee also recommended exempting surface water diversions used to irrigate 5 acres or less, and exempting non-irrigation diversions where the diversion rate is less than or equal to 0.24 cubic feet per second (“cfs”).

LEGAL PROVISIONS

1. Section 42-701, Idaho Code, provides in pertinent part:

42-701 INSTALLATION AND MAINTENANCE OF CONTROLLING WORKS AND MEASURING DEVICES BY WATER APPROPRIATORS – PROCEDURE UPON FAILURE TO INSTALL AND MAINTAIN – MEASURING AND REPORTING OF DIVERSIONS – PENALTY FOR FAILURE TO COMPLY – REPORT FILING FEE.

(1) The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where the water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point. Each such appropriator shall construct and maintain, when required by the director of the department of water resources, a rating flume or other measuring device at such point as is most practical in such canal, ditch, wellhead or pipeline for the purpose of assisting the watermaster or department in determining the amount of water that may be diverted into said canal, ditch, wellhead or pipeline from the stream, well or other source of public water. Plans for such headgates, rating flumes or other measuring devices shall be approved by the department of water resources.

...

- (3) Any appropriator or user of the public waters of the state of Idaho that neglects or refuses to construct or maintain such headgates, controlling works, or measuring devices..., upon receiving ten (10) days' notice from the director of the department of water resources within which to begin and diligently pursue to completion the construction or installation of the required device or devices or to begin and diligently pursue to completion a remedy to such defects as exist in accordance with said notice, then the director of the department of water resources may order the duly qualified and acting watermaster of the water district to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist or the director may take action pursuant to section 42-1701B, Idaho Code, to enforce the requirement to construct, install or maintain such devices.*
- (4) The appropriators or users of the public waters of the state of Idaho shall be given a reasonable time within which to complete construction of such headgates, controlling works or measuring devices, depending upon the size and extent thereof, when due diligence has been used in the prosecution of such work.*

CONCLUSIONS OF LAW

1. Pursuant to Section 42-701(1), Idaho Code, the Director is authorized to require installation and maintenance of suitable, lockable headgates and controlling works and measuring

devices at the point where the water is diverted.

2. The Director of IDWR has a “clear legal duty to distribute water” according to the partial decrees issued by the Snake River Basin Adjudication (“SRBA”) District Court. *City of Blackfoot v. Spackman*, 162 Idaho 302, 309 (2017). The SRBA was completed on August 26, 2014, through issuance of the *Final Unified Decree* by the SRBA District Court. *See Final Unified Decree, In re SRBA, Case No. 39576* (Fifth Jud. Dist. Ct. Aug. 26, 2014). The *Final Unified Decree* included general provisions applicable to Basin 29. *See Partial Decree Pursuant to I.R.C.P 54(b) for General Provisions in Basin 29* (Feb. 6, 2014). Since the Basin 29 general provisions do not list any Basin 29 water rights as being administered separately from all other water rights in the Snake River Basin, all water rights within Basin 29 “will be administered as connected sources of water in the Snake River Basin in accordance with the prior appropriation doctrine as established by Idaho law.” *Id.* Idaho law is clear that hydrologically connected surface and ground water sources must be managed conjunctively. *Clear Springs Foods, Inc. v. Spackman*, 150 Idaho 790, 808 (2011).

3. The control and measurement of diversions is necessary in WD 29-D for the Director to comply with his “clear legal duty to distribute water” according to decreed water rights and to be able to conjunctively administer Basin 29 water rights with the rest of the water rights in the basin, including the mainstem of the Snake River. Adequate control and measurement of surface water diversions ensures:

- i. The regulation of diversions within the water district consistent with the legal requirements of prior appropriation doctrine, thereby protecting senior priority rights during times of regularly occurring water scarcity;
- ii. That the diversion of water associated with a decreed water right does not exceed the legal limits of the decree; and
- iii. That the assessments of individual water users within the water district occur based upon “actual deliveries” consistent with I.C. §§42-612(3) and 42-615.

4. The Director should require the installation of suitable, lockable headgates and controlling works and measuring devices within WD 29-D.

ORDER

IT IS HEREBY ORDERED AS FOLLOWS:

1. The holders of surface water rights in WD 29-D, except those water rights, uses and diversions identified in item 2 below, shall install and maintain on each point of diversion lockable headgates and controlling works and measuring devices of a type acceptable to the Department. **Owners of irrigation diversions shall comply with this order by the start of the 2021 irrigation season and owners of non-irrigation diversions shall comply with this order by January 1, 2021.**

2. The installation of lockable headgates and controlling works and measuring devices required by this order is waived until further notification by the Department for the following water uses and diversions:

- a. Domestic and stockwater uses as defined by Idaho Code §§ 42-111 and 42-1401A(11);
- b. Surface water diversions irrigating less than or equal to five acres¹; and
- c. Surface water diversions for any purpose other than irrigation that divert less than or equal to 0.24 cfs (approximately 108 gallons per minute)².

3. Lockable headgates and controlling works and measuring devices shall be installed and maintained sufficiently for the watermaster to control, measure and report the amount of water delivered at each diversion.

4. Measuring devices acceptable to the Department for diversions requiring measurement, shall be devices identified in the Department's *Minimum Acceptable Standards and Requirements for Open Channel and Closed Conduit Measuring Devices* ("Minimum Acceptable Standards" enclosed).

5. The Department will consider a request for variance from the requirement to install measuring devices listed in the *Department's Minimum Acceptable Standards* upon submittal of a written request to the watermaster. Variance requests must include sufficient information for the watermaster and the Department to determine whether a variance is acceptable. Acceptable variances may include the following methods or devices:

- Use of an hour meter (time clock) for qualifying diversions only, usually in-stream electric pumps that operate at a consistent rate of flow; or
- Use of an acceptable non-standard closed conduit flow meter, for flow meters installed on diversions prior to this order.

6. Requests for variance from the measuring device requirement must be received by the watermaster by July 1, 2019. The watermaster and the Department will consider requests on a case-by-case basis. Variance requests proposing use of an existing flow meter will be denied unless the existing meter is tested and meets the Department's established standards for accuracy and the manufacturer installation specifications. Existing meters not meeting the established standard for accuracy or manufacturer specifications must be replaced with a flow meter from the Department's *List of Approved Closed Conduit Flow Meters (most current version)*, which is available for download at the Department's webpage at the following URL: <https://idwr.idaho.gov/files/water-measurement/approved-flow-meter-list.pdf>.

7. The Department may exempt a diversion from the requirements of this order or may allow deferred compliance for a diversion. To be considered, the watermaster must receive requests for exemption or deferral by July 1, 2019. The watermaster and the Department will consider requests for exemption or deferral on a case-by-case basis. Conditions that may result in exemption or deferral include, but are not limited to, the following:

¹ A common point of diversion used for multiple irrigation rights where each individual right is five (5) acres or less must be measured and controlled if the sum of the irrigated acres under the rights exceeds five (5) acres.

² A common point of diversion serving multiple non-irrigation uses must be measured if the total diversion rate is greater than 0.24 cfs.

- Abandonment, non-use, or consolidation that results in a diversion being unused, or reduces the total diversion rate to 0.24 cfs or less or results in the irrigation of five (5) acres or less; or
- Delays caused by requirements of other government entities.

8. If a user cannot comply with the deadlines in item 1 of this order, the Department may grant an extension of time. To be considered, the watermaster must receive requests for an extension of time July 1, 2019. The watermaster and the Department will consider requests for extensions on a case-by-case basis.

9. This order is effective immediately for any new diversion(s) authorized after the date of this order, except water right diversions described in items 2(a) through 2(c) of this order.

10. The WD 29-D watermaster will shut off and refuse to deliver water to any diversion subject to this order, if the user fails to comply with the requirements to install and maintain suitable and acceptable headgates, controlling works, and measuring devices, after the start of the 2021 irrigation season (irrigation diversions) or after January 1, 2021 (non-irrigation diversions), unless an extension or exemption has been granted by the Department.

11. Pursuant to Section 42-1701A(3), Idaho Code, any person aggrieved by this order may, within fifteen days after receipt of written notice of the order or receipt of actual notice, file with the Director a written petition stating the grounds for contesting the order and requesting a hearing.

Dated this 28 day of June 2018.




MAT WEAVER
Deputy Director

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that on this 28th day of June 2018, the above and foregoing document was served on each individual or entity on the service list for this matter on file at the Idaho Department of Water Resources, 322 East Front Street, Boise, Idaho and www.idwr.idaho.gov. Each individual or entity on the service list was served by placing a copy of the above and foregoing document in the United States mail, postage prepaid and properly addressed.

Documents served: **Preliminary Order Requiring Controlling Work and Measuring Devices in Water District No. 29-D**



Sarah Shaul
Technical Records Specialist
Idaho Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES (IDWR)

MINIMUM ACCEPTABLE STANDARDS AND REQUIREMENTS
FOR OPEN CHANNEL AND CLOSED CONDUIT
MEASURING DEVICES

The water source, diversion structure and conveyance system must be adequately evaluated prior to selection of a measuring device. Surface water sources such as streams, springs and drains are commonly diverted into open channels, ditches or canals. Closed conduits such as pipes or culverts are also used to convey surface water. Ground water is more commonly diverted into pipes (closed conduits) which convey water from the well to system discharge points such as irrigation sprinkler systems. Ground water may also discharge from a well through a short section of pipe to open channels, ditches or ponds. When required by IDWR, measuring devices must be installed at or very near the point of diversion to ensure the watermaster can accurately determine the amount of water diverted from the public water source. The standards below are intended to qualify measuring devices that are “acceptable to the Department”, and to assist water users and watermasters in the proper selection and installation of such devices when required pursuant to Section 42-701, Idaho Code.

I. MEASUREMENT IN OPEN CHANNELS

The following requirements are applicable to diversions from surface water sources. Measurement of a ground water diversion with an open channel measuring device must be specifically approved by IDWR.

A. Industry Standard Open Channel Measuring Devices

All open channel surface water diversions must be measured using one of the following industry standard (standard) open channel flow measuring devices:

- **Weirs:** contracted or suppressed rectangular weirs, Cipolletti weir, 90 degree V-notch weir
- **Flumes:** Parshall flume, trapezoidal flume, ramped flume (ramped, broad-crested weir)
- **Submerged Orifices:** submerged rectangular orifice, constant head orifice
- **Current Meter/Acoustic Profiler:** acoustic Doppler flow meter (ADFM), acoustic Doppler current profiler

Construction, installation and operation of these devices must be consistent with water measurement guidelines, published by the United States Bureau of Reclamation¹ or the United States Geological Survey². Measuring devices, associated rating tables and specifications contained in these publications are considered by IDWR to be industry standard.

B. Non-Standard Open Channel Devices Including Rated Structures or Rated Sections

Any weir, flume or other measuring device that has not been constructed, installed or maintained to measure flow consistent with industry standard rating tables or curves shall be considered non-standard. IDWR may authorize the use of non-standard devices or rated channel sections on a case by case basis, upon the submittal and approval of a measurement plan. A measurement plan must contain an acceptable proposal, using industry standard procedures for developing a rating curve, or document that a rating curve has been fully developed for the device or section. Proposed rating plans must include provisions for periodic re-measurement and maintenance of the rating. The established rating must achieve the desired accuracy standard of plus or minus ten percent ($\pm 10\%$), the equivalent accuracy of a standard open channel device. All rating measurements must be conducted by a qualified individual (eg. engineer, hydrologist, certified examiner), using a standard portable open channel measuring device. If a measurement plan is not approved by IDWR, a standard device must be installed and maintained.

¹ The BOR guidelines can be found at: <https://idwr.idaho.gov/files/water-measurement/2001-Bureau-of-Reclamation-Water-Measurement-Manual.pdf>

² The USGS guidelines can be found at: <https://pubs.er.usgs.gov/>

II. CLOSED CONDUIT MEASURING DEVICES

The following requirements are applicable to measurement of diversions from any water source that conveys water through a full pipe or conduit. Full pipe means that water within the pipe is under at least some positive pressure and contains insignificant amounts of air or gas.

A. Standard Closed Conduit Measuring Devices

Standard closed conduit measuring devices are flow meters that have been approved for use by IDWR based on independent third party testing. IDWR has developed and published a list of meters that have been tested and approved for use³. Tests were conducted for both accuracy and repeatability on all submitted models. The lab tested accuracy standard for flow rate is plus or minus two percent ($\pm 2\%$). The *IDWR List of Approved Closed Conduit Flow Meters* (approved list) may be found at: <https://idwr.idaho.gov/files/water-measurement/approved-flow-meter-list.pdf>

Approved full profile magnetic flow meters and spooled ultrasonic flow meters must be installed with a minimum straight pipe length equivalent of three (3) pipe diameters upstream and two (2) pipe diameters downstream measured from the center of the meter spool. Approved clamp-on and wetted ultrasonic flow meter transducers must be located with a minimum straight pipe equivalent of ten (10) pipe diameters upstream and five (5) pipe diameters downstream of the nearest transducer. All other manufacturer installation specifications (excepting up and down spacing) must be met. *Installation of an approved meter inconsistent with the requirements noted above, may be cause for IDWR to require reinstallation of the meter.*

B. Requests for Variance to Use Power Consumption, Hour Meter or Existing Meter

Requests for variance will be considered for qualifying diversions on a case by case basis only upon submittal of the appropriate "Request for Variance" form. If a water user can demonstrate that an existing flow meter or other method of measurement meets an equal standard of accuracy when compared to meters on the approved list, a variance may be granted. If a variance request is not granted, an approved meter will be required.

The following alternate measurement methods may be considered:

- Development of a Power Consumption Coefficient (PCC), which is a ratio of power usage to water withdrawal,
- Use of an hour meter (time clock), or
- Use of a flow meter that was *installed prior* to the date a measurement order was issued and *is not* on the IDWR approved list.

Any alternate measurement method will require field testing using a portable ultrasonic flow meter or other meter tested and accepted by IDWR (testing meter). Field testing may be performed by any of the following:

- IDWR staff,
- a water district watermaster,
- a ground water district hydrographer,
- an irrigation district hydrographer,
- a certified field examiner, or
- as otherwise approved by IDWR

Existing flow meters must be operational and installed consistent with applicable specifications. If the testing margin of error of an installed meter when compared to the testing meter exceeds plus or minus ten percent ($\pm 10\%$) for mechanical type meters, or plus or minus five percent ($\pm 5\%$) for magnetic or ultrasonic type meters, the installed meter must be replaced with a new meter from the approved list. The owner or operator of any diversion system which requires a field measurement must provide a testing section of unobstructed straight pipe 15 pipe diameters in length.

³ Testing was conducted at the Utah Water Research Laboratory (UWRL), a National Institute of Standards and Technology (NIST) traceable lab in Logan, Utah.

ROCKE AND SUSAN ACREE
7776 W PORTNEUF RD
POCATELLO ID 83204

ACRES UNLIMITED LLC AND GREG SMEDLEY
2472 S OLD HWY 91
INKOM ID 83245

CAROL S AND WILLIAM A AKERSTEN
630 MINK CREEK
POCATELLO ID 83204

CONNIE L AND ED K ALDRICH
1555 RAPID CREEK RD
INKOM ID 83245

DAVID R AND KAREN J ANDERSEN
4386 W PORTNEUF RD
INKOM ID 83245

MELVIN J ANDERSON
353 E WEBB CANYON RD
INKOM ID 83245

MARJORIE L ANDERSON
375 E WEBB CANYON RD
INKOM ID 83245

LORI AND TERRO ANDERSON
379 E WEBB CANYON RD
INKOM ID 83245

F GLENN ANDERSON
7474 W PORTNEUF RD
POCATELLO ID 83204

BOBBI AND KALEB ANDERSON
PO BOX 4
MC CAMMON ID 83250

CLIFFORD F ANDREWS
PO BOX 2294
POCATELLO ID 83206

A GORDON AND CAROL J ARMSTRONG
1083 PLAIN VIEW DR
TWIN FALLS ID 83301-8141

ROGER ARMSTRONG
1638 E WYETH
POCATELLO ID 83201

HAROLD A ARMSTRONG
2771 BANNOCK HWY
POCATELLO ID 83204

BARTON AND JERI ARMSTRONG
9021 GIBSON JACK
POCATELLO ID 83204

ASH GROVE CEMENT CO
11011 CODY ST
OVERLAND PARK KS 66210

RITA BACHMANN
1627 LORREEN CT
SALT LAKE CITY UT 84121

ERICA BACKER
13767 WHITECLOUD
POCATELLO ID 83202

DEBBIE L AND JERRY E BAILEY
5497 S 5TH AVE
POCATELLO ID 83204

PEGGY ANN BAKER
11716 S DEMPSEY CREEK RD
LAVA HOT SPRINGS ID 83246

GORDON L AND IRIS BERNIER
480 E JACKSON RD
INKOM ID 83245

BOYD A BEVAN
160 IDAHO ST
POCATELLO ID 83204

BINGHAM INVESTMENTS
PO BOX 429
BLACKFOOT ID 83221

NAILA AND RASHID E BISHARAT
PO BOX 366
INKOM ID 83245

DANA BLACKBURN
2352 N APPLE LN
POCATELLO ID 83204

BLACKROCK IRRIGATION PROJECT
5676 W OLD HWY 91
POCATELLO ID 83204

BEVERLEY BLAKE ODOHERTY
PO BOX 4111
POCATELLO ID 83205

DEAN H AND SUZANNE BOLLINGER
6555 S OLD HWY 91
MCCAMMON ID 83250

ELIZABETH AND JEREMY BRANSON
630 EAST UPPER ROCK CREEK RD
INKOM ID 83245

JOHN BRENNAN
12 CEDAR HILLS DR
POCATELLO ID 83204-4400

LYNN L BRIDGER
210 W BURNSIDE STE E
CHUBBUCK ID 83202

KAYELYNN D AND SHAWN D BRIDGER
PO BOX 512
INKOM ID 83245

DONALD D AND PHYLLIS J BROWN
4285 BANNOCK HWY
POCATELLO ID 83204

DEBORAH K BROWN
4638 W PORTNEUF RD
INKOM ID 83245

M DANIEL BULL
3408 W PORTNEUF RD
INKOM ID 83245

BURNA DEAN AND LM BULL AND L M BULL JR
5787 W PORTNEUF RD
POCATELLO ID 83204

BART L AND BRANDIE BULLOCK
2555 S BANNOCK HWY
POCATELLO ID 83204

DREW AND TEARSA BURKE
7288 W PORTNEUF RD
POCATELLO ID 83204

BRAD AND LORI BURTON
2176 W PORTNEUF RD
INKOM ID 83245

KRISTYN M CALDWELL
2958 W PORTNEUF RD
INKOM ID 83245

TERRY CALL
1469 E FORK MINK CREEK RD
POCATELLO ID 83204

LINDA CANTRELL
1140 N MINK CK
POCATELLO ID 83204

JACQUELYN CARROZZA AND JEFFERY L MATKIN
PO BOX 4885
POCATELLO ID 83205

GEORGE H AND RHONDA CHANDLER
3380 N RAPIDCREEK ROAD
INKOM ID 83245

GEORGE W AND LORENE CHANDLER
3440 N RAPID CREEK RD
INKOM ID 83245

WILLIAM CHANDLER
5434 HWY 312
BILLINGS MT 59105

PEGGY L AND SEREN R CHANDLER
PO BOX 144
INKOM ID 83245

JOSEPH CHANDLER
PO BOX 181
INKOM ID 83245

CHRISTOPHER J AND ROBERTA CHAPMAN
6559 W OLD HWY 91
POCATELLO ID 83204

CHERRY HILL ORCHARD LLC
1268 N MINK CREEK RD
POCATELLO ID 83204

LARRY AND NANCY CHRISTENSEN
10394 S MARSH CRK RD
MCCAMMON ID 83250

DIXIE AND W J CHRISTENSEN
4044 TECH FARM RD
POCATELLO ID 83204

JOHN AND REANA CHRISTENSEN
441 E JACKSON CK RD
INKOM ID 83245

CITY OF INKOM
365 RAPID CREEK ROAD
INKOM ID 83245

CITY OF POCATELLO
911 N 7TH AVE
PO BOX 4169
POCATELLO ID 83205

CITY OF POCATELLO
WATER DEPARTMENT
PO BOX 4169
POCATELLO ID 83205

ROBERT COLLING
920 DOLBEER ST
POCATELLO ID 83204

CALYNN AND PATRICK COMBS
815 W HAGLER RD
INKOM ID 83245

COUNTY OF BANNOCK
624 E CENTER ST
POCATELLO ID 83201

W J CRAWFORD
952 JONES DR
POCATELLO ID 83201

CURTIS & LINDA SMITH LIVING TRUST
PO BOX 195
INKOM ID 83245

ARTUR AND GALE DA ROSA
3440 W PORTNEUF RD
INKOM ID 83245-1609

JOHN H AND KATHY A DAHLKE
549 E LOWER ROCK CREEK RD
PO BOX 66
INKOM ID 83245

ARNOLD L AND KAREN B DAVIS
2047 INKOM RD
INKOM ID 83245

MORRIS J DAYLEY
6919 W PORTNEUF RD
POCATELLO ID 83204

MARK DIETRICH
383 RIMVIEW
BOISE ID 83245

SANDRA AND TIMOTHY DILLON
1535 E FORK MINK CREEK RD
POCATELLO ID 83204

H E AND NADYNE DONALDSON
9661 W CHARLOTTE
POCATELLO ID 83204

AMBER AND BRYAN DONYES
5647 W SKI VIEW DR
POCATELLO ID 83204

DAN DOPITA
2121 BANNOCK HWY
POCATELLO ID 83204

KENNETH E DOYEL
2996 W PORTNEUF RD
INKOM ID 83245

KEIKO AND ROBB DYE
220 E PUTNAM MTN LOOP
INKOM ID 83245

JAN H EHRSTROM
2041BANNOCK HWY
POCATELLO ID 83204

MIKE ENNIS
PO BOX 6147
POCATELLO ID 83205-6147

ESTATE OF WALTER J & MAUD LARSEN
C/O JAMES A LARSEN
6007 S OLD HWY 91
MCCAMMON ID 83250

JARED AND KATIE EVANS
1588 N MINK CREEK
POCATELLO ID 83204

BRENDA AND VERL EVANS
1750 N INKOM RD
INKOM ID 83245

JIM AND NANCY EVERSON
303 N OLD HWY 91
INKOM ID 83245

RALPH FARRINGTON
PO BOX 2924
NEWPORT BEACH CA 92659-2924

JENNIFER AND RICHARD FELLOWS
PO BOX 3064
POCATELLO ID 83206

DOMINIC AND NICHOLE FERRARI AND LINDA CHARMAIN
AND NORRIS KENT MURDOCK
2483 N INKOM RD
INKOM ID 83245

MICHAEL N AND SANDRA M FISHER
1724 N MINK CREEK RD
POCATELLO ID 83204

FLYING ELK INVESTMENTS LLC
PO BOX 490
INKOM ID 83245

BRYAN K FRIEDEL
1125 E INMAN CANYON RD
INKOM ID 83245

DORIS FRIEDEL
PO BOX 475
INKOM ID 83245

SEAN J FULTON
PO BOX 404
INKOM ID 83245

LAURA GERMER
5268 W PORTNEUF RD
INKOM ID 83245

BLAKE LOUIS VERNON AND RACHELLE GILBERT
744 S HAYES
POCATELLO ID 83204

GILBERT RANCH LLC AND JANINE AND TODD GILBERT
PO BOX 302
INKOM ID 83245

ARDIS AND HERB GREWING
902 N MINK CREEK RD
POCATELLO ID 83204

DOUGLAS AND SHAUNA GUTHRIE
7310 W PORTNEUF RD
POCATELLO ID 83204

CAROL, JAMES AND JAMES K GUTHRIE
PO BOX 12
INKOM ID 83245

MARTIN HACKWORTH
8759 1/2 W BARTON RD
POCATELLO ID 83204

DAVID AND NATASHIA HAHN
1966 W PORTNEUF RD
INKOM ID 83245

BRIANNE AND STEVEN HALL
354 S 11TH ST
POCATELLO ID 83201

KELE AND KEVIN D HALL
5288 W BLACKROCK RD
INKOM ID 83245

COLLEEN AND JIM HALLINAN
5752 SKI VIEW DR
POCATELLO ID 83204

DENNIS V AND JACKIE S HICKMAN
2364 N APPLE LN
POCATELLO ID 83204

DENNIS HILL
3399 S OLD HWY 91
MCCAMMON ID 83250

NORMAN A HILL
6900 W PORTNEUF RD
POCATELLO ID 83204

AMY E AND RONNIE BOYD HOLLAND
PO BOX 2407
POCATELLO ID 83206

ACEL LA MAR AND SHIRLEY J HOLMES
178 N MINK CREEK RD
POCATELLO ID 83204

ARDYS L AND KARL E HOLTE
1506 N MINK CREEK RD
POCATELLO ID 83204-7255

LYNDA AND SUSAN HONAS
2766 BANNOCK HWY
POCATELLO ID 83204

FRANK AND MARY S HOUGH
3712 S OLD HWY 91
MCCAMMON ID 83250

KERT W AND LOUISE HOWARD
7688 W PORTNEUF RD
POCATELLO ID 83204

CARL HULL
377 RAPID AVE
PO BOX 425
INKOM ID 83245

IDAPOC LLC AND WILD MOUNTAIN LLC
PO BOX 262
POCATELLO ID 83204

J R SIMPLOT CO
C/O JAMES B ALDERMAN
PO BOX 27
BOISE ID 83707-0027

CASEY AND LUKE JACKSON
1491 N INKOM RD
INKOM ID 83245

KIRK AND SUSAN JACKSON
PO BOX 271
POCATELLO ID 83204

MICHAEL AND TEAGANE JAY
336 WEST TERRY
POCATELLO ID 83204

KARRIE AND KENT JENKINS
2151 BANNOCK HWY
POCATELLO ID 83204

SANDRA AND TOM JOHANSEN
1030 SHALE DR
POCATELLO ID 83204

LAUREL S JOHNSON
107 E INMAN RD
INKOM ID 83245

NICKI A AND WADE L JOHNSON
195 N OLD HWY 91
INKOM ID 83245

CONNIE JOHNSON
550 RICHLAND AVE
POCATELLO ID 83201

JACKE L AND RONALD D KARLSON
3061 W OLD HWY 91
PO BOX 96
INKOM ID 83245

THOMAS C KATSILOMETES
647 S CROSSTIMBER
MERIDIAN ID 83642

PAUL AND SUSAN KATSILOMETES
7611 W KATSILOMETES DR
POCATELLO ID 83204

DAVID L WISE AND SHARON B KATZ-WISE
115 S 15TH
POCATELLO ID 83201

TAMRA J AND WESLEY J KENT
3122 RAPID CREEK RD
INKOM ID 83245

NETA FAYE KENT
PO BOX 308
INKOM ID 83245

JOEL KILPACK
PO BOX 412
INKOM ID 83245

DALE B KIRKHAM AND DALE B KIRKHAM JR
PO BOX 4026
POCATELLO ID 83201

DALE B KIRKHAM JR
8503 BUCKSKIN RD
POCATELLO ID 83201

CHAROLETTE AND MICHAEL E KISSEL
1496 S OLD HWY 91
INKOM ID 83245

DANIELLE AND MARK A KITCHENS
698 E UPPER ROCK CREEK
INKOM ID 83245

CHARLENE AND KELLY KYNASTON
1502 S MINK CREEK RD
POCATELLO ID 83204

LAKOTA SUBDIVISION PROPERTY OWNERS ASSN INC
1997 N TATONKA LN
INKOM ID 83245

BRET LAMB
1979 GRANDVIEW AVE
POCATELLO ID 83204

CORY W AND TERI G LAMB
2026 S GRANT
POCATELLO ID 83204

CHARLES S LAMB
2074 S GRANT
POCATELLO ID 83204

JAMIE AND N W LARSEN
2939 S OLD HWY 91
MCCAMMON ID 83250

ROBERT J AND VONNA LARSEN
5015 S OLD HWY 91
MCCAMMON ID 83250

H GENE AND TYRA LARSEN
PO BOX 158
MCCAMMON ID 83250

ROBERT LEACH
194 E INMAN RD
INKOM ID 83245

ELISHA AND JOHN R LEE
5470 W SKIVIEW DR
POCATELLO ID 83201

ANTONINO AND TELEENA LEISCHNER
5700 SKI VIEW DR
POCATELLO ID 83204

BONNIE J AND LEO D LEWIS
90 N INDIAN CREEK RD
INKOM ID 83245

PAMELA LILJENQUIST
4120 N LOWER RD
POCATELLO ID 83204

LILLY SIOUX ESTATES PROPERTY OWNERS ASSOCIATION INC
2005 TOUCH DR
INKOM ID 83245

MONTE AND SHELLEY LISH
2263 N INKOM RD
INKOM ID 83245

ARLEN M LISH
410 VALLEY VIEW RD
KINGSTON ID 83839

DAVID R AND K RAINA LISH
5030 S OLD HWY 91
MCCAMMON ID 83250

LARAE LISH
PO BOX 189
INKOM ID 83245

DEMARIS AND HENRY A LISTER
5937 N RAPID CREEK RD
INKOM ID 83245

LITTLE RED HEN INC
C/O THOMAS J MCDEVITT PRES
PO BOX 4260
POCATELLO ID 83205

RONALD LORENZ
2335 N FORT HALL MINE RD
PO BOX 6116
POCATELLO ID 83204

LPT LLC AND LYNN D TRANSTRUM
PO BOX 93
POCATELLO ID 83204

KENNETH AND HARRIET LUNDBURG
3250 S BANNOCK HWY
POCATELLO ID 83204

JUDY A AND WILLIAM T LYNN
2663 N INKOM RD
INKOM ID 83245

EVERT R AND SADIE LEONE MADSEN
2802 W OLD HWY 91
INKOM ID 83245

RHONDA MALAN
RR 2 BOX 157 K
POCATELLO ID 83202

JAMES L MARINI
1502 S OLD HWY 91
INKOM ID 83245

MARSH VALLEY JOINT SCHOOL DISTRICT #21
PO BOX 180
ARIMO ID 83214

AARON AND AMANDA MAYER
770 MINK CREEK RD
POCATELLO ID 83204

KAREN AND KRAIG C MC GEE
1420 CEDAR LAKE RD
POCATELLO ID 83204

MARGARET MC INTOSH
3960 TECH FARM RD
POCATELLO ID 83204

JOHN B MC NABB
PO BOX C
POCATELLO ID 83205-0017

BETTY AND TRAVIS MILLS
450 W HAGLER RD
INKOM ID 83245

BILLIE AND STEVE MILLS
5195 W PORTNEUF
INKOM ID 83245

MINK CREEK IRRIGATION CORP
1940 N MINK CREEK RD
POCATELLO ID 83204-7206

G WAYNE AND JUDY N MINSHALL
1783 S OLD HWY 91
INKOM ID 83245

DONALD S AND JANET MOORE
5497 W BLACKROCK RD
POCATELLO ID 83204

BARBARA E AND M D MORRISON
3455 N RAPID CREEK RD
PO BOX 564
INKOM ID 83245

JULIA AND NICHOLAS MUCKERMAN
2221 N INKOM RD
INKOM ID 83245

WILMA MUNN
7773 W PORTNEUF RD
POCATELLO ID 83204

DAVID C MUNN
7953 W PORTNEUF RD
POCATELLO ID 83204

SUZANNE MUNN
949 WILLOW LN
POCATELLO ID 83204

NORRIS M MURDOCK
44 E JACKSON CREEK RD
INKOM ID 83245

GORDON EDGAR MURRAY
5293 W BLACKROCK RD
INKOM ID 83245

ALEXIS AND R JOE MYLER
2344 N MINK CREEK RD
POCATELLO ID 83204

DENISE M NANSEL
13627 W MEADOWLARK
POCATELLO ID 83204

S LUKE AND TANAE NELSON
2382 N APPLE LN
POCATELLO ID 83204

STEWART RAY NELSON
2630 N INKOM RD
INKOM ID 83245

JULIE A AND LAWRENCE NESTOR
1679 E NESTOR RD
INKOM ID 83245

DAVID E AND DONNA L NESTOR
1789 W STINGER RD
MCCAMMON ID 83250

EDWARD A NEWTON
772 C ST
WASHOUGAL WA 98671

LARAYNE AND LEE D NOKES
2958 W PORTNEUF RD
INKOM ID 83245-1607

CAROL C AND DOUGLAS P NORMAN
PO BOX 117
INKOM ID 83245

RAY ONSTINE
2498 OLD HWY 91 S
MCCAMMON ID 83250

NORA LEE AND RALPH ONSTINE
3103 S OLD HWY 91
MCCAMMON ID 83250

JOYCE ORDERS
1744 S OLD HWY 91
INKOM ID 83245

PATTY AND TODD ORR
2229 BANNOCK HWY
POCATELLO ID 83204

COLETTE AND PAUL OTTO
4582 W PORTNEUF RD
INKOM ID 83245

DELBERT V AND KAREN J OWENS
PO BOX 368
INKOM ID 83245

FRANCY AND RICHARD PATCHETT
PO BOX 325
INKOM ID 83245

KENNETH G AND ROBERTA B PAYNE
PO BOX 250
INKOM ID 83245

CURTIS PECKHAM
5404 W BLACKROCK RD
POCATELLO ID 83204

JENNY J AND ROBERT PERKINS
498 W 390 N
SPANISH FORK UT 84660

KERRY, RAYMOND AND RYAN C PERRIGOU
PO BOX 4931
POCATELLO ID 83205

DOYLE J AND PAMELA B PETERSEN
2046 N HONEYSUCKLE LN
INKOM ID 83245

DIANE L AND ROGER N PHILLIPS
1762 N MINK CREEK RD
POCATELLO ID 83204

ANN MARIE AND DANIEL BRENT PHILLIPS
5250 W OLD HWY 91
POCATELLO ID 83204

PIDCOCK CO INC
280 E PIDCOCK RD
INKOM ID 83245

SANDRA AND WILLIAM L PIMENTEL
PO BOX 895
POCATELLO ID 83204

LARRY E AND MADGE PORTER
5794 W SKI VIEW DR
POCATELLO ID 83204

GARRY L PURKEY
2334 N FORT HALL MINE RD
POCATELLO ID 83204

ED QUINN
2985 S OLD HWY 91
MCCAMMON ID 83250

QUINN CREEK RANCH LLP AND WAYNE TAYSOM
PO BOX 4519
POCATELLO ID 83205

HOLLY M RADEMACHER
2331 BANNOCK HWY
POCATELLO ID 83204

DEBORA LEE AND STEVEN T RADEMACHER
348 SUE RD
POCATELLO ID 83204

JERRY L AND KERRY RAINSDON
5620 WOODLAND RD
BARTLESVILLE OK 74006-7818

BARRY K AND CARLA F REDFORD
BOX 295
INKOM ID 83245

JOYCE AND MATTHEW RENDACE
2204 PORTNEUF RD
INKOM ID 83245

CARL JIM AND MICHAELE RHOADES
6217 N RAPID CREEK RD
INKOM ID 83245

RALPH RICHARD
PO BOX 1706
POCATELLO ID 83204

CAROLYN J AND DONALD L ROBINSON
3898 TECH FARM RD
POCATELLO ID 83204

ETHLENE AND MARVIN W ROCK
4615 W OLD HWY 91
INKOM ID 83245

GLEN W AND KATHY ROMRIELL
1326 S OLD HWY 91
INKOM ID 83245

EDWARD N ROWLAND
DBA ROWLANDS INC
1141 ROWLAND RD
POCATELLO ID 83204

DARLENE SAMUELSON
3577 S OLD HWY 91
MCCAMMON ID 83250

BEAU AND CANDICE SCHARFEN
2163 N INKOM RD
INKOM ID 83245

MARLENE AND ROBERT SCHOONMAKER
1290 E UPPER ROCK CREEK RD
INKOM ID 83245

BRAD AND EMILY SCHROEDER
3020 RAPID CREEK RD
INKOM ID 83245

SETH AND TARA SCOTT
2025 SUNRISE WAY
POCATELLO ID 83201

JEFF SHORT AND POPPY SEMONS SHORT
1138 N MINK CREEK
POCATELLO ID 83204

ROBIN C SEXTON
325 MAIN ST
INKOM ID 83245

GARY SEYMOUR
2446 N MINK CREEK RD
POCATELLO ID 83204

LETA K AND TIMOTHY B SHAFFER
2428 N PAMELA DR
INKOM ID 83245

MARCUS SHEPPARD
1143 N RAPID CREEK RD
INKOM ID 83245

TOM SIMKO
245 N BONNEVILLE RD
INKOM ID 83245

CYNTHIA AND DAVID SMEDLEY
520 E GREEN CANYON
IKNOM ID 83245

BARBARA B AND LYNDON R SMITH
2651 N INKOM RD
INKOM ID 83245

BARBARA A SMITH
5731 S OLD HWY 91
MCCAMMON ID 83250

JANIS STALEY
2043 N HONEYSUCKLE LN
INKOM ID 83245

ELMER H AND FRANCES ANNE STANGER
2770 W PORTNEUF RD
INKOM ID 83245

STATE OF IDAHO
DEPT OF FISH & GAME
1345 BARTON RD
POCATELLO ID 83204

HERMAN AND ROSE STERNER
1936 S OLD HWY 91
INKOM ID 83245

BONNIE J AND JAMES FREEMAN SHAW
2072 N MINK CREEK RD
POCATELLO ID 83204

SHOSHONE BANNOCK TRIBES
FORT HALL BUSINESS COUNCIL
PO BOX 306
FORT HALL ID 83203

JAMIE SMEDLEY
2472 S OLD HWY 91
IKNOM ID 83245

RANDY L AND SALLY R SMITH
2396 S GRANT
POCATELLO ID 83204

CARMA B SMITH
5137 W PORTNEUF RD
INKOM ID 83245

IRVIN L AND ORA SPRAKER
745 N OLD HWY 91
INKOM ID 83245

JEROMEY STANGER
1747 N INDIAN CREEK RD
INKOM ID 83245

STATE OF IDAHO
DEPT OF FISH & GAME
PO BOX 25
BOISE ID 83707

CLYDE W AND MELVIN D STEED
PO BOX 61
INKOM ID 83245

STEVEN CHANDLER ESTATE
8608 BRIARCROFT LN
LAURL MD 20708

STONE RIVER DEVELOPERS LLC
2600 STONE RIVER CIR
POCATELLO ID 83204

CLAIR A AND SARI A STUCKI
6998 W PORTNEUF RD
POCATELLO ID 83204

MARY AND VARDELL TAIT
5434 S OLD HWY 91
MCCAMMON ID 83250

WADE TAYSOM
1292 E TIAPOO
MCCAMMON ID 83250

DEBBIE AND RAY TAYSOM
99 E PIDCOCK RD
PO BOX 447
INKOM ID 83245

TCAFE LLC
218 E PUTNAM MTN LOOP
INKOM ID 83245

THE 1994 RICHARD SPENCER LIVING TRUST
C/O RICHARD SPENCER
2080 W PORTNEUF RD
INKOM ID 83245

LINDA AND MIKE THEIRING
1054 N HAYES
POCATELLO ID 83204

THOMAS R AND TRACY R THOMPSON
5208 W PORTNEUF RD
INKOM ID 83245

DARLA AND ROD THOMPSON
PO BOX 131
INKOM ID 83245

AVA M AND ROBERT R TRACY
2715 S OLD HWY 91
MCCAMMON ID 83250

TRAIL CREEK DEVELOPMENT LLC
814 ROCKY POINT RD
POCATELLO ID 83204

DIANNA L TROYER
PO BOX 4392
POCATELLO ID 83205

DENNIS A AND PATRICIA E TURMAN
2081 N INKOM RD
INKOM ID 83245

ALAINA AND JAY ULRICH
PO BOX 275
INKOM ID 83245

UNITED STATES OF AMERICA ACTING THROUGH
USDA FOREST SERVICE
550 W FORT ST MSC 033
BOISE ID 83724

ROBERT E VAUGHAN
2524 N BONNEVILLE RD
INKOM ID 83245-1738

ROBERT MICHAEL VESTAL
2490 S GRANT EXTENSION
POCATELLO ID 83204

TERESA VONBUSCH
8833 N RAPID CREEK RD
INKOM ID 83245

WAGENER RANCH LLC
2641 E TWO MILE RD
MCCAMMON ID 83250

HAZEL A AND RONALD D WAGNER
2095 N INKOM RD
INKOM ID 83245

JEFF AND MARY WAKLEY
2217 BANNOCK HWY
POCATELLO ID 83204

JODI L WALKER
4394 W PORTNEUF RD
PO BOX 2326
POCATELLO ID 83206

JOHANNA M WALLACE
247 S INDIAN CREEK
INKOM ID 83245

WATERWHEEL LLC
PO BOX 866728
PLANO TX 75086-6728

BRUCE L, VALERE AND WARREN P WELLARD
825 RAPID CREEK RD
INKOM ID 83245

DAVELLA F AND NATHANIEL E WHITE
PO BOX 1524
POCATELLO ID 83204

KELLY W WHITWORTH
1178 N HWY 91
INKOM ID 83245

CORWIN P WHITWORTH
493 E JACKSON CREEK RD
INKOM ID 83245

LARUE AND MAX T WHITWORTH
73 S INDIAN CREEK RD
INKOM ID 83245

MARGARET A AND MARVIN D WHITWORTH
PO BOX 427
INKOM ID 83245

WILHELMINE LUKER TRUST
514 EL BLANCO DR
BOISE ID 83709

ANJANETTE K WILKES
2446 N MINK CREEK
POCATELLO ID 83204

GAYLEN A WILLIAMS
PO BOX 352
INKOM ID 83245

CAROL WINTERSTEEN
5325 N SUNRISE VIEW LN
STAR ID 83669

GEORGE D WOOD
1680 N MINK CREEK RD
POCATELLO ID 83204

NORMA H WORTH
3259 N BANNOCK HWY
POCATELLO ID 83204

DWIGHT AND MARITA WORTHINGTON
832 N MINK CREEK RD
POCATELLO ID 83404