Weather Modification Air and Water Quality

Idaho DEQ
Barry N. Burnell
Water Quality Division Administrator



Silver Drinking Water Standard

- Drinking Water Silver (Ag)
 - 58.01.08.400.03 Secondary MCLs
 - 40 CFR Part 143.3 Ag 0.10 mg/L
 - Cosmetic Effects
 - Skin discoloration is a cosmetic effect related to silver ingestion.
 - Graying of the white part of the eye



Silver Ground Water Quality Standard

- Ground Water Silver (Ag)
 - 58.01.11.200.01.b
 - Secondary Standard
 - 0.10 mg/L (ppm)




Silver Surface Water Quality Standards

- Surface Water Silver (Ag)
 - 58.01.02.210.01
 - Aquatic life Acute Toxicity Standard
 - Hardness Dependant Metal
 - At 50 ppm Hardness 1.05 ug/L (ppb)
 - At 100 ppm Hardness 3.45 ug/L (ppb)
 - At 200 ppm Hardness 11.37 ug/L (ppb)



Surface Water - Silver (Ag)

Ag - CMC





Conclusions, Stone et.al. 2006


- High resolution analysis of water, sediment and biological samples from areas subjected to long-term, 50 year+, cloud seeding programs, specifically PG&E's Mokelumne and Lake Almanor cloud seeding projects, support the following:
- The amount of silver iodide released to the atmosphere in cloud seeding is small, and even after many years of cloud seeding operations the resulting environmental concentrations very small to non-detectable.
- Given the stability of silver iodide compounds, extreme insolubility of silver iodide in water and the absorptions of ionic silver by colloids found in the sediments and aquatic vegetation, silver concentrations in the Mokelumne and Lake Almanor Basin from cloud seeding are expected to be minimal.


Conclusions, Stone et.al. 2006

- •Since the monitored levels are low, usually below the detection limit in the target watershed, it is unlikely that continued cloud seeding operations would result in any significant increase in silver concentrations in the target watersheds.
- •Silver concentrations were below regulatory standards. Therefore, continued operations should not result in any significant chronic effect to sensitive aquatic organisms.
- •There is little to suggest the silver from cloud seeding gets into the system and bio-accumulates in organisms.


Chemistry and Studies -Silver Iodide and Silver Chloro-Iodide compounds

- Background Ag concentrations in Sierra snow
 - < 2.0 ppt (ppt= g Ag/ml x 10-12) (ppt = ng/L)
- [Ag] in seeded snow typically range 40 60 ppt in layers sandwiched between unseeded snow
- Total snowpack profile mean Ag concentrations average 5
 20 ppt in highly effective seeding programs
- > <10 ng/L Ag in Snow, or Rain, (WMA, 2009)
- WQ STD = 1050 ng/L at 50 mg/L hardness
- Byron Marler*, Charles White*, Ed McCarthy* and Richard Stone**
 April 19, 2007 *Pacific Gas & Electric Company **RHS Consulting
 http://www.weathermodification.org/Annual Meeting 2007/marler_WMA07.pdf





Upper Snake Planned '09-'10 Operations



Air Quality


- Emits, or uses, less than 0.333 lb/hr of silver iodide; and
- Emits, or uses, less than 119 lb/hr of acetone; and
- Uses a propane combustor less than one million Btu/hr (1 MBtu/hr)
- > An Air Quality Permit would not be required
- These values are screening values



Air Quality

- > Silver Iodide Particle Generation Rate:
 - 12 grams per hour (0.0264 lb/hr)
 - 13 in one spot > 0.333 lb/hr = permit eval?
- > Acetone Silver Iodide Solution usage Rate:
 - 0.12 gallons per hour
- Acetone usage Rate:
 - 0.78 lb/hr
 - >153 generators in one location = unlikely
- Propane Combustion Rate:
 - 0.5 gallons per hour (45,750 Btu/hr)
 - 22 Generators >1 MBtu = permit eval?





Barry N. Burnell Water Quality Division Administrator Idaho Department of Environmental Quality 1410 N. Hilton Boise, ID 83706

Phone: 208-373-0194

FAX: 208-373-0576

E-mail: barry.burnell@deq.idaho.gov

Website: http://www.deq.idaho.gov

