John K. Simpson, ISB #4242 Travis L. Thompson, ISB #6168 Abigail R. Bitzenburg, ISB #12198 **MARTEN LAW LLP** 163 Second Avenue West P.O. Box 63 Twin Falls, Idaho 83303-0063 Telephone: (208) 733-0700 Email: jsimpson@martenlaw.com <u>tthompson@martenlaw.com</u> abitzenburg@martenlaw.com

Attorneys for A&B Irrigation District, Burley Irrigation District, Milner Irrigation District, North Side Canal Company, and Twin Falls Canal Company W. Kent Fletcher, ISB #2248 FLETCHER LAW OFFICE P.O. Box 248 Burley, Idaho 83318 Telephone: (208) 678-3250 Email: wkf@pmt.org

Attorneys for American Falls Reservoir District #2 and Minidoka Irrigation District

> RECEIVED FEB 02 2024

DEPT OF WATER RESOURCES SOUTHERN REGION

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF JEFFERSON CLARK	Docket No.: CM-MP-2023- <u>003</u>
GROUND WATER DISTRICT'S	Docket No.: CM-DC-2010-001
MITIGATION PLAN FOR THE SURFACE	SURFACE WATER COALITION'S
WATER COALITION	JOINT PROTEST
IN THE MATTER OF THE DISTRIBUTION OF WATER TO VARIOUS WATER RIGHTS HELD BY AND FOR THE BENEFIT OF A&B IRRIGATION DISTRICT, AMERICAN FALLS RESERVOIR DISTRICT #2, BURLEY IRRIGATION DISTRICT, MILNER IRRIGATION DISTRICT, MINIDOKA IRRIGATION DISTRICT, NORTH SIDE CANAL COMPANY, AND TWIN FALLS CANAL COMPANY	

COME NOW, A&B IRRIGATION DISTRICT, AMERICAN FALLS RESERVOIR

DISTRICT #2, BURLEY IRRIGATION DISTRICT, MILNER IRRIGATION DISTRICT,

MINIDOKA IRRIGATION DISTRICT, NORTH SIDE CANAL COMPANY and TWIN FALLS

CANAL COMPANY (hereinafter referred to as the "Coalition" or "SWC"), by and through their attorneys of record, Marten Law LLP and Fletcher Law Office, and hereby file this *Joint Protest* to the approval of the *Petition for Approval of Jefferson Clark Ground Water District's Storage Water Mitigation Plan for the Surface Water Coalition* ("Mitigation Plan"), filed with the Idaho Department of Water Resources ("Department") by JEFFERSON CLARK GROUND WATER DISTRICT ("Jefferson Clark") on December 20th, 2023 pursuant to the provisions of Conjunctive Management Rule 43, IDWR Procedural Rule 250, and other applicable law.

The SWC is authorized to oppose the Mitigation Plan because the Plan attempts to mitigate injury to SWC's senior surface water rights caused by Jefferson Clark's members' junior priority ground water rights. The initial bases for SWC's *Protest* are as follows:

1. The proposed Mitigation Plan does not comply with the 2016 Stipulated Mitigation Plan (March 9, 2016), as amended (February 7, 2017), and as approved by final orders of the Director (May 2, 2016 and May 9, 2017) (CM-MP-2016-001). See Surface Water Coalition's and IGWA's Stipulated Mitigation Plan and Request for Order, Surface Water Coalition's and IGWA's Stipulated Amended Mitigation Plan and Request for Order, Final Order Approving Stipulated Mitigation Plan, Final Order Approving Amendment to Stipulated Mitigation.

2. The Mitigation Plan does not identify, with particularity, the water rights of Jefferson Clarks' members proposed to benefit from the Mitigation Plan.

3. The Mitigation Plan does not identify, with particularity, any circumstances or limitations on the availability of the water supply proposed to be used for mitigation.

4. To the best of SWC's knowledge, Jefferson Clark does not hold the right to use any storage water in the Upper Snake River Reservoir system. Accordingly, Jefferson Clark does not have any available storage to provide to SWC for direct mitigation in any given year, including 2024.

NOTICE OF SWC JOINT PROTEST (JCGWD PLAN)

2

5. Jefferson Clark's proposed activities, including assigning storage water, reduced pumping, recharge, and others are not defined with particularity, including location, water rights involved, and the estimated benefits that might accrue from such projects.

6. The Mitigation Plan does not identify that it will provide replacement water, at the time and place required by SWC's senior priority surface water rights, sufficient to offset the depletive effect of Jefferson Clark's ground water withdrawals on the Snake River at such time and place necessary to satisfy SWC's senior priority water rights.

7. The Mitigation Plan contains no "contingency provisions to assure protection of the senior-priority right in the event the mitigation water source becomes unavailable" and therefore violates CM Rule 43.03.c.

8. The Mitigation Plan does not identify how injury to SWC's right to reasonable carryover storage will be addressed.

9. In general, the Mitigation Plan is vague and ambiguous, does not provide for adequate mitigation, provides no certainty that the mitigation water will be delivered to prevent injury, does not provide a reliable source of replacement water, could result in the diversion and use of ground water at a rate beyond the reasonably anticipated average rate of future natural recharge, and otherwise fails to adequately mitigate for injury caused by Jefferson Clark's members' junior priority ground water rights.

10. For such other and further reasons as may be discovered or offered at the hearing on this matter.

DATED this 2nd day of February, 2024.

NOTICE OF SWC JOINT PROTEST (JCGWD PLAN)

3

MARTEN LAW LLP

FLETCHER LAW OFFICE

/s/ Travis L. Thompson

John K. Simpson Travis L. Thompson Abby R. Bitzenburg

Attorneys for A&B Irrigation District, Burley Irrigation District, Milner Irrigation District, North Side Canal Company, and Twin Falls Canal Company /s/ W. Kent Fletcher

W. Kent Fletcher

Attorney for American Falls Reservoir District #2 & Minidoka Irrigation District

CERTIFICATE OF SERVICE

I hereby certify that on this 2nd day of February, 2024, I served a copy of the foregoing

NOTICE OF PROTEST, by hand-delivery to the following:

Idaho Department of Water Resources Southern Region 650 Addison Ave W, Ste 500 Twin Falls, Idaho 83301-5858

Via Email to:

Jerry R. Rigby Rigby, Andrus & Rigby Law. PLLC 25 N. 2nd E. P.O. Box 250 Rexburg, Idaho 83440 jrigby@rex-law.com

> <u>/s/ Travis L. Thompson</u> Travis L. Thompson

Receipted by SG Receipt amt. \$300.00 (total) Receipt No. \$040078 Date 2-1-2024