John K. Simpson, ISB #4242 Travis L. Thompson, ISB #6168 Abigail R. Bitzenburg, ISB #12198 MARTEN LAW LLP

163 Second Avenue West P.O. Box 63

Twin Falls, Idaho 83303-0063 Telephone: (208) 733-0700

Email: jsimpson@martenlaw.com tthompson@martenlaw.com

abitzenburg@martenlaw.com

Attorneys for A&B Irrigation District, Burley Irrigation District, Milner Irrigation District, North Side Canal Company, and Twin Falls Canal Company

W. Kent Fletcher, ISB #2248 FLETCHER LAW OFFICE

P.O. Box 248

Burley, Idaho 83318

Telephone: (208) 678-3250

Email: wkf@pmt.org

Attorneys for American Falls Reservoir District #2 and Minidoka Irrigation District



BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

2024-001

IN THE MATTER OF BINGHAM GROUND WATER DISTRICT'S MITIGATION PLAN FOR THE SURFACE WATER COALTION

Docket No.: CM-MP-2023-Docket No.: CM-DC-2010-001

IN THE MATTER OF THE DISTRIBUTION OF WATER TO VARIOUS WATER RIGHTS HELD BY AND FOR THE BENEFIT OF A&B IRRIGATIO NDISTRICT, AMERICAN FALLS RESERVOIR DISTRICT #2, BURLEY IRRIGATION DISTRICT, MILNER IRRIGATION DISTRICT, MINIDOKA IRRIGATION DISTRICT, NORTH SIDE CANAL COMPANY, AND TWIN FALLS CANAL COMPANY

SURFACE WATER COALITION'S JOINT PROTEST

COME NOW, A&B IRRIGATION DISTRICT, AMERICAN FALLS RESERVOIR DISTRICT #2, BURLEY IRRIGATION DISTRICT, MILNER IRRIGATION DISTRICT, MINIDOKA IRRIGATION DISTRICT, NORTH SIDE CANAL COMPANY and TWIN FALLS CANAL COMPANY (hereinafter referred to as the "Coalition" or "SWC"), by and through their

attorneys of record, Marten Law LLP and Fletcher Law Office, and hereby file this *Joint Protest* to the approval of the *Petition for Approval of Bingham Ground Water District's Mitigation Plan for the Surface Water Coalition* ("Mitigation Plan"), filed with the Idaho Department of Water Resources ("Department") on January 2, 2024 by BINGHAM GROUND WATER DISTRICT ("Bingham") pursuant to the provisions of Conjunctive Management Rule 43, IDWR Procedural Rule 250, and other applicable law.

The SWC is authorized to oppose the Mitigation Plan because the Plan attempts to mitigate injury to the SWC's senior surface water rights caused by Bingham's members' junior priority ground water rights. The initial bases for SWC's *Protest* are as follows:

- 1. The proposed Mitigation Plan does not comply with the 2016 Stipulated Mitigation Plan (March 9, 2016), as amended (February 7, 2017), and as approved by final orders of the Director (May 2, 2016 and May 9, 2017) (CM-MP-2016-001). See Surface Water Coalition's and IGWA's Stipulated Mitigation Plan and Request for Order, Surface Water Coalition's and IGWA's Stipulated Amended Mitigation Plan and Request for Order, Final Order Approving Stipulated Mitigation Plan, Final Order Approving Amendment to Stipulated Mitigation.
- 2. The Mitigation Plan does not identify, with particularity, the water rights of Bingham's members proposed to benefit from the Mitigation Plan.
- 3. The Mitigation Plan does not identify, with particularity, circumstances, or limitations on the availability of the water supply proposed to be used for mitigation or the effect that the proposed water use reductions will practically have on the SWC.
- 4. To the best of SWC's knowledge, Bingham does not hold the right to use any storage water in the Upper Snake Reservoir System. Accordingly, Bingham does not have any available storage to provide to SWC for direct mitigation in any given year, including 2024.
 - 5. Bingham's proposed activities, including reduced pumping, recharge, and reduction

of irrigated acres are not defined with particularity, including location, water rights involved, and the estimated benefits that might accrue from the projects.

- 6. The Mitigation Plan does not identify that it will provide replacement water, at the time and place required by SWC's senior priority surface water rights, sufficient to offset the depletive effect of Bingham's ground water withdrawals on the Snake River at such time and place necessary to satisfy SWC's senior priority water rights.
- 7. The Mitigation Plan does not adequately identify "contingency provisions to assure protection of the senior-priority right in the event the mitigation water source becomes unavailable" and therefore violates CM Rule 43.03.c.
- 8. The Mitigation Plan does not identify how injury to SWC's right to reasonable carryover storage will be addressed.
- 9. In general, the Mitigation Plan is vague and ambiguous, does not provide for adequate mitigation, furnishes no certainty that the mitigation water will be delivered to prevent injury, does not supply a reliable source of replacement water, could result in diversion and use of ground water at a rate beyond the reasonably anticipated average rate of future natural recharge, and otherwise fails to adequately mitigate for injury caused by Bingham's members' junior priority ground water rights.
 - 10. For such other and further reasons as may be discovered.

DATED this 2nd day of February, 2024.

MARTEN LAW LLP

FLETCHER LAW OFFICE

/s/ Travis L. Thompson

John K. Simpson Travis L. Thompson Abby R. Bitzenburg

Attorneys for A&B Irrigation District, Burley Irrigation District, Milner Irrigation District, North Side Canal Company, and Twin Falls Canal Company

/s/ W. Kent Fletcher

W. Kent Fletcher

Attorney for American Falls Reservoir District #2 & Minidoka Irrigation District

CERTIFICATE OF SERVICE

I hereby certify that on this 2nd day of February, 2024, I served a copy of the foregoing

NOTICE OF PROTEST, by hand-delivery to the following:

Idaho Department of Water Resources Southern Region 650 Addison Ave W, Ste 500 Twin Falls, Idaho 83301-5858

Via Email to:

Dylan Anderson Dylan Anderson Law PLLC P.O. Box 35 140 S. Center Street Rexburg, Idaho 83440 dylan@dylanandersonlaw.com

/s/ Travis L. Thompson
Travis L. Thompson

Receipted by SG Receipt amt. \$300.00 (total) Receipt No. S040078 Date 2-1-2024