

From: [Jerri Henry](#)
To: [RulesInfo](#)
Cc: [Mary Anne Nelson](#)
Subject: Comments on IDL rulemaking
Date: Wednesday, May 29, 2024 7:57:23 PM

Good evening,

Please consider the following comments for the UIC rulemaking:

Thank you,

-Jerri

From: Scott Miller <Scott.Miller@deq.idaho.gov>
Sent: Tuesday, May 28, 2024 7:52 AM
To: Jerri Henry <Jerri.Henry@deq.idaho.gov>
Subject: RE: Comments on IDL rulemaking

Hi Jerri,

My comments are provided below.

- 025.03.a. Add “a” after without, to read “without a permit”.
- 025.03.a.ii. Replace “of” with “or” after ‘from municipal’ to read “derived from municipal or industrial sources”.
- 025.04. Variance of Methods. This paragraph states the Director may approve the use of a different testing method or technology if it is no less protective of human health and the environment. It is unclear what methods or technologies are being discussed. Cite what portion of the rule this refers to or make the statement more general in nature if it applies to the entire rule.
- 050.08 Permit Conditions and Requirements. Reinsert deleted text “that could result in violations of the Ground Water Quality”. The current revision is protecting against the deterioration of the Standards and not water quality.

Scott