



WRV 1.2

Model Calibration Update
Wood River Valley MTAC
11 December 2025
Presented by Alex Moody




IDAHO DEPARTMENT OF
WATER RESOURCES


Outline

1. Parameterization changes and model behavior
 1. Calibration period change (2009 to 2023)
 2. Tributary underflow baseflow method
 3. Pilot Points
 1. More Points
 2. No zonation for tribs and basalt
 4. Range of possible estimated pumping
 5. Silver Creek Drain
2. Results from latest PEST++ run

Shorten Model Period

- Speeds up run-time
- 2009-10 to 2023-12, 172 stress periods (vs 347 from Jan 1995 to Dec 2023)
- Steady State Period = October 2016 to September 2017
- Warmup period of 12 months






Average monthly reach gains prior to and after 2009 are approximately equal. Large runoff spikes likely due to early gage error.

Tributary Underflow Parameterization


- Hailey gage baseflow separation scheme with 4 parameters per trib (**alpha**, **baseflow index**, time shift, reduction factor). Going from 26 to 96 parameters (currently implemented)
- Considering assigning CHD/GHB in tribs with good transducer record
 - East Fork, Deer Creek, Upper BWR
 - Use recharge model to extend datasets

Variation of baseflow separation with parameter values




Alpha = Groundwater recession constant | BFI = Max baseflow index (long term ratio of baseflow to total streamflow)

Variation of monthly with parameter values




Tributary Parameter Sensitivity

- Examines impact to objective function (ϕ) and impacts of interest
 - RG Early (Apr-Jun reach gains)
 - RG Late (Jul-Sep reach gains)
- Volume factor has the most effect on both the objective function and forecasts of interests (reach gains)
- Baseflow separation parameters have more non-linear relationship with objective function and forecasts across parameter space ($CV > 1$) than factor, reduction, and shifts.
- Though factor and reduction influence ϕ and forecasts the most, the relationship across parameters is more linear.



Tributary Parameter Sensitivity


- Upper Big Wood and Trail Creek have greatest influence on objective function.
 - Largest trib inputs
- Forecasts are more sensitive to Cove, Croy, Deer Creek, Indian Creek, and Seaman's Gulch
 - Closer to dry bed
- Upper Big Wood parameters have a non-linear (more sensitive) relationship with reach gain forecasts and a linear relationship with the objective function.
- Trail Creek shows less variability



Upper Big Wood

Constant head Tribs


- Use transducer data to calibrate recharge model
 - LUMPREM, Pastas (python package)
 - Target larger tribs with data
- Apply modeled heads to CHD cells, replacing WEL cells for tribs
- Requires positive flow target to ensure gradients don't reverse



SNRA Visitor Center well recharge model

Can the water balance calculator match WMIS?


- Explored 396 combinations of soil moisture storage scalar (0-1), and efficiencies (gw and sw, 0.5-.95)
 - Uses water budget calculator (no MODFLOW or PEST)
- Most years shows range of estimated pumping covering WMIS values.



Can the water balance calculator match WMIS?

The ranges of parameter values with the best (minimum) absolute error can be wide and are not constant year to year


Lowest 30 Pumping Absolute Error Parameter Range



Silver Creek Drain



- Average drain target = 33 cfs
- Heads near drain are high by 50-60 feet, matching drain elevation
- Linear gradient between Picabo and Simplot wells overpredicts observation near drain
- Lower drain elevation to match observation well




14	0							
15	* parameter groups							
16	dcon	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
17	effgw	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
18	effsw	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
19	hklpp	relative	2.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
20	hk2pp	relative	2.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
21	hk3pp	relative	2.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
22	rbcon	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
23	slpp	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
24	s2pp	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
25	s3pp	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
26	seep	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
27	smrmult	absolute	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
28	trib_alph	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
29	trib_bfi	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
30	trib_fac	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
31	trib_red	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
32	trib_shift	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
33	vc	relative	1.0000000000E-02	0.0	switch	2.0000000000E+00	parabolic	1.00000000
34	* parameter data							
35	hk1003003	log	factor	1.3433201100E+03		1.0000000000E-05	3.0000000000E+05	hklpp
36	hk1013007	log	factor	8.3781876976E+02		1.0000000000E-05	3.0000000000E+05	hklpp
37	hk1015025	log	factor	4.4748154262E+02		1.0000000000E-05	3.0000000000E+05	hklpp
38	hk1020000	log	factor	4.5180184471E+02		1.0000000000E-05	3.0000000000E+05	hklpp
39	hk1026015	log	factor	7.513333043E+02		1.0000000000E-05	3.0000000000E+05	hklpp
40	hk1036020	log	factor	1.283621206E+03		1.0000000000E-05	3.0000000000E+05	hklpp
41	hk1046028	log	factor	4.3404807355E+03		1.0000000000E-05	3.0000000000E+05	hklpp
42	hk1053028	log	factor	6.3534779180E+03		1.0000000000E-05	3.0000000000E+05	hklpp
43	hk1054051	log	factor	2.7488723580E+02		1.0000000000E-05	3.0000000000E+05	hklpp
44	hk1058002	log	factor	1.4949494949E+02		1.0000000000E-05	3.0000000000E+05	hklpp
45	hk1062030	log	factor	3.1862905915E+03		1.0000000000E-05	3.0000000000E+05	hklpp
46	hk1062038	log	factor	1.9596953682E+02		1.0000000000E-05	3.0000000000E+05	hklpp
47	hk1066032	log	factor	1.4325858447E+03		1.0000000000E-05	3.0000000000E+05	hklpp
48	hk1071030	log	factor	2.7572658336E+02		1.0000000000E-05	3.0000000000E+05	hklpp
49	hk1080030	log	factor	2.0361495360E+01		1.0000000000E-05	3.0000000000E+05	hklpp
50	hk1088063	log	factor	5.6554085997E+02		1.0000000000E-05	3.0000000000E+05	hklpp
51	hk1092040	log	factor	4.1677694128E+03		1.0000000000E-05	3.0000000000E+05	hklpp
52	hk1103042	log	factor	8.4880523355E+03		1.0000000000E-05	3.0000000000E+05	hklpp
53	hk1103056	log	factor	3.4829578395E+03		1.0000000000E-05	3.0000000000E+05	hklpp
54	hk1105022	log	factor	5.6600769431E+02		1.0000000000E-05	3.0000000000E+05	hklpp
55	hk1106028	log	factor	3.6820916714E+02		1.0000000000E-05	3.0000000000E+05	hklpp
56	hk1107038	log	factor	4.4780037643E+03		1.0000000000E-05	3.0000000000E+05	hklpp
57	hk1108053	log	factor	1.1008601301E+03		1.0000000000E-05	3.0000000000E+05	hklpp

Calibration Status



Water Budget, Targets, and Aquifer Properties

Annual Budget

- Positive storage is release from aquifer storage to the groundwater flow model
- Negative storage is groundwater flow losing water to storage




Annual Budget




Tributary Underflow Volumes

- Upper Big Wood and Trail Creek provide 59% of underflow
- Quigley Creek probably too low (largest under-estimated head targets)




Tributary Parameters


- Alpha (recession parameter) and Baseflow Index Inversely correlated
- All tribs have a shift of at least a month (lagged groundwater response)



Estimated pumping




Current calibration pumping volumes don't align with record WMIS




Ranges of pumping from 50 random parameter realizations during calibration

Riverbed Conductance




Irrigation Efficiency

- More groundwater efficiencies pegged at upper bound than surface water efficiencies.




HK distribution




HK

- Basalt and confining layer still defined despite no zonation
- Greenhorn Gulch has highest conductivity.
 - Parameter near upper bound




Storage

- Layer 1: 0.14
- Layer 2: 0.000002
- Layer 3: 0.000005



Objective Function Summary



River Gains

Heads

Parameter Summary

Adjustable Parameters: 908

Weighted Observations: 8,658

Phi: 9,569

Parameter	Transform	Count	Min Value	Max Value	Lower Bound	Upper Bound
hk1pp	log	223	1.69	272,861	1.00E-05	300,000
hk2pp	log	134	1.05E-05	289,506	1.00E-05	300,000
hk3pp	log	119	140	3,281	1.00E-05	300,000
Vertical Conductivity Ratio	log	1	0.02	-	0.001	0.3
s1pp	log	78	0.05	0.35	0.05	0.35
s2pp	log	40	9.81E-07	5.0E-04	1.00E-07	0.001
s3pp	log	36	5.01E-06	5.15E-06	1.00E-07	0.001
River Conductance	log	25	1.94E-03	1.73E+07	1.10E-10	1.10E+10
Drain Conductance	log	4	1.39E-03	1.20E+07	1.10E-10	1.10E+10
Canal Seepage	fixed	19	0.1	0.6	0.05 to 0.4	0.3 to 0.7
Irrigation Efficiency GW	log	74	0.5	0.99	0.5	0.95 to 0.99
Irrigation Efficiency SW	log	53	0.5	0.95	0.5	0.95
Soil Moisture Factor	none	1	0.58		0	1
Tributary Alpha	log	24	0.21	0.99	0.1	0.99
Tributary Baseflow Index Max	log	24	0.61	0.75	0.1	0.99
Tributary Annual Volume Factor	log	24	0.79	2	0.1	2
Tributary Hailey Gage Reduction	log	24	3.5	10	1	10
Tributary Hailey Gage Shift	log	24	11	46.6	1	76




Parameters Near Bounds

Parameters within 5% of bounds




High/Low	Parameter	Value	Bound
high	hk2537296	289,506	300,000
	s1142055	0.35	0.35
	s1164124	0.35	0.35
	s1186096	0.35	0.35
	s1303077	0.34	0.35
	s1354154	0.33	0.35
	s1487149	0.34	0.35
	effpurdumsw	0.95	0.95
	effbellevugw	0.92	0.95
	effcovegw	0.95	0.95
	effdisticgw	0.90	0.95
	effgwcroygw	0.91	0.95
	effgwannegw	0.95	0.95
	effgwhasbrgw	0.92	0.95
	effgwsbrlgw	0.94	0.95
	effhulenmdgw	0.99	0.99
	effkilidengw	0.95	0.95
	effsocomfgw	0.93	0.95
	effstarwxrgw	0.95	0.95
	cry_f	2	2
	estf_r	10	10
	lak_r	10	10
	trl_r	10	10
	ins_a	0.99	0.99
	qgc_a	0.98	0.99
	sea_a	0.94	0.99

High/Low	Parameter	Value	Bound
low	hk2471117	1.05E-05	1.00E-05
	s1055049	0.05	0.05
	s1064028	0.05	0.05
	effbuhler1sw	0.5	0.5
	effeaglecrsw	0.5	0.5
	effbuhler1gw	0.5	0.5
	effgweforkgw	0.5	0.5
	effgwгимhagw	0.5	0.5
	effgwglwrrgw	0.5	0.5
	effgwkegimgw	0.5	0.5
	effgwwillogw	0.5	0.5




Reach Gain Target: Near Ketchum to Hailey






Reach Gain Target: Hailey to Stanton Crossing






Reach Gain Target: Hailey to South Broadford






Reach Gain Target: South Bradford to Stanton






Reach Gain Target: Heart Rock Ranch to Stanton



Reach Gain Target: Willow Creek




Reach Gain Target: Silver Creek




Reach Gain Target: Seepage Runs

Most seepage run targets saw improvements from WRV 1.1






Drains












Head Targets

Head Observations







	mod11	mod12
count	512	3189
mean	1.85	6.7
std	11.56	23.16
min	-59.2	-72.79
25%	-2.22	-2.15
50%	0.39	1.02
75%	3.28	7.93
max	63.21	169.7











Baseline





Gannet Fire Dept





TNC Irrigation





USGS Stocker Creek




TNC Kilpatrick




O'gara 3




Casey




O'gara6







Prairie Sun







O'gara Baseline














Wood River Ranch Stock






Heartrock Ranch Stock















Labrador South





USGS Labrador North




Labrador Irrigation





Bellevue WWTP Monitor




Heart Rock Ranch








Walker S&G





ITDTimmerman Rest Area







Rinker Trust




Croy Creek Animal Shelter











Deer Creek Ranch MW4





24











Triumph







IDOL MW 20





IDOL MW 21





East Fork





Lake CreekWell





GWQM Ashurst



102



Eagle Creek



Next Steps

- Implement CHB for large tributaries (Upper Big Wood, Trail Creek)
- Lower Silver Creek Drain

