WATER INFORMATION BULLETIN NO. 43

GROUND-WATER LEVELS AND DESCRIPTIONS OF OBSERVATION WELLS IN IDAHO, 1975

by

H. G. Sisco

Prepared by the U.S. Geological Survey

in cooperation with

the Idaho Department of Water Resources
Statehouse
Boise, Idaho

December 1976

TABLE OF CONTENTS

	Page
Introduction	1
Purpose	3
Acknowledgments	3
Well-numbering systems	3
Universal latitude and longitude well-numbering system	3
Idaho well-numbering system	4
Definition of terms	4
Explanation of footnotes	6
Aquifer names	7
Well descriptions	7
Water levels	7
Selected references	8
U.S. Geological Survey water-supply papers	8
U.S. Geological Survey open-file reports	8
Idaho Department of Reclamation water information bulletins	9
Idaho Department of Water Administration water information bulletins	9
Ground-water levels within areas by counties:	
Area 1	11
Boundary	13
Kootenai	60
Area 2	65
Latah	67
Nez Perce	68
Area 3	69
Adams	71
Boise	72
Gem	73
Payette	79
Valley	82
Washington	84
Area 4	87
Custer	89
Lemhi	91

TABLE OF CONTENTS (Cont'd.)

	Page
Area 5	95
Ada	97
Canyon	112
Elmore	123
Owyhee	132
Area 6	143
Blaine	145
Butte	152
Camas	180
Cassia	182
Gooding	206
Jerome	209
Lincoln	212
Minidoka	215
Twin Falls	221
Area 7	229
Bannock	231
Bear Lake	234
Bingham	235
Bonneville	248
Caribou	254
Clark	258
Franklin	260
Fremont	262
Jefferson	267
Madison	293
Oneida	302
Power	307
Teton	314

ILLUSTRATIONS

Figure		Page
1.	Index map of Idaho showing areas covered in this report	2
2.	Diagram showing latitude and longitude well-numbering system	4
3.	Diagram showing Idaho well-numbering system	5
4.	Index map of area 1, north Idaho	12
5.	Map showing well locations in area 1, north Idaho	in pocket
6.	Index map of area 2, north-central Idaho	66
7.	Map showing well locations in area 2, north-central Idaho	in pocket
8.	Index map of area 3, west-central Idaho	70
9.	Map showing well locations in area 3, west-central Idaho	in pocket
10.	Index map of area 4, east-central Idaho	88
11.	Map showing well locations in area 4, east-central Idaho	in pocket
12.	Index map of area 5, southwest Idaho	96
13.	Map showing well locations in area 5, southwest Idaho	in pocket
14.	Index map of area 6, south-central Idaho	144
15.	Map showing well locations in area 6, south-central Idaho	in pocket
16.	Index map of area 7, southeast Idaho	230
17.	Map showing well locations in area 7, southeast Idaho	in pocket

INTRODUCTION

Ground-water-level data for the 1975 calendar year are given in this report and consist of well descriptions, water-level measurements, and well-location maps for all observation wells in Idaho maintained by the U.S. Geological Survey.

In 1966 the Geological Survey and the Idaho Department of Water Resources cooperatively began publishing an annual series of water information bulletins describing the ground-water conditions in Idaho. These reports continued on an annual basis until 1972. In 1973 the annual report was replaced with "Ground-Water Levels and Well Records for Current Observation Wells in Idaho, 1922-73" (Sisco, 1974), which is a compilation of data for the period of record for each observation well that was in the State observation-well network during 1973. The 1974 report (Sisco, 1975) resumed the annual series in the format of the 1973 compilation report (Sisco, 1974).

The development of Idaho's ground-water resources has expanded at a very rapid rate in recent years. A large part of the agricultural water supply, as well as most municipal, industrial, and domestic supplies, is derived from wells. Use of ground water has been accompanied by a decline of local and, in some cases, regional ground-water levels.

The director of the Idaho Department of Water Resources has the responsibility of administering and investigating the ground-water resources of the State so that orderly and optimum development of the resource can be attained. To help accomplish this objective, a statewide network of observation wells, established by the U.S. Geological Survey in cooperation with the Idaho Department of Water Resources, and the Corps of Engineers, U.S. Army, serves to monitor the seasonal and long-term water-level changes occurring in the many aquifers in Idaho.

The operation of the statewide observation-well network provides data that can be used to: (1) Indicate changes in the amount of ground water in storage and thereby suggest the water-supply outlook for the future; (2) identify areas in which ground-water levels are at or are approaching land surface, or are declining toward current or foreseeable limits of economic lift; (3) forecast changes in the base flow of streams; and (4) provide long-term records for use in water-resource investigations.

For this report, the State has been divided into seven areas (fig. 1): Area 1, north (figs. 4, 5); area 2, north-central (figs. 6, 7); area 3, west-central (figs. 8, 9); area 4, east-central (figs. 10, 11); area 5, southwest (figs. 12, 13); area 6, south-central (figs. 14, 15); and area 7, southeast (figs. 16, 17) Idaho. Well data are arranged alphabetically by county within each area.



FIGURE 1.--Index map of Idaho showing areas covered in this report.

A cooperative program was initiated in 1971 between the U.S. Geological Survey and the Corps of Engineers, to operate a network of observation wells in Boundary County, Idaho, along the Kootenai River (fig. 4). These project wells were made part of the State observation-well network and their complete records were published for the first time in 1974. The data collected to June 1975, when the program was terminated, are published in this report. The well numbers for these wells have been omitted from the well-location map (fig. 5) because of inadequate space to clearly show both well symbol and well number.

The International System (SI) of units is being adopted for use in reports prepared by the Geological Survey. To assist readers of this report in understanding and adapting to the new system, the measurements used in the well descriptions are reported in English units and, in parentheses, International System units. Factors used to convert English units to SI units are as follows:

Multiply English units	By	To obtain SI units
acres	0.4047	square hectometres (hm^2)
inches (in)	2.54	centimetres (cm)
feet (ft)	0.3048	metres (m)

Purpose

This report presents ground-water-level data which were collected to provide cooperating agencies, interested individuals, developers, and planners the basic data needed to appraise ground-water conditions.

Acknowledgments

The Bureau of Reclamation, U.S. Department of the Interior, the U.S. Energy Research and Development Administration, the Corps of Engineers, the Idaho Department of Water Resources, and Water District 01 contributed some of the data included in this publication. Land owners allowed access to their lands and gave permission to make measurements in their wells. The information made available by these agencies and individuals is acknowledged and greatly appreciated. Credit for measurements of ground-water levels made by agencies other than the Geological Survey is given either in the well description or as a footnote to the water-level tabulation.

Well-Numbering System

Universal Latitude and Longitude Well-Numbering System

Each well is identified in the data storage and retrieval system by a number that is based on the universal system of latitude and longitude (fig. 2). The first six digits represent degrees, minutes, and seconds of latitude; "N" refers to north latitude; the next seven digits are degrees, minutes, and seconds of west longitude; and the number after the decimal point is a sequential number assigned in the order the wells are inventoried in a 1-second quadrangle.



FIGURE 2.--Universal latitude and longitude well-numbering system.

Idaho Well-Numbering System

The well-numbering system used by the Geological Survey in Idaho indicates the location of wells within the official rectangular subdivisions of the public lands, with reference to the Boise base line and meridian. The first segment of a well number indicates the township, the second the range, and the third the section in which the well is situated. The letters following the section number indicate the well location within the section: the first letter denotes the 160-acre (65-hm^2) tract, the second the 40-acre (16-hm^2) tract, and the third the 10-acre (4.0-hm^2) tract in which the well occurs. The letters are assigned in a counterclockwise direction, beginning in the northeast quarter (fig. 3). The last numeral is a serial number assigned when the well is inventoried. Thus, well 7S-17E-6ACA1 is in the NE¼SW¼NE¼ sec. 6, T. 7 S., R. 17 E., and is the first well inventoried in that tract.

DEFINITION OF TERMS

Altitude of land-surface datum. Altitude of original land surface, to hundredths of feet above the mean sea-level datum of 1929, established by third-order leveling standards from bench marks established by the National Geodetic Survey, U.S. Department of Commerce, and the Geological Survey, Topographic Division. Altitudes reported to the nearest foot were interpolated from topographic maps or established by altimeter.

Aquifer. A formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Artesian well. A well in which the water level stands above the top of the water body (aquifer) it taps. A flowing artesian well is an artesian well in which the water level stands above the land surface.

Depth. The open depth from land-surface datum to the bottom of the well at the time of inventory.

Diameter. The inside diameter, in inches, of the innermost well casing at land surface.

Highest and lowest water level. The highest and lowest water level measured at each well for the period of record.



FIGURE 3.--Diagram showing Idaho well-numbering system.

Land-surface datum (LSD). At the time a measuring point is established for a well, the distance of the measuring point, in feet, above or below the general natural land surface at the well site is measured. This general land surface is a plane of reference and is designated as land-surface datum. The land surface may change thereafter from natural causes or by artificial excavation or fill, but the designated land-surface datum remains unchanged; and all depths to water are reported with reference to this datum.

Mean sea level (MSL). The average height of the surface of the sea for all stages of the tide over a 19-year period, usually determined from hourly height observations on an open coast or in adjacent waters having free access to the sea; the assumed or actual sea level at its mean position midway between high water and mean low water. It is adopted as a datum plane or tidal datum for the measurement of heights, such as a sea-level datum.

Measuring point (MP). A well-defined, fixed point at a well, such as the top of casing or base of pump, from which measurements of depth-to-water can be made. All measuring points are references in feet above or below land-surface datum.

Perforated or screened interval. The depth to the top perforation or top of the screen and the depth to the bottom perforation or bottom of the screen. It is the interval through which water enters the well. A well may be perforated or screened at one or more intervals. The depths reported are given in feet or in feet and tenths of feet below land-surface datum.

Records available. The years for which water-level measurements are available.

Water table well. A well which taps an unconfined water body at which the pressure is atmospheric. Water table is defined by the levels at which water stands in wells that penetrate the water body just far enough to hold standing water. In wells which penetrate to greater depths, the water level will stand above or below the water table if an upward or downward component of ground-water flow exists.

WSP. An abbreviation used for U.S. Geological Survey Water-Supply Paper.

EXPLANATION OF FOOTNOTES

The footnotes used in this report are defined as follows:

A	Well being pumped.	L	Electric tape, M-scope.
B	Well pumped recently.	M	Obstruction in well above water surface.
C	Nearby well being pumped.	N	No measurement.
D	Nearby well pumped recently.	O	Measurements discontinued.
E	Estimated.	P	Well destroyed.
F	Dry.	R	Nearby well flowing.
G	Measured by outside agency or person.	S	Nearby well flowed recently.
H	Tape measurement (recorder).		

AQUIFER NAMES

The names of aquifers and their geologic ages adopted for use in Idaho are from the stratigraphic names listed in the Idaho section of the U.S. Geological Survey Bulletins 1056-B, 1200, and 1395-A. Names will be modified where necessary as official changes in stratigraphic nomenclature occur.

If a formal name has not been assigned to the aquifer, the lithology and its age are used to designate the water-bearing unit. Although some wells are supplied by more than one aquifer, only the major aquifer penetrated by the well is given in the well description.

WELL DESCRIPTIONS

For each well, the well description includes, if available, the following information: Latitude-longitude number, Idaho well number, owner, method of construction, use of well, type of well (artesian or water table), formal aquifer name or lithology and geologic age, diameter of casing, depth of well, depth of perforations or screen, altitude of land-surface datum, remarks of unusual conditions affecting the water level, acknowledgment of outside persons or agencies contributing data, and a description of the measuring point. The depth of the well at the time it was originally inventoried is given in the well description. If the well has been deepened or filled in, the new depth and date the change was discovered are noted in the well description following the notation of land-surface datum.

WATER LEVELS

All water-level measurements tabulated in this report are referenced to land-surface datum and are below this datum unless otherwise indicated. Those water levels that are above land-surface datum are preceded by a plus (+) sign.

The measurements from continuous recording gage charges are noon readings for every fifth day and end of each month. If one of these measurements is missing, the measurement of the next closest day is given.

When a well is added to the State observation-well network, all its prior water-level measurements are included with the current year tabulation.

The Idaho district at times has changed its policy of reporting the accuracy of measurements. Those reported to tenths of feet do not imply a lower degree of accuracy than those reported to hundredths but reflect the policy used at that time. However, measurements recorded to the nearest foot were made using a measuring device or method which did not justify more accurate reporting.

SELECTED REFERENCES

U.S. Geological Survey Water-Supply Papers

Stearns, H.T., Crandall, Lynn, and Steward, W.G., 1936, Records of wells on the Snake River Plain, southeastern Idaho: U.S. Geol. Survey Water-Supply Paper 775, 139 p.

Water levels and artesian pressures in observation wells in the United States, part 5, Northwestern States (with year of record in parentheses):

777 (1935)	1020 (1944)	1169 (1950)
886 (1939)	1027 (1945)	1195 (1951)
910 (1940)	1075 (1946)	1225 (1952)
940 (1941)	1100 (1947)	1269 (1953)
948 (1942)	1130 (1948)	1325 (1954)
990 (1943)	1160 (1949)	1408 (1955)

Ground-water levels in the United States, Northwestern States (with years of record in parentheses):

1760 (1956-60)	1845 (1961-65)	1980 (1966-70)

U.S. Geological Survey Open-File Reports

Shuter, Eugene, 1953, Records of wells and water-level fluctuations in western Bingham County, Idaho: U.S. Geol. Survey, 97 p., 1 fig., 1 pl.

Sisco, Harold G., 1954, Records of wells, water-level fluctuations, and ground-water withdrawals in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho: U.S. Geol. Survey, 50 p., 1 fig., 1 pl.

_____ 1955-1960, Records of wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year] : U.S. Geol. Survey [pages vary] .

Sisco, H.G., and Luscombe, R.W., 1961, 1962, 1964, Records of wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year] : U.S. Geol. Survey [pages vary] .

_____ 1963, Ten-year summary of records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, through December 1962: U.S. Geol. Survey, 122 p., 18 figs., 1 pl.

Sisco, H.G., and Whitehead, R.L., 1965-1967, Records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year] : U.S. Geol. Survey [pages vary] .

Sisco, H.G., and Griffiths, M.L., 1968, Records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in 1967: U.S. Geol. Survey, 27 p., 18 figs.

Sisco, H.G., 1970, Records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in 1968: U.S. Geol. Survey, 43 p., 17 figs.

_____ 1974, Ground-water levels and well records for current observation wells in Idaho, 1922-73, Parts A, B, and C: U.S. Geol. Survey basic-data release, Part A, 309 p., 7 figs.; Part B, 495 p., 3 figs.: Part C, 430 p., 3 figs.

_____ 1975, Ground-water levels and well records for current observation wells in Idaho, 1974: U.S. Geol. Survey basic-data release No. 2, 357 p., 16 figs.

_____ 1976, Ground-water levels and well records for discontinued observation wells in Idaho, 1915-72, Parts A, B, and C: U.S. Geol. Survey basic-data release No. 3, Part A, 261 p., 12 figs.; Part B, 389 p., 4 figs.; Part C, 360 p., 4 figs.

Idaho Department of Reclamation Water Information Bulletins

No. 1 Ground-water conditions in Idaho, 1966.

2 A ground-water monitoring network for southwestern Idaho, 1967.

5 Ground-water levels in Idaho, 1968.

11 Ground-water levels in Idaho, 1969.

Idaho Department of Water Administration
Water Information Bulletins

18 Ground-water levels in Idaho, 1970.

24 Ground-water levels in Idaho, 1971.

27 Ground-water levels in Idaho, 1972.

Area 1



FIGURE 4.-- Index map of area I, north Idaho.

485956N1163300.1 65N 02W 11DAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 17.1 FT (5.2 M), CASED TO 17.1 FT (5.2 M), SAND POINT 14.1-17.1 FT (4.3-5.2 M). LSD 1,755.84 FT (535.180 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.70 FT (0.823 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 1.15 FT (0.351 M) BELOW LSD, JUNE 14, 1974.
LOWEST WATER LEVEL 9.52 FT (2.902 M) BELOW LSD, JULY 24, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	7.78	MAR. 26, 1975	6.53	MAY 20, 1975	4.630
FEB. 27	7.56	APR. 22	7.02		

O MEASUREMENTS DISCONTINUED.

485956N1163139.2 65N 02W 12DAA2 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 30.0 FT (9.1 M), CASED TO 30.2 FT (9.2 M), SAND POINT 27.2-30.2 FT (8.3-9.2 M). LSD 1,753.25 FT (534.391 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.25 FT (0.991 M) ABOVE LSD (SINCE SEPT. 18, 1972).

HIGHEST WATER LEVEL 4.09 FT (1.247 M) BELOW LSD, JAN. 16, 1974.
LOWEST WATER LEVEL 10.47 FT (3.191 M) BELOW LSD, SEP. 14, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	5.06	MAR. 26, 1975	N	MAY 20, 1975	5.220
FEB. 27	4.50	APR. 22	5.03		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485926N1163227.1 65N 02W 13BAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 27.5 FT (8.4 M), CASED TO 27.5 FT (8.4 M), SAND POINT 24.5-27.5 FT (7.5-8.4 M). LSD 1,761.16 FT (536.802 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.90 FT (1.189 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 7.60 FT (2.316 M) BELOW LSD, MAR. 21, 1974, APR. 22, 1975.
LOWEST WATER LEVEL 18.51 FT (5.642 M) BELOW LSD, OCT. 24, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	13.85	MAR. 27, 1975	N	MAY 20, 1975	8.47O
FEB. 27	13.39	APR. 22	7.6O		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485833N1163254.1 65N 02W 24BBC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN COARSE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.8 FT (6.6 M), CASED TO 21.8 FT (6.6 M), SAND POINT 18.8-21.8 FT (5.7-6.6 M). LSD 1,751.83 FT (533.866 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.00 FT (0.914 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 1.98 FT (0.604 M) BELOW LSD, MAY 12, 1974.
LOWEST WATER LEVEL 6.78 FT (2.067 M) BELOW LSD, SEP. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	3.89	MAR. 27, 1975	3.O8	MAY 20, 1975	2.9OO
FEB. 27	3.86	APR. 22	3.2O		

O MEASUREMENTS DISCONTINUED.

485810N1163208.1 65N 02W 24DBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 31.3 FT (9.5 M), CASED TO 31.3 FT (9.5 M), SAND POINT 28.3-31.3 FT (8.6-9.5 M). LSD 1,760.48 FT (536.594 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.00 FT (1.219 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 7.52 FT (2.292 M) BELOW LSD, MAR. 14, 1972.
LOWEST WATER LEVEL 20.75 FT (6.325 M) BELOW LSD, OCT. 24, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	12.64	MAR. 26, 1975	7.60	MAY 20, 1975	9.590
FEB. 27	11.48	APR. 22	8.63		

0 MEASUREMENTS DISCONTINUED.

485947N1163014.1 65N 01W 08CBC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.2 FT (8.0 M), CASED TO 26.2 FT (8.0 M), SAND POINT 23.2-26.2 FT (7.1-8.0 M). LSD 1,756.33 FT (535.329 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 2.46 FT (0.750 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 14.46 FT (4.407 M) BELOW LSD, APR. 19, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	10.33	MAR. 27, 1975	8.30	MAY 12, 1975	8.750
FEB. 26	10.52	APR. 24	13.10		

0 MEASUREMENTS DISCONTINUED.

485905N1163022.1 65N 01W 18DAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.1 FT (8.0 M), CASED TO 26.1 FT (8.0 M), SAND POINT 23.1-26.1 FT (7.0-8.0 M). LSD 1,751.94 FT (533.991 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 3.72 FT (1.134 M) BELOW LSD, MAR. 15, 1972.
LOWEST WATER LEVEL 10.67 FT (3.252 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	5.66	MAR. 29, 1975	N	MAY 21, 1975	4.740
FEB. 26	5.02	APR. 25	4.86		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485827N1163042.1 65N 01W 19ACA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 17.0 FT (5.2 M), CASED TO 17.0 FT (5.2 M), SAND POINT 14.0-17.0 FT (4.3-5.2 M). LSD 1,750.20 FT (533.461 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 4, 1971. RECORDER REMOVED MAY 21, 1975. MP NO. 1 TOP OF PVC MALE ADAPTER, 2.04 FT (0.622 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 2.40H FT (0.732 M) BELOW LSD, MAR. 15, 1972.
LOWEST WATER LEVEL 10.86 FT (3.310 M) BELOW LSD, AUG. 31, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	3.36	FEB. 25, 1975	3.16	APR. 15, 1975	3.17
JAN. 10	3.27	FEB. 28	3.27	APR. 20	3.38
JAN. 15	3.18	MAR. 5	3.29	APR. 25	3.54
JAN. 20	3.14	MAR. 10	3.19	APR. 30	3.72
JAN. 25	3.10	MAR. 15	3.15	MAY 5	3.83
JAN. 31	3.02	MAR. 20	2.97	MAY 10	4.05
FEB. 5	2.96	MAR. 25	2.68	MAY 14	4.09
FEB. 10	2.92	MAR. 30	2.54	MAY 15	4.08
FEB. 15	2.85	APR. 5	2.66	MAY 20	3.960
FEB. 20	2.95	APR. 10	2.92		

H TAPE MEASUREMENT (RECORDER).
O MEASUREMENTS DISCONTINUED.

485827N1163042.2 65N 01W 19ACA2 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 75.7 FT (23.1 M), CASED TO 75.7 FT (23.1 M), SAND POINT 72.7-75.7 FT (22.2-23.1 M). LSD 1,750.24 FT (533.473 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.20 FT (0.671 M) ABOVE LSD (SINCE SEPT. 23, 1971).

HIGHEST WATER LEVEL 2.45 FT (0.747 M) ABOVE LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 7.21 FT (2.198 M) BELOW LSD, APR. 19, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	3.77	MAR. 27, 1975	5.70	MAY 21, 1975	2.290
FEB. 26	4.05	APR. 24	6.87		

0 MEASUREMENTS DISCONTINUED.

485753N1162920.1 65N 01W 20DCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 29.4 FT (9.0 M), CASED TO 29.4 FT (9.0 M), SAND POINT 26.4-29.4 FT (8.0-9.0 M). LSD 1,756.64 FT (535.241 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.90 FT (1.494 M) ABOVE LSD (SINCE NOV. 16, 1971).

HIGHEST WATER LEVEL 5.24 FT (1.597 M) BELOW LSD, JUNE 17, 1974.
LOWEST WATER LEVEL 15.71 FT (4.788 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	11.85	MAR. 27, 1975	6.60	MAY 21, 1975	6.940
FEB. 26	10.85	APR. 24	8.18		

0 MEASUREMENTS DISCONTINUED.

485740N1162739.2 65N 01W 27BBC2 . US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 47.0 FT (14.3 M), CASED TO 46.3 FT (14.1 M), SAND POINT 43.0-46.3 FT (13.1-14.1 M). LSD 1,757.46 FT (535.674 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.53 FT (0.771 M) ABOVE LSD (SINCE SEPT. 20, 1972).

HIGHEST WATER LEVEL 8.40 FT (2.560 M) BELOW LSD, MAY 15, 1974.
LOWEST WATER LEVEL 16.67 FT (5.081 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	11.48	MAR. 27, 1975	8.82	MAY 21, 1975	9.350
FEB. 26	9.83	APR. 25	10.05		

0 MEASUREMENTS DISCONTINUED.

485657N1162623.1 65N 01W 27DDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.8 FT (8.2 M), CASED TO 26.8 FT (8.2 M), SAND POINT 23.8-26.8 FT (7.2-8.2 M). LSD 1,749.90 FT (533.370 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT (1.067 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 1.21 FT (0.369 M) BELOW LSD, MAR. 27, 1975.
LOWEST WATER LEVEL 8.59 FT (2.618 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	3.83	MAR. 27, 1975	1.21	MAY 21, 1975	3.390
FEB. 27	2.65	APR. 25	2.96		

0 MEASUREMENTS DISCONTINUED.

485734N1163059.1 65N 01W 30BDA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.2 FT (8.0 M), CASED TO 26.2 FT (8.0 M), SAND POINT 23.2-26.2 FT (7.1-8.0 M). LSD 1,761.78 FT (536.990 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 6.09 FT (1.856 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 19.83 FT (6.044 M) BELOW LSD, APR. 19, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	14.95	MAR. 27, 1975	17.91	MAY 21, 1975	12.630
FEB. 26	15.50	APR. 24	18.19		

0 MEASUREMENTS DISCONTINUED.

485728N1163111.1 65N 01W 30BDB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 36.0 FT (11.0 M), CASED TO 36.0 FT (11.0 M), SAND POINT 33.0-36.0 FT (10.0-11.0 M). LSD 1,753.82 FT (533.650 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 3 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.16 FT (1.573 M) ABOVE LSD (SINCE SEPT. 14, 1973).

HIGHEST WATER LEVEL 2.09 FT (0.637 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 12.16 FT (3.706 M) BELOW LSD, AUG. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	N	MAR. 26, 1975	6.91	MAY 20, 1975	5.110
FEB. 27	6.35	APR. 22	7.76		

N NO MEASUREMENT.
0 MEASUREMENTS DISCONTINUED.

485700N1163109.1 65N 01W 3CCDC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.4 FT (6.5 M), CASED TO 21.4 FT (6.5 M), SAND POINT 18.4-21.4 FT (5.6-6.5 M). LSD 1,749.78 FT (533.333 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT (1.067 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 0.65 FT (0.198 M) BELOW LSD, MAR. 14, 1972.
LOWEST WATER LEVEL 7.45 FT (2.271 M) BELOW LSD, SEP. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	2.59	MAR. 26, 1975	1.12	MAY 20, 1975	2.210
FEB. 27	1.83	APR. 22	1.34		

0 MEASUREMENTS DISCONTINUED.

485630N1163022.1 65N 01W 31ADD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 31.9 FT (9.7 M), CASED TO 31.9 FT (9.7 M), SAND POINT 28.9-31.9 FT (8.8-9.7 M). LSD 1,757.90 FT (535.808 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.40 FT (1.036 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 2.37 FT (0.722 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 16.31 FT (4.971 M) BELOW LSD, APR. 18, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	11.21	MAR. 26, 1975	13.24	MAY 20, 1975	8.650
FEB. 27	12.02	APR. 22	13.53		

0 MEASUREMENTS DISCONTINUED.

485654N1162741.1 65N 01W 33AAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 36.0 FT (11.0 M), CASED TO 36.0 FT (11.0 M), SAND POINT 33.0-36.0 FT (10.0-11.0 M). LSD 1,761.02 FT (536.759 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.60 FT (1.402 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 13.30 FT (4.054 M) BELOW LSD, MAR. 21, 1974.
LOWEST WATER LEVEL 20.10 FT (6.126 M) BELOW LSD, SEP. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	17.49	MAR. 27, 1975	13.90	MAY 21, 1975	15.020
FEB. 26	17.11	APR. 25	14.66		

0 MEASUREMENTS DISCONTINUED.

485631N1162819.1 65N 01W 33ACC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.1 FT (8.0 M), CASED TO 26.1 FT (8.0 M), SAND POINT 23.1-26.1 FT (7.0-8.0 M). LSD 1,760.29 FT (536.536 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 6.70 FT (2.042 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 13.19 FT (4.020 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	11.89	MAR. 27, 1975	10.84	MAY 21, 1975	9.580
FEB. 26	11.58	APR. 25	9.44		

0 MEASUREMENTS DISCONTINUED.

485655N1162859.1 65N 01W 33BBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 20.8 FT (6.3 M), CASED TO 20.8 FT (6.3 M), SAND POINT 17.8-20.8 FT (5.4-6.3 M). LSD 1,753.26 FT (534.394 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.90 FT (1.189 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 5.03 FT (1.533 M) BELOW LSD, MAR. 21, 1974.
LOWEST WATER LEVEL 14.89 FT (4.538 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	10.21	MAR. 27, 1975	5.79	MAY 21, 1975	6.350
FEB. 25	8.74	APR. 25	6.02		

0 MEASUREMENTS DISCONTINUED.

485624N1162516.1 65N 01W 35DAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 16.8 FT (5.1 M), CASED TO 16.8 FT (5.1 M), SAND POINT 13.8-16.8 FT (4.2-5.1 M). LSD 1,748.83 FT (533.043 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.60 FT (1.097 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 1.42 FT (0.433 M) BELOW LSD, MAR. 27, 1975.
LOWEST WATER LEVEL 6.46 FT (1.969 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	2.70	MAR. 27, 1975	1.42	MAY 21, 1975	2.800
FEB. 27	2.62	APR. 25	2.42		

0 MEASUREMENTS DISCONTINUED.

485538N1162354.1 64N 01W 01BDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 36.3 FT (11.1 M), CASED TO 36.3 FT (11.1 M), SAND POINT 33.3-36.3 FT (10.2-11.1 M). LSD 1,756.31 FT (535.323 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.60 FT (1.402 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 5.89 FT (1.795 M) BELOW LSD, MAR. 27, 1975.
LOWEST WATER LEVEL 16.44 FT (5.011 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	12.90	MAR. 27, 1975	5.89	MAY 21, 1975	7.470
FEB. 27	10.84	APR. 25	6.85		

0 MEASUREMENTS DISCONTINUED.

485526N1162501.2 64N 01W 01CBC2 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 32.3 FT (9.8 M), CASED TO 31.3 FT (9.5 M), SAND POINT 28.0-31.3 FT (8.5-9.5 M). LSD 1,754.86 FT (534.881 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.87 FT (0.875 M) ABOVE LSD (SINCE SEPT. 20, 1972).

HIGHEST WATER LEVEL 4.30 FT (1.311 M) BELOW LSD, MAR. 27, 1975.
LOWEST WATER LEVEL 12.97 FT (3.953 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	10.65	MAR. 27, 1975	4.30	MAY 21, 1975	5.940
FEB. 27	9.19	APR. 25	5.31		

0 MEASUREMENTS DISCONTINUED.

485603N1162619.1 64N 01W 02BBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.2 FT (6.5 M), CASED TO 21.2 FT (6.5 M), SAND POINT 18.2-21.2 FT (5.6-6.5 M). LSD 1,752.69 FT (534.037 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.70 FT (1.128 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 1.39 FT (0.424 M) BELOW LSD, MAR. 27, 1975.
LOWEST WATER LEVEL 6.96 FT (2.121 M) BELOW LSD, SEP. 14, 1973, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	5.86	MAR. 27, 1975	1.39	MAY 21, 1975	3.580
FEB. 27	4.72	APR. 25	1.61		

0 MEASUREMENTS DISCONTINUED.

485537N1162619.1 64N 01W 02CBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.2 FT (6.5 M), CASED TO 21.2 FT (6.5 M), SAND POINT 18.2-21.2 FT (5.6-6.5 M). LSD 1,757.39 FT (535.652 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.60 FT (1.097 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 3.14 FT (0.957 M) BELOW LSD, MAR. 15, 1972.
LOWEST WATER LEVEL 15.02 FT (4.578 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	9.27	MAR. 27, 1975	3.33	MAY 21, 1975	4.200
FEB. 27	8.91	APR. 25	3.20		

0 MEASUREMENTS DISCONTINUED.

485603N1162739.1 64N 01W C38BB1 US GEOL SURVEY BOUNDARY COUNTY

BURED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 16.3 FT (5.0 M), CASED TO 16.3 FT (5.0 M), SAND POINT 13.3-16.3 FT (4.0-5.0 M). LSD 1,750.04 FT (533.412 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.00 FT (0.914 M) ABOVE LSD (SINCE JUNE 14, 1974).

HIGHEST WATER LEVEL 1.48 FT (0.451 M) BELOW LSD, MAR. 15, 1972.
LOWEST WATER LEVEL 9.36 FT (2.853 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	2.69	MAR. 27, 1975	1.97	MAY 21, 1975	2.750
FEB. 27	2.30	APR. 25	2.45		

0 MEASUREMENTS DISCONTINUED.

485525N1162738.1 64N 01W C3CBC1 US GEOL SURVEY BOUNDARY COUNTY

BURED OBSERVATION ARTESIAN WELL IN FINE SILT OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 18.6 FT (5.7 M), CASED TO 18.6 FT (5.7 M), SAND POINT 15.6-18.6 FT (4.8-5.7 M). LSD 1,753.82 FT (534.564 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 4-IN (10-CM) PVC MALE ADAPTER, 2.20 FT (0.671 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 0.04 FT (0.012 M) ABOVE LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 10.36 FT (3.158 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	6.38	MAR. 26, 1975	7.10	MAY 20, 1975	5.950
FEB. 27	6.52	APR. 22	8.40		

0 MEASUREMENTS DISCONTINUED.

485551N1162900.1 64N 01W 05AA01 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.6 FT (8.1 M), CASED TO 26.6 FT (8.1 M), SAND POINT 23.6-26.6 FT (7.2-8.1 M). LSD 1,762.33 FT (537.158 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.20 FT (0.975 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 7.21 FT (2.198 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 18.14 FT (5.529 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	14.45	MAR. 26, 1975	16.33	MAY 20, 1975	13.110
FEB. 27	14.92	APR. 22	15.98		

0 MEASUREMENTS DISCONTINUED.

485521N1162926.1 64N 01W 05DCA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN COARSE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.7 FT (6.6 M), CASED TO 21.7 FT (6.6 M), SAND POINT 16.7-21.7 FT (5.7-6.6 M). LSD 1,771.59 FT (539.981 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.30 FT (1.006 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 7.21 FT (2.198 M) BELOW LSD, OCT. 20, 1972.
LOWEST WATER LEVEL 9.66 FT (2.944 M) BELOW LSD, JAN. 19, 1972.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	8.80	MAR. 26, 1975	8.55	MAY 20, 1975	7.940
FEB. 27	8.80	APR. 22	8.12		

0 MEASUREMENTS DISCONTINUED.

485453N1162620.1 64N 01W 10ADA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.9 FT (7.9 M), CASED TO 25.9 FT (7.9 M), SAND POINT 22.9-25.9 FT (7.0-7.9 M). LSD 1,764.70 FT (537.881 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.50 FT (1.372 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 8.95 FT (2.728 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 22.55 FT (6.873 M) BELOW LSD, APR. 19, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	18.00	MAR. 27, 1975	20.14	MAY 21, 1975	17.800
FEB. 27	18.24	APR. 25	21.93		

0 MEASUREMENTS DISCONTINUED.

485444N1162654.1 64N 01W 10DBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.9 FT (7.9 M), CASED TO 25.9 FT (7.9 M), SAND POINT 22.9-25.9 FT (7.0-7.9 M). LSD 1,762.25 FT (537.134 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 6.54 FT (1.993 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 17.15 FT (5.227 M) BELOW LSD, APR. 18, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	14.27	MAR. 26, 1975	15.20	MAY 20, 1975	10.840
FEB. 27	14.64	APR. 22	14.27		

0 MEASUREMENTS DISCONTINUED.

485426N1162522.1 64N 01W 11DCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.1 FT (6.4 M), CASED TO 21.1 FT (6.4 M), SAND POINT 18.1-21.1 FT (5.5-6.4 M). LSD 1,756.09 FT (535.256 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.40 FT (1.036 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 3.74 FT (1.140 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 11.97 FT (3.648 M) BELOW LSD, AUG. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	8.22	MAR. 26, 1975	7.23	MAY 20, 1975	8.890
FEB. 28	8.12	APR. 22	9.21		

0 MEASUREMENTS DISCONTINUED.

485444N1162458.1 64N 01W 12CBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.8 FT (8.2 M), CASED TO 26.8 FT (8.2 M), SAND POINT 23.8-26.8 FT (7.2-8.2 M). LSD 1,763.19 FT (537.420 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.60 FT (1.097 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 10.27 FT (3.130 M) BELOW LSD, MAY 14, 1974.
LOWEST WATER LEVEL 17.57 FT (5.355 M) BELOW LSD, NOV. 29, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	14.29	MAR. 27, 1975	14.07	MAY 21, 1975	10.290
FEB. 27	14.31	APR. 25	11.16		

0 MEASUREMENTS DISCONTINUED.

485420N1162343.1 64N 01W 12DDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.4 FT (8.0 M), CASED TO 26.4 FT (8.0 M), SAND POINT 23.4-26.4 FT (7.1-8.0 M). LSD 1,763.19 FT (536.585 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.10 FT (0.945 M) ABOVE LSD (SINCE NOV. 17, 1971).

HIGHEST WATER LEVEL 7.18 FT (2.188 M) BELOW LSD, MAR. 21, 1974.
LOWEST WATER LEVEL 16.38 FT (4.993 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	13.91	MAR. 27, 1975	7.58	MAY 21, 1975	8.950
FEB. 27	12.58	APR. 25	8.76		

0 MEASUREMENTS DISCONTINUED.

485413N1162412.1 64N 01W 13ABA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN FINE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.1 FT (8.0 M), CASED TO 26.1 FT (8.0 M), SAND POINT 23.1-26.1 FT (7.0-8.0 M). LSD 1,765.31 FT (538.066 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.40 FT (1.036 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 13.05 FT (3.978 M) BELOW LSD, JULY 18, 1972.
LOWEST WATER LEVEL 21.70 FT (6.614 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	17.87	MAR. 27, 1975	18.77	MAY 20, 1975	18.700
FEB. 28	17.95	APR. 22	19.83		

0 MEASUREMENTS DISCONTINUED.

485328N1162402.1 64N 01W 13DDC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 40.9 FT (12.5 M), CASED TO 40.9 FT (12.5 M), SAND POINT 37.9-40.9 FT (11.6-12.5 M). LSD 1,755.09 FT (534.951 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.80 FT (1.463 M) ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 3.09 FT (0.942 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 10.08 FT (3.072 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	7.91	MAR. 27, 1975	5.08	MAY 21, 1975	5.070
MAR. 3	6.72	APR. 25	6.25		

0 MEASUREMENTS DISCONTINUED.

485354N1162546.1 64N 01W 14BDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.8 FT (6.6 M), CASED TO 21.8 FT (6.6 M), SAND POINT 18.8-21.8 FT (6.6-5.7 M). LSD 1,756.11 FT (535.262 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.10 FT (0.945 M) ABOVE LSD (SINCE OCT. 6, 1971).

HIGHEST WATER LEVEL 3.55 FT (1.082 M) BELOW LSD, JUNE 19, 1972.
LOWEST WATER LEVEL 12.49 FT (3.807 M) BELOW LSD, AUG. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	8.40	MAR. 26, 1975	7.22	MAY 20, 1975	8.050
FEB. 27	8.31	APR. 22	9.84		

0 MEASUREMENTS DISCONTINUED.

485252N1162402.2 64N 01W 24DBD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 27.7 FT (8.4 M), CASED TO 26.5 FT (8.1 M), SAND POINT 23.2-26.5 FT (7.1-8.1 M). LSD 1,757.60 FT (535.716 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 1.76 FT (0.536 M) ABOVE LSD (SINCE SEPT. 20, 1972).

HIGHEST WATER LEVEL 0.74 FT (0.226 M) BELOW LSD, MAR. 21, 1974.
LOWEST WATER LEVEL 14.67 FT (4.471 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	10.82	MAR. 27, 1975	1.70	MAY 21, 1975	4.650
MAR. 3	7.84	APR. 25	3.29		

O MEASUREMENTS DISCONTINUED.

485143N1162500.1 64N 01W 25CCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.1 FT (6.4 M), CASED TO 21.1 FT (6.4 M), SAND POINT 18.1-21.1 FT (5.5-6.4 M). LSD 1,756.87 FT (535.494 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 4.77 FT (1.454 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 11.88 FT (3.621 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	8.50	MAR. 26, 1975	N	MAY 20, 1975	8.930
FEB. 28	7.97	APR. 22	8.90		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485143N1162433.1 64N 01W 25CDC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN VERY FINE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.1 FT (6.4 M), CASED TO 21.1 FT (6.4 M), SAND POINT 18.1-21.1 FT (5.5-6.4 M). LSD 1,754.24 FT (534.692 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.90 FT (1.189 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 0.23 FT (0.070 M) ABOVE LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 10.42 FT (3.176 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	6.23	MAR. 26, 1975	N	MAY 20, 1975	6.930
FEB. 27	5.92	APR. 22	8.41		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485143N1162352.1 64N 01W 36AAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 46.5 FT (14.2 M), CASED TO 46.5 FT (14.2 M), SAND POINT 43.5-46.5 FT (13.2-14.2 M). LSD 1,763.14 FT (537.405 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.00 FT (1.524 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 7.51 FT (2.289 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 17.32 FT (5.279 M) BELOW LSD, NOV. 29, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	14.85	MAR. 27, 1975	12.15	MAY 21, 1975	10.170
MAR. 3	14.62	APR. 25	11.64		

O MEASUREMENTS DISCONTINUED.

485118N1162425.1 64N 01W 36BDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN VERY FINE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.2 FT (8.0 M), CASED TO 26.2 FT (8.0 M), SAND POINT 23.2-26.2 FT (7.1-8.0 M). LSD 1,764.39 FT (537.786 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 9.80 FT (2.987 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 20.86 FT (6.358 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	16.40	MAR. 26, 1975	N	MAY 20, 1975	16.250
FEB. 28	16.20	APR. 22	19.27		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

485338N1162306.1 64N 01E 18CDA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.6 FT (6.6 M), CASED TO 21.6 FT (6.6 M), SAND POINT 18.6-21.6 FT (5.7-6.6 M). LSD 1,759.26 FT (536.222 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT (1.067 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 0.99 FT (0.302 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 5.35 FT (1.631 M) BELOW LSD, AUG. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	4.79	MAR. 27, 1975	4.48	MAY 21, 1975	2.670
MAR. 3	4.20	APR. 25	3.48		

O MEASUREMENTS DISCONTINUED.

485144N1162302.1 64N 01E 30DCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 40.9 FT (12.5 M), CASED TO 40.9 FT (12.5 M), SAND POINT 37.9-40.9 FT (11.6-12.5 M). LSD 1,753.88 FT (534.583 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 5, 1971. RECORDER REMOVED MAY 21, 1975. MP NO. 1 TOP OF 4-IN (10-CM) MALE PVC ADAPTER, 2.93 FT (0.893 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 0.89 FT (0.271 M) ABOVE LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 8.87 FT (2.704 M) BELOW LSD, AUG. 18, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	6.20	FEB. 20, 1975	5.09	APR. 9, 1975	6.82
JAN. 10	6.30	FEB. 25	5.38	APR. 25	7.13H
JAN. 15	6.42	FEB. 28	5.51	APR. 30	6.83
JAN. 20	6.38H	MAR. 5	5.68	MAY 5	6.47
JAN. 25	6.24	MAR. 10	5.64	MAY 10	5.96
JAN. 31	6.06	MAR. 15	5.74	MAY 15	4.90
FEB. 5	5.71	MAR. 20	5.98	MAY 20	3.85
FEB. 10	5.51	MAR. 25	5.84	MAY 21	3.72H
FEB. 15	5.22	MAR. 31	6.11	MAY 21	0
FEB. 19	5.06	APR. 5	6.48		

H TAPE MEASUREMENT (RECORDER).
O MEASUREMENTS DISCONTINUED.

485143N1162234.1 64N 01E 31AAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 22.1 FT (6.7 M), CASED TO 22.1 FT (6.7 M), SAND POINT 19.1-22.1 FT (5.8-6.7 M). LSD 1,756.05 FT (535.244 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.70 FT (0.823 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 3.56 FT (1.085 M) BELOW LSD, FEB. 15, 1972.
LOWEST WATER LEVEL 7.91 FT (2.411 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	4.95	MAR. 27, 1975	3.64	MAY 21, 1975	4.520
MAR. 3	4.03	APR. 25	4.02		

O MEASUREMENTS DISCONTINUED.

485055N1162336.1 64N 01E 31CCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.3 FT (8.0 M), CASED TO 26.3 FT (8.0 M), SAND POINT 23.3-26.3 FT (7.1-8.0 M). LSD 1,766.35 FT (538.384 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.60 FT (1.097 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 11.84 FT (3.609 M) BELOW LSD, JULY 18, 1972.
LOWEST WATER LEVEL 19.93 FT (6.075 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	16.80	MAR. 27, 1975	16.80	MAY 21, 1975	13.420
FEB. 28	N	APR. 25	14.48		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484933N1162407.1 63N 01W 12ACD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.4 FT (8.0 M), CASED TO 26.4 FT (8.0 M), SAND POINT 23.4-26.4 FT (7.1-8.0 M). LSD 1,754.61 FT (534.805 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.90 FT (1.189 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 1.15 FT (0.351 M) BELOW LSD, MAR. 16, 1972.
LOWEST WATER LEVEL 8.29 FT (2.527 M) BELOW LSD, OCT. 24, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	2.90	MAR. 26, 1975	N	MAY 20, 1975	1.880
FEB. 28	2.37	APR. 22	2.04		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484845N1162410.1 63N 01W 13ACD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 25.9 FT (7.9 M), CASED TO 25.9 FT (7.9 M), SAND POINT 22.9-25.9 FT (7.0-7.9 M). LSD 1,759.28 FT (536.228 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 4-IN (10-CM) PVC MALE ADAPTER, 3.10 FT (0.945 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 1.22 FT (0.372 M) BELOW LSD, MAR. 26, 1975.
LOWEST WATER LEVEL 14.34 FT (4.371 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	10.42	MAR. 26, 1975	1.22	MAY 20, 1975	6.600
FEB. 28	7.52	APR. 22	4.72		

O MEASUREMENTS DISCONTINUED.

484802N1162422.1 63N 01W 24ACB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN FINE SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 30.8 FT (9.4 M), CASED TO 30.8 FT (9.4 M), SAND POINT 27.8-30.8 FT (8.5-9.4 M). LSD 1,757.74 FT (535.759 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.60 FT (1.402 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 1.69 FT (0.515 M) BELOW LSD, JAN. 29, 1974.
LOWEST WATER LEVEL 11.77 FT (3.587 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	5.14	MAR. 26, 1975	1.76	MAY 20, 1975	4.960
FEB. 28	2.90	APR. 22	4.27		

O MEASUREMENTS DISCONTINUED.

484651N1162353.1 63N 01W 25DAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN FINE SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.4 FT (8.0 M), CASED TO 26.4 FT (8.0 M), SAND POINT 23.4-26.4 FT (7.1-8.0 M). LSD 1,766.38 FT (538.393 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.30 FT (1.006 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 5.49 FT (1.673 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 23.46 FT (7.151 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	17.42	MAR. 28, 1975	21.29	MAY 21, 1975	14.760
FEB. 28	N	APR. 24	22.35		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484629N1162425.1 63N 01W 36BAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 30.9 FT (9.4 M), CASED TO 30.9 FT (9.4 M), SAND POINT 27.9-30.9 FT (8.5-9.4 M). LSD 1,753.77 FT (534.549 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 4.52 FT (1.378 M) ABOVE LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 9.51 FT (2.899 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	4.14	MAR. 26, 1975	7.19	MAY 20, 1975	1.720
FEB. 28	4.37	APR. 22	8.48		

0 MEASUREMENTS DISCONTINUED.

484604N1162357.2 63N 01W 36DAB2 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 27.0 FT (8.2 M), CASED TO 31.5 FT (9.6 M), SAND POINT 26.85-30.15 FT (8.18-9.19 M). LSD 1,761.48 FT (536.899 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.61 FT (0.796 M) ABOVE LSD (SINCE SEPT. 25, 1972).

HIGHEST WATER LEVEL 5.68 FT (1.731 M) BELOW LSD, JUNE 13, 1974.
LOWEST WATER LEVEL 15.86 FT (4.834 M) BELOW LSD, MAY 16, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	11.60	MAR. 26, 1975	11.21	MAY 20, 1975	10.610
FEB. 28	11.17	APR. 22	14.02		

0 MEASUREMENTS DISCONTINUED.

485024N1162250.1 63N 01E 06DBA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 46.2 FT (14.1 M), CASED TO 46.2 FT (14.1 M), SAND POINT 43.2-46.2 FT (13.2-14.1 M). LSD 1,762.33 FT (537.158 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.20 FT (1.585 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 6.29 FT (1.917 M) BELOW LSD, JUNE 13, 1974.
LOWEST WATER LEVEL 19.25 FT (5.867 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	14.13	MAR. 27, 1975	14.65	MAY 21, 1975	12.410
FEB. 28	N	APR. 25	17.41		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484906N1162323.1 63N 01E 18BAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.9 FT (7.9 M), CASED TO 25.9 FT (7.9 M), SAND POINT 22.9-25.9 FT (7.0-7.9 M). LSD 1,764.23 FT (537.737 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 3.09 FT (0.942 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 21.97 FT (6.696 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	15.98	MAR. 27, 1975	19.27	MAY 21, 1975	14.240
FEB. 28	N	APR. 25	20.90		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484652N1162305.1 63N 01E 30CAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 30.8 FT (9.4 M), CASED TO 30.8 FT (9.4 M), SAND POINT 27.8-30.6 FT (8.5-9.4 M). LSD 1,762.10 FT (537.088 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.60 FT (1.402 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 5.35 FT (1.631 M) BELOW LSD, MAR. 28, 1975.
LOWEST WATER LEVEL 12.39 FT (3.776 M) BELOW LSD, DEC. 11, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	10.96	MAR. 28, 1975	5.35	MAY 21, 1975	6.920
FEB. 28	N	APR. 24	6.47		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484656N1162225.1 63N 01E 30CDAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.6 FT (7.8 M), CASED TO 25.6 FT (7.8 M), SAND POINT 22.6-25.6 FT (6.9-7.8 M). LSD 1,755.38 FT (535.040 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.70 FT (1.433 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 1.19 FT (0.363 M) BELOW LSD, FEB. 15, 1974.
LOWEST WATER LEVEL 7.83 FT (2.387 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	4.56	MAR. 28, 1975	2.15	MAY 21, 1975	2.820
MAR. 3	2.56	APR. 24	3.16		

O MEASUREMENTS DISCONTINUED.

484541N1162305.1 63N 01E 31CDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 31.5 FT (9.6 M), CASED TO 31.5 FT (9.6 M), SAND POINT 28.5-31.5 FT (8.7-9.6 M). LSD 1,766.73 FT (538.499 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.90 FT (1.189 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 14.41 FT (4.392 M) BELOW LSD, APR. 23, 1974.
LOWEST WATER LEVEL 19.59 FT (5.971 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	16.88	MAR. 28, 1975	15.16	MAY 21, 1975	15.600
FEB. 28	N	APR. 24	15.46		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484543N1162208.1 63N 01E 32CCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 40.7 FT (12.4 M), CASED TO 40.7 FT (12.4 M), SAND POINT 37.7-40.7 FT (11.5-12.4 M). LSD 1,760.90 FT (536.722 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.30 FT (1.615 M) ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 1.69 FT (0.515 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 12.82 FT (3.908 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	8.60	MAR. 28, 1975	9.64	MAY 21, 1975	7.010
MAR. 3	7.28	APR. 29	10.70		

O MEASUREMENTS DISCONTINUED.

484510N1162429.1 62N 01W C1CAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 31.1 FT (9.5 M), CASED TO 31.1 FT (9.5 M), SAND POINT 28.1-31.1 FT (8.6-9.5 M). LSD 1,765.79 FT (538.213 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.40 FT (1.341 M) ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 3.92 FT (1.195 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 22.42 FT (6.834 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	15.88	MAR. 26, 1975	21.07	MAY 20, 1975	12.650
FEB. 28	16.98	APR. 22	21.00		

O MEASUREMENTS DISCONTINUED.

484425N1162429.1 62N 01W 12BDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4-IN (3.2 CM) DEPTH 31.1 FT (9.5 M), CASED TO 31.1 FT (9.5 M), SAND POINT 28.1-31.1 FT (8.6-9.5 M). LSD 1,770.14 FT (539.538 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF LOWER INSIDE LIP OF 45 DEGREE WYE, 4.60 FT (1.402 M) ABOVE LSD (SINCE NOV. 18, 1971).

HIGHEST WATER LEVEL 10.22 FT (3.115 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 26.35 FT (8.031 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	20.64	MAR. 28, 1975	N	MAY 23, 1975	N
FEB. 25	19.98	APR. 24	24.76	MAY 23	O

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484356N1162345.1 62N 01W 12DDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.6 FT (8.1 M), CASED TO 26.6 FT (8.1 M), SAND POINT 23.6-26.6 FT (7.2-8.1 M). LSD 1,761.99 FT (537.055 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT (1.067 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 5.63 FT (1.716 M) BELOW LSD, MAR. 25, 1975.
LOWEST WATER LEVEL 15.06 FT (4.590 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	9.67	MAR. 25, 1975	5.63	MAY 23, 1975	10.670
FEB. 22	N	APR. 22	10.44		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484354N1162434.1 62N 01W 13BAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.3 FT (6.5 M), CASED TO 21.3 FT (6.5 M), SAND POINT 18.3-21.3 FT (5.6-6.5 M). LSD 1,756.52 FT (535.387 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 0.68 FT (0.207 M) ABOVE LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 8.92 FT (2.719 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	3.98	MAR. 25, 1975	4.07	MAY 23, 1975	3.300
FEB. 22	N	APR. 22	6.65		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484302N1162445.1 62N 01W 13CCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 16.7 FT (5.1 M), CASED TO 16.7 FT (5.1 M), SAND POINT 13.7-16.7 FT (4.2-5.1 M). LSD 1,754.55 FT (534.787 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.00 FT (0.914 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 0.22 FT (0.067 M) BELOW LSD, AUG. 21, 1974.
LOWEST WATER LEVEL 1.85 FT (0.564 M) BELOW LSD, SEP. 25, 1972, SEP. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	1.23	MAR. 25, 1975	1.14	MAY 23, 1975	0.600
FEB. 28	1.36	APR. 22	0.91		

0 MEASUREMENTS DISCONTINUED.

484211N1162402.1 62N 01W 24DDC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 15.3 FT (4.7 M), CASED TO 15.3 FT (4.7 M), SAND POINT 12.3-15.3 FT (3.7-4.7 M). LSD 1,754.02 FT (534.625 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.40 FT (1.341 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 0.14 FT (0.043 M) ABOVE LSD, NOV. 26, 1974.
LOWEST WATER LEVEL 4.39 FT (1.338 M) BELOW LSD, JULY 24, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	0.50	MAR. 25, 1975	0.77	MAY 20, 1975	1.900
FEB. 28	0.65	APR. 22	1.80		

0 MEASUREMENTS DISCONTINUED.

484447N1162305.1 62N 01E 06CDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.6 FT (6.6 M), CASED TO 21.6 FT (6.6 M), SAND POINT 18.6-21.6 FT (5.7-6.6 M). LSD 1,755.40 FT (535.046 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.18 FT (0.969 M) ABOVE LSD (SINCE MAR. 28, 1975).

HIGHEST WATER LEVEL 4.47 FT (1.362 M) BELOW LSD, MAR. 28, 1975.
LOWEST WATER LEVEL 10.72 FT (3.267 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	N	MAR. 28, 1975	4.47	MAY 21, 1975	6.340
FEB. 28	N	APR. 29	6.39		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484356N1162305.1 62N 01E 07CDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 36.6 FT (11.2 M), CASED TO 36.6 FT (11.2 M), SAND POINT 33.6-36.6 FT (10.2-11.2 M). LSD 1,769.58 FT (539.368 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 10.20 FT (3.109 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 25.30 FT (7.711 M) BELOW LSD, APR. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	19.43	MAR. 25, 1975	22.27	MAY 23, 1975	18.190
FEB. 28	N	APR. 22	23.54		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484356N1162253.1 62N 01E 07DCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 30.3 FT (9.2 M), CASED TO 30.3 FT (9.2 M), SAND POINT 27.3-30.3 FT (8.3-9.2 M). LSD 1,767.75 FT (538.810 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.50 FT (1.372 M) ABOVE LSD (SINCE OCT. 2, 1971).

HIGHEST WATER LEVEL 10.12 FT (3.085 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 17.44 FT (5.316 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	13.94	MAR. 25, 1975	10.75	APR. 29, 1975	P
FEB. 25	13.38				

P WELL DESTROYED.

484443N1162158.1 62N 01E 08BAB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 17.5 FT (5.3 M), CASED TO 17.5 FT (5.3 M), SAND POINT 14.5-17.5 FT (4.4-5.3 M). LSD 1,757.97 FT (535.829 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.20 FT (0.671 M) ABOVE LSD (SINCE OCT. 2, 1971).

HIGHEST WATER LEVEL 2.52 FT (0.768 M) BELOW LSD, JAN. 16, 1974.
LOWEST WATER LEVEL 10.44 FT (3.182 M) BELOW LSD, OCT. 25, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	5.54	MAR. 25, 1975	3.49	MAY 21, 1975	5.550
FEB. 25	3.58	APR. 29	5.20		

0 MEASUREMENTS DISCONTINUED.

484355N1162223.1 62N 01E 08CCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 33.5 FT (10.2 M), CASED TO 33.5 FT (10.2 M), SAND POINT 30.5-33.5 FT (9.3-10.2 M). LSD 1,753.52 FT (534.473 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 4, 1971. RECORDER REMOVED MAY 21, 1975. MP NO. 1 TOP OF 4-IN (10-CM) PVC MALE ADAPTER, 2.13 FT (0.649 M) ABOVE LSD (SINCE NOV. 18, 1971).

HIGHEST WATER LEVEL 1.70 FT (0.518 M) ABOVE LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 7.89 FT (2.405 M) BELOW LSD, AUG. 18, 1973, AUG. 19, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	3.97	MAR. 5, 1975	2.14	APR. 20, 1975	4.41
JAN. 10	3.97	MAR. 10	2.02	APR. 25	4.04
JAN. 15	3.98	MAR. 15	2.00	APR. 30	3.75
JAN. 20	3.88	MAR. 20	2.27	MAY 5	3.30
JAN. 25	3.47	MAR. 25	2.56H	MAY 10	2.90
JAN. 31	3.05	MAR. 31	3.26	MAY 15	2.00
FEB. 5	2.71	APR. 5	3.65	MAY 20	1.33
FEB. 10	2.48	APR. 10	4.22	MAY 21	1.31H
FEB. 19	1.98	APR. 15	4.54	MAY 21	O
MAR. 3	2.28H	APR. 16	4.56		

H TAPE MEASUREMENT (RECORDER).
O MEASUREMENTS DISCONTINUED.

484355N1162223.2 62N 01E 08CCC2 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 59.0 FT (18.0 M), CASED TO 59.0 FT (18.0 M), SAND POINT 56.0-59.0 FT (17.1-18.0 M). LSD 1,753.55 FT (534.484 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.70 FT (0.823 M) ABOVE LSD (SINCE SEPT. 20, 1971).

HIGHEST WATER LEVEL 3.12 FT (0.951 M) ABOVE LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 7.08 FT (2.158 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	2.64	MAR. 25, 1975	4.50	MAY 21, 1975	0.690
MAR. 3	2.76	APR. 29	5.22		

0 MEASUREMENTS DISCONTINUED.

484336N1162112.1 62N 01E 17ADA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.8 FT (7.9 M), CASED TO 25.8 FT (7.9 M), SAND POINT 22.8-25.8 FT (7.0-7.9 M). LSD 1,752.16 FT (534.058 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.30 FT (1.615 M) ABOVE LSD (SINCE OCT. 2, 1971).

HIGHEST WATER LEVEL 5.27 FT (1.606 M) ABOVE LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 3.94 FT (1.201 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975 +	0.36	MAR. 25, 1975	1.40	MAY 21, 1975 +	1.100
MAR. 3 +	0.19	APR. 29	1.82		

0 MEASUREMENTS DISCONTINUED.

484302N1162328.1 62N 01E 19BBA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 27.4 FT (8.4 M), CASED TO 27.4 FT (8.4 M), SAND POINT 24.4-27.4 FT (7.4-8.4 M). LSD 1,760.93 FT (536.732 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.70 FT (0.823 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 3.53 FT (1.076 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 12.98 FT (3.956 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	6.55	MAR. 25, 1975	6.51	MAY 23, 1975	5.910
FEB. 25	N	APR. 22	8.00		

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

484244N1162306.1 62N 01E 19BDA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.5 FT (7.8 M), CASED TO 25.5 FT (7.8 M), SAND POINT 22.5-25.5 FT (6.9-7.8 M). LSD 1,769.62 FT (539.380 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.70 FT (1.128 M) ABOVE LSD (SINCE OCT. 2, 1971).

HIGHEST WATER LEVEL 13.98 FT (4.261 M) BELOW LSD, JULY 19, 1972.
LOWEST WATER LEVEL 22.20 FT (6.767 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	18.65	MAR. 25, 1975	17.45	MAY 21, 1975	18.560
FEB. 26	17.70	APR. 29	19.43		

O MEASUREMENTS DISCONTINUED.

484302N1162223.1 62N 01E 20BBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.7 FT (8.1 M), CASED TO 26.7 FT (8.1 M), SAND POINT 23.7-26.7 FT (7.2-8.1 M). LSD 1,752.95 FT (534.299 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.40 FT (1.036 M) ABOVE LSD (SINCE OCT. 2, 1971).

HIGHEST WATER LEVEL 3.74 FT (1.140 M) ABOVE LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 5.93 FT (1.807 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	1.65	MAR. 25, 1975	3.12	MAY 21, 1975	0.300
FEB. 25	1.28	APR. 29	3.70		

0 MEASUREMENTS DISCONTINUED.

484236N1162126.1 62N 01E 20DBA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.4 FT (8.0 M), CASED TO 26.4 FT (8.0 M), SAND POINT 23.4-26.4 FT (7.1-8.0 M). LSD 1,764.97 FT (537.963 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.70 FT (1.128 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 5.37 FT (1.637 M) BELOW LSD, MAR. 25, 1975.
LOWEST WATER LEVEL 11.85 FT (3.612 M) BELOW LSD, OCT. 26, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	9.66	MAR. 25, 1975	5.37	MAY 21, 1975	6.780
FEB. 25	8.93	APR. 29	6.35		

0 MEASUREMENTS DISCONTINUED.

484210N1161809.1 62N 01E 23CCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAYEY SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 26.5 FT (8.1 M), CASED TO 26.5 FT (8.1 M), SAND POINT 23.5-26.5 FT (7.2-8.1 M). LSD 1,762.17 FT (537.109 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT (1.067 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 2.24 FT (0.683 M) ABOVE LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 11.65 FT (3.551 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	7.03	MAR. 25, 1975	9.50	MAY 29, 1975	7.340
FEB. 25	7.58	APR. 29	8.81		

0 MEASUREMENTS DISCONTINUED.

484231N1161651.1 62N 01E 24CBA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 39.3 FT (12.0 M), CASED TO 39.3 FT (12.0 M), SAND POINT 36.3-39.3 FT (11.1-12.0 M). LSD 1,767.61 FT (538.768 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 1.60 FT (0.488 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 2.83 FT (0.863 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 15.39 FT (4.691 M) BELOW LSD, AUG. 14, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	11.18	MAR. 25, 1975	13.20	MAY 29, 1975	11.100
FEB. 25	11.69	APR. 29	12.09		

0 MEASUREMENTS DISCONTINUED.

484142N1161823.1 62N 01E 26CBB1 CORPS OF ENGRS BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SILTY SAND OF QUATERNARY AGE, DIAM 1 1/2 IN (3.8 CM), DEPTH 18.5 FT (5.6 M), CASED TO 18.5 FT (5.6 M), SAND POINT 16.0-18.5 FT (4.9-5.6 M). LSD 1,770.34 FT (539.600 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) GALVANIZED CASING, 4.35 FT (1.326 M) ABOVE LSD (SINCE APR. 20, 1972).

HIGHEST WATER LEVEL 6.44 FT (1.963 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 18.50F FT (5.639 M) BELOW LSD, APR. 20, 1972, AUG. 17, 1972, DEC. 21, 1972, JAN. 19, 1973, FEB. 14, 1973, JAN. 29, 1975, FEB. 25, 1975, MAR. 25, 1975, APR. 29, 1975.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	18.50F	MAR. 25, 1975	18.50F	MAY 23, 1975	16.39O
FEB. 25	18.50F	APR. 29	18.50F		

F DRY.
O MEASUREMENTS DISCONTINUED.

484152N1161849.1 62N 01E 27ACA1 CORPS OF ENGRS BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/2 IN (3.8 CM), DEPTH 19.5 FT (5.9 M), CASED TO 19.5 FT (5.9 M), SAND POINT 17.0-19.5 FT (5.2-5.9 M). LSD 1,772.23 FT (540.176 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) GALVANIZED CASING, 3.68 FT (1.122 M) ABOVE LSD (SINCE APR. 20, 1972).

HIGHEST WATER LEVEL 8.96 FT (2.731 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 19.50F FT (5.944 M) BELOW LSD, APR. 20, 1972, AUG. 17, 1972, DEC. 21, 1972, JAN. 19, 1973, FEB. 14, 1973, JAN. 29, 1975, FEB. 25, 1975, MAR. 25, 1975, APR. 29, 1975.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	19.50F	MAR. 25, 1975	19.50F	MAY 29, 1975	19.36O
FEB. 25	19.50F	APR. 29	19.50F		

F DRY.
O MEASUREMENTS DISCONTINUED.

484143N1161849.1 62N 01E 27DBA1 CORPS OF ENGRS BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/2 IN (3.8 CM), DEPTH 20.0 FT (6.1 M), CASED TO 20.0 FT (6.1 M), SAND POINT 17.5-20.0 FT (5.3-6.1 M). LSD 1,768.44 FT (539.020 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) GALVANIZED CASING, 3.22 FT (0.982 M) ABOVE LSD (SINCE APR. 20, 1972).

HIGHEST WATER LEVEL 6.39 FT (1.948 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 20.00F FT (6.096 M) BELOW LSD, MAR. 14, 1973, APR. 16, 1973, MAY 15, 1973, AUG. 15, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	15.65	MAR. 25, 1975	18.5E	MAY 23, 1975	14.15O
FEB. 25	15.76	APR. 29	19.0E		

F DRY.
O MEASUREMENTS DISCONTINUED.

484204N1161948.1 62N 01E 28AAA1 CORPS OF ENGRS BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 21.7 FT (6.6 M), CASED TO 21.7 FT (6.6 M), SAND POINT 19.2-21.7 FT (5.8-6.6 M). LSD 1,762.78 FT (537.295 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/4-IN (3.2-CM) GALVANIZED CASING, 3.50 FT (1.067 M) ABOVE LSD (SINCE APR. 20, 1972).

HIGHEST WATER LEVEL 3.24 FT (0.988 M) BELOW LSD, DEC. 21, 1972.
LOWEST WATER LEVEL 10.77 FT (3.283 M) BELOW LSD, OCT. 26, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	6.51	MAR. 25, 1975	3.81	MAY 21, 1975	6.37O
FEB. 25	6.00	APR. 29	6.3E		

O MEASUREMENTS DISCONTINUED.

484202N1162100.1 62N 01E 28BBC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 36.2 FT (11.0 M), CASED TO 36.2 FT (11.0 M), SAND POINT 33.2-36.2 FT (10.1-11.0 M). LSD 1,771.12 FT (539.837 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.80 FT (1.463 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 9.03 FT (2.752 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 26.95 FT (8.214 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	20.44	MAR. 25, 1975	24.05	MAY 21, 1975	18.280
FEB. 25	20.34	APR. 29	24.29		

0 MEASUREMENTS DISCONTINUED.

484118N1162026.1 62N 01E 28DCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 20.7 FT (6.3 M), CASED TO 22.0 FT (6.7 M), SAND POINT 19.7-22.0 FT (6.0-6.7 M). LSD 1,752.51 FT (534.165 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.23 FT (0.680 M) ABOVE LSD (SINCE SEPT. 25, 1972).

HIGHEST WATER LEVEL 1.92 FT (0.585 M) BELOW LSD, JUNE 25, 1974.
LOWEST WATER LEVEL 4.71 FT (1.436 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	3.54	MAR. 25, 1975	4.14	MAY 21, 1975	3.450
FEB. 25	3.53	APR. 29	4.17		

0 MEASUREMENTS DISCONTINUED.

484138N1162223.1 62N 01E 29CBB1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.6 FT (7.8 M), CASED TO 25.6 FT (7.8 M), SAND POINT 22.6-25.6 FT (6.9-7.8 M). LSD 1,753.79 FT (534.555 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.80 FT (1.158 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 2.89 FT (0.881 M) BELOW LSD, FEB. 17, 1972.
LOWEST WATER LEVEL 6.55 FT (1.996 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	3.81	MAR. 25, 1975	3.88	MAY 21, 1975	4.450
FEB. 25	3.68	APR. 29	4.77		

0 MEASUREMENTS DISCONTINUED.

484209N1162226.1 62N 01E 30AAA1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 41.4 FT (12.6 M), CASED TO 41.1 FT (12.5 M), SAND POINT 38.1-41.1 FT (11.6-12.5 M). LSD 1,765.52 FT (538.130 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.20 FT (1.585 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 8.76 FT (2.670 M) BELOW LSD, JUNE 25, 1974.
LOWEST WATER LEVEL 19.29 FT (5.880 M) BELOW LSD, APR. 16, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	14.43	MAR. 25, 1975	13.78	MAY 21, 1975	13.650
FEB. 25	13.40	APR. 29	16.36		

0 MEASUREMENTS DISCONTINUED.

484118N1162343.1 62N 01E 30CCC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 28.2 FT (8.6 M), CASED TO 28.2 FT (8.6 M), SAND POINT 25.2-28.2 FT (7.7-8.6 M). LSD 1,762.51 FT (537.213 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 2.00 FT (0.610 M) ABOVE LSD (SINCE OCT. 1, 1971).

HIGHEST WATER LEVEL 3.11 FT (0.948 M) BELOW LSD, JUNE 15, 1972.
LOWEST WATER LEVEL 13.76 FT (4.194 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	10.41	MAR. 25, 1975	10.31	MAY 29, 1975	9.030
FEB. 25	10.37	APR. 29	9.86		

0 MEASUREMENTS DISCONTINUED.

484027N1162213.1 62N 01E 32CCD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN SANDY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.5 FT (7.8 M), CASED TO 25.5 FT (7.8 M), SAND POINT 22.5-25.5 FT (6.8-7.8 M). LSD 1,750.46 FT (533.540 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 1.01 FT (0.308 M) ABOVE LSD, FEB. 15, 1974.
LOWEST WATER LEVEL 3.84 FT (1.170 M) BELOW LSD, AUG. 17, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975 +	0.30	MAR. 25, 1975 +	0.87	MAY 21, 1975	0.330
FEB. 25	N	APR. 29	0.41		

N NO MEASUREMENT.
0 MEASUREMENTS DISCONTINUED.

484027N1162028.1 62N 01E 33CDD1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION ARTESIAN WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 25.6 FT (7.8 M), CASED TO 25.6 FT (7.8 M), SAND POINT 22.6-25.6 FT (6.9-7.8 M). LSD 1,758.26 FT (535.918 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 5.70 FT (1.737 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 0.53 FT (0.162 M) ABOVE LSD, FEB. 17, 1972.
LOWEST WATER LEVEL 14.95 FT (4.557 M) BELOW LSD, OCT. 26, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	6.37	MAR. 25, 1975 +	0.10	MAY 21, 1975	3.210
FEB. 25	1.40	APR. 29	1.97		

0 MEASUREMENTS DISCONTINUED.

484153N1161459.1 62N 02E 30ACA1 CORPS OF ENGRS BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN FINE SAND OF QUATERNARY AGE, DIAM 1 1/2 IN (3.8 CM), DEPTH 19.0 FT (5.8 M), CASED TO 19.0 FT (5.8 M), SAND POINT 16.5-19.0 FT (5.0-5.8 M). LSD 1,769.11 FT (539.225 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) GALVANIZED CASING, 4.15 FT (1.265 M) ABOVE LSD (SINCE APR. 20, 1972).

HIGHEST WATER LEVEL 5.19 FT (1.582 M) BELOW LSD, JUNE 16, 1972.
LOWEST WATER LEVEL 10.89 FT (3.319 M) BELOW LSD, AUG. 15, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	8.35	MAR. 25, 1975	8.95	MAY 23, 1975	7.450
FEB. 25	7.99	APR. 29	9.08		

0 MEASUREMENTS DISCONTINUED.

483922N1162046.1 61N 01E C9BAC1 US GEOL SURVEY BOUNDARY COUNTY

BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 52.5 FT (16.0 M), CASED TO 52.5 FT (16.0 M), SAND POINT 49.5-52.5 FT (15.1-16.0 M). LSD 1,785.40 FT (544.190 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.10 FT (1.250 M) ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 6.22 FT (1.896 M) BELOW LSD, MAR. 25, 1975.
LOWEST WATER LEVEL 15.27 FT (4.654 M) BELOW LSD, SEP. 13, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1975	11.56	MAR. 25, 1975	6.22	MAY 29, 1975	10.490
MAR. 3	10.22	APR. 29	9.75		

0 MEASUREMENTS DISCONTINUED.

475558N1164647.1 53N 04W 24BBA1 PACK RIVER CO KOOTENAI COUNTY

DUG STOCK AND DOMESTIC WATER-TABLE WELL IN FLUVIOGLACIAL GRAVEL OF QUATERNARY AGE, DIAM 39 IN (99 CM), DEPTH 480.0 FT (146.3 M), CRIBBED WITH WOOD TO 480 FT (146.3 M). LSD 2,486.53 FT (757.894 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). APR. 26, 1965, WELL WAS DEEPENED AND RECASED TO A DEPTH OF 485.2 FT (147.9 M), 25-IN (64-CM) CASING 9-25 FT (2.7-7.6 M), 25-IN (64-CM) WOOD CRIBBING 25-303 FT (7.6-92.4 M), 20-IN (51-CM) CASING 258-488 FT (78.6-148.7 M), SLOTTED PERFORATIONS 449-488 FT (136.8-148.7 M). MEASUREMENTS PRIOR TO 1938 BY WASHINGTON WATER POWER COMPANY. MEASUREMENTS FROM JAN. 1938 TO JULY 1942 BY US GEOL SURVEY AND WASHINGTON WATER POWER COMPANY. MP NO. 15 TOP OF 1/2-IN (1.3-CM) PIPE TEE SOUTH SIDE OF PUMP, 4.50 FT (1.372 M) ABOVE LSD (SINCE JULY 15, 1968).

HIGHEST WATER LEVEL 447.38 FT (136.361 M) BELOW LSD, AUG. 13, 1956, AUG. 20, 1956, AUG. 27, 1956.
LOWEST WATER LEVEL 478.14 FT (145.737 M) BELOW LSD, JAN. 15, 1932.
RECORDS AVAILABLE 1929-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	455.45	MAY 28, 1975	457.24	SEP. 23, 1975	455.09
FEB. 24	456.44	JUNE 24	455.96	OCT. 22	455.38
MAR. 25	457.30	JULY 25	455.21	NOV. 25	456.47
APR. 25	457.94	AUG. 25	454.95	DEC. 24	457.39

475439N1165034.1 53N 04W 28CAB1 LS GEOL SURVEY KOOTENAI COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN POORLY SORTED TILL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 448.6 FT (136.7 M), CASED TO 440 FT (134.1 M), SCREEN 438-448 FT (133.5-136.6 M). LSD 2,426.27 FT (739.527 M) ABOVE MSL DATUM OF 1929 (ADJUSTED). MP NO. 1 TOP OF CASING NORTHEAST SIDE, 2.30 FT (0.701 M) ABOVE LSD (SINCE JULY 16, 1971).

HIGHEST WATER LEVEL 399.57 FT (121.789 M) BELOW LSD, AUG. 22, 1974.
LOWEST WATER LEVEL 415.63 FT (126.684 M) BELOW LSD, DEC. 20, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	404.08	MAY 28, 1975	405.59	SEP. 23, 1975	404.39
FEB. 24	405.20	JUNE 24	404.54	OCT. 22	404.85
MAR. 25	405.99	JULY 25	404.08	NOV. 23	405.71
APR. 25	406.52	AUG. 25	404.14	DEC. 24	406.59

475736N1163417.1 53N 02W 09AAC1 ID DEPT PARKS KOOTENAI COUNTY

DRILLED UNUSED WATER-TABLE WELL IN FLUVIOGLACIAL SAND AND GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), REPORTED DEPTH 351 FT (107.0 M), CASED TO 351 FT (107.0 M), PERFORATED 280-345 FT (85.3-105.2 M). LSD 2,291.46 FT (698.437 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. NOV. 1966 WELL BECAME BRIDGED, WELL DRILLER DROVE OBSTRUCTION DOWN TO 335 FT (102.1 M). AUG. 1968 DEPTH SOUNDED AT 331 FT (100.9 M). MEASUREMENTS FROM DEC. 13, 1943, THROUGH DEC. 29, 1948, ARE AIRLINE MEASUREMENTS MADE TO THE NEAREST FOOT BY A. E. HOLIEN, FARRAGUT INSTITUTE. RECORDER INSTALLED OCT. 25, 1950. RECORDER REMOVED FEB. 4, 1962. MP NO. 8 TOP OF 2-IN (5.1-CM) PIPE, 0.61 FT (0.186 M) ABOVE LSD (SINCE DEC. 12, 1969).

HIGHEST WATER LEVEL 228 FT (69.494 M) BELOW LSD, JUNE 8, 1948.
LOWEST WATER LEVEL 252 FT (76.810 M) BELOW LSD, JAN. 2, 1944, OCT. 30, 1944.
RECORDS AVAILABLE 1943-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	N	MAY 28, 1975	237.31	SEP. 23, 1975	232.34
FEB. 24	240.79	JUNE 24	233.36	OCT. 22	234.94
MAR. 25	240.86	JULY 25	232.06	NOV. 23	239.06
APR. 25	240.60	AUG. 25	231.75	DEC. 24	238.58

N NO MEASUREMENT.

474344N1165830.1 51N 05W 33BBA1 MCGUIRES DOM WS KOOTENAI COUNTY

DUG DOMESTIC WATER-TABLE WELL IN FLUVIOGLACIAL GRAVEL OF QUATERNARY AGE, DIAM 5 FT (1.5 M), DEPTH 174.4 FT (53.1 M), CONCRETE CASING TO 174 FT (53.0 M), OPEN BOTTOM. LSD 2,137.60 FT (651.540 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO JAN. 1938 BY WASHINGTON WATER POWER COMPANY. MEASUREMENTS FROM 1938 THROUGH JUNE 1950 BY US GEOL. SURVEY AND WASHINGTON WATER POWER COMPANY. MP NO. 4 TOP OF 1 1/2-IN (3.8-CM) PIPE EAST SIDE OF PUMP, 2.13 FT (0.649 M) ABOVE LSD (SINCE AUG. 27, 1959).

HIGHEST WATER LEVEL 134.14 FT (40.886 M) BELOW LSD, JUNE 29, 1950.
LOWEST WATER LEVEL 165.09 FT (50.319 M) BELOW LSD, FEB. 11, 1932.
RECORDS AVAILABLE 1928-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	147.84	MAY 28, 1975	145.10	SEP. 23, 1975	148.30
FEB. 24	148.19	JUNE 24	145.07	OCT. 22	148.73
MAR. 25	148.03B	JULY 25	146.77A	NOV. 23	149.20B
APR. 25	147.69	AUG. 25	147.74	DEC. 24	148.89

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.

47N53AN1165252.1 51N 04W 18DCC1 CLARENCE FEELY KOOTENAI COUNTY

DRILLED UNUSED WATER-TABLE WELL IN FLUVIOGLACIAL SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 275.0 FT (83.8 M), CASED TO 275 FT (83.8 M). LSD 2,260.71 FT (689.064 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MAR. 1, 1974, WELL HAD FILLED IN TO A DEPTH OF 265.80 FT (81.02 M). THE WELL DEPTH MEASURED MAR. 1974, LOWEST WATER LEVEL FOR PERIOD OF RECORD, AND 1974 WATER-LEVEL MEASUREMENTS WERE PUBLISHED INCORRECTLY. THE CORRECTED MEASUREMENTS ARE PUBLISHED WITH THE 1975 MEASUREMENTS. RECORDER INSTALLED APR. 24, 1951. RECORDER REMOVED SEPT. 22, 1952. MP NO. 5 TOP OF 8-IN (20-CM) CASING SOUTH SIDE, 3.26 FT (0.994 M) ABOVE LSD (SINCE NOV. 23, 1975).

HIGHEST WATER LEVEL 244.52 FT (74.530 M) BELOW LSD, OCT. 25, 1957.
LOWEST WATER LEVEL 275.0 F FT (83.820 M) BELOW LSD, NOV. 28, 1941.
RECORDS AVAILABLE 1948-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1974	262.43	SEP. 30, 1974	250.57	MAY 28, 1975	254.52
MAR. 1	259.28	OCT. 31	251.32	JUNE 24	254.16
MAR. 26	257.97	NOV. 26	252.02	JULY 25	254.09
MAY 2	255.74	DEC. 23	252.94	AUG. 25	254.08
MAY 21	252.94	JAN. 26, 1975	254.13	SEP. 23	254.39
JUNE 18	251.27	FEB. 24	254.91	OCT. 22	255.00
JULY 23	250.05	MAR. 25	255.29	NOV. 23	255.72
AUG. 22	249.82	APR. 25	255.51	DEC. 24	257.20

F DRY.

Area 2



FIGURE 6.--Index map of area 2, north-central Idaho.

464349N1170013.1 39N 05W 07DDC1 GARRETT FREIGHT LATAH COUNTY

DRILLED UNUSED ARTESIAN WELL IN COLUMBIA RIVER BASALT GROUP, DIAM 8 IN (20 CM), DEPTH 231.0 FT (70.4 M), CASING DEPTH NOT AVAILABLE. LSD 2,560.93 FT (780.572 M) ABOVE MSL DATUM OF 1929. JUNE 6, 1968, WELL WAS DEEPENED TO A DEPTH OF 240 FT (73.2 M). MEASUREMENTS FROM MAY 29, 1937, THROUGH OCT. 7, 1940, FROM WSP'S 845, 886, AND 910. MEASUREMENTS FROM NOV. 27, 1960, THROUGH JULY 27, 1964, MADE BY US GEOL. SURVEY AND UNIVERSITY OF IDAHO. MEASUREMENTS FROM AUG. 3, 1964, THROUGH MAY 24, 1965, MADE BY UNIVERSITY OF IDAHO. MEASUREMENTS FROM JUNE 1, 1965, THROUGH DEC. 14, 1969, MADE BY IDAHO BUREAU OF MINES & GEOLOGY. MP NO. 1 TOP OF CASING SOUTHEAST SIDE, AT LSD (SINCE MAY 2, 1947).

HIGHEST WATER LEVEL 50.10 FT (15.270 M) BELOW LSD, APR. 19, 1938.
LOWEST WATER LEVEL 89.21 FT (27.191 M) BELOW LSD, DEC. 17, 1958.
RECORDS AVAILABLE 1937-40, 1947-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1975	N	AUG. 1, 1975	59.14	OCT. 16, 1975	61.10
MAR. 18	54.85	AUG. 18	60.58	NOV. 14	59.66
MAY 6	54.93	SEP. 17	61.48	DEC. 12	58.64
JUNE 23	56.35				

N NO MEASUREMENT.

462225N1165751.1 35N 05W 16DAC1 WASH WTR PWR CO NEZ PERCE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN COLUMBIA RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 383 FT (116.7 M), CASED TO 136 FT (41.4 M). LSD ABOUT 1,500 FT (457 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) PIPE COUPLING, 0.08 FT (0.024 M) ABOVE LSD (SINCE FEB. 15, 1970).

HIGHEST WATER LEVEL 13.05 FT (3.978 M) BELOW LSD, SEP. 13, 1970.
LOWEST WATER LEVEL 39.94 FT (12.174 M) BELOW LSD, JAN. 13, 1972.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1975	33.29	AUG. 1, 1975	30.02	OCT. 14, 1975	27.04
MAR. 18	34.02	AUG. 19	27.07	NOV. 12	28.57
MAY 8	35.67	SEP. 19	27.09	DEC. 11	29.72
JUNE 23	35.01				

Area 3



FIGURE 8.--Index map of area 3, west-central Idaho.

444447N1162557.1 16N 01W 03DDD2 P H CLARKE ADAMS COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SEMICONSOLIDATED GRAVEL OF QUATERNARY AGE, DIAM 12 IN (30 CM), DEPTH 78.6 FT (24.0 M), CASED TO 7 FT (2 M), PERFORATED 2-6 FT (0.6-1.8 M), OPEN HOLE. LSD ABOUT 2,985 FT (910 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) CASING SOUTH SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE NOV. 30, 1961).

HIGHEST WATER LEVEL 0.84 FT (0.256 M) BELOW LSD, DEC. 3, 1975.
LOWEST WATER LEVEL 13.52 FT (4.121 M) BELOW LSD, JULY 22, 1968.
RECORDS AVAILABLE 1961, 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1975	1.60	JUNE 12, 1975	5.24	SEP. 23, 1975	8.64
FEB. 6	1.52	JULY 8	8.50	OCT. 8	3.59
MAR. 5	1.10	AUG. 5	9.32	NOV. 13	1.82
APR. 9	1.44	SEP. 9	5.59	DEC. 3	0.84
MAY 8	1.71				

443332N1162555.1 14N 01W 11CCC1 CHARLES GRAY ADAMS COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN COLUMBIA RIVER GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 163 FT (50 M), CASED TO 24 FT (7 M), OPEN HOLE. LSD ABOUT 3,000 FT (914 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN CASING SOUTH SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 4.09 FT (1.247 M) BELOW LSD, FEB. 27, 1974.
LOWEST WATER LEVEL 10.36 FT (3.158 M) BELOW LSD, SEP. 10, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1975	6.68	JUNE 12, 1975	6.19	SEP. 23, 1975	6.81
FEB. 6	6.05	JULY 8	6.62	OCT. 8	6.78
MAR. 5	4.48	AUG. 5	6.86	NOV. 13	6.67
APR. 9	4.52	SEP. 8	6.84	DEC. 3	6.12
MAY 8	4.85				

440602N1155803.1 09N 04E 22BDD1 JAMES A WARNER BOISE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN COARSE SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 111 FT (34 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,100 FT (945 M) ABOVE MSL DATUM OF 1929. MP NO. 1 ACCESS HOLE IN TOP OF 6-IN (15-CM) CASING, 0.80 FT (0.244 M) ABOVE LSD (SINCE APR. 24, 1967).

HIGHEST WATER LEVEL 53.96 FT (16.447 M) BELOW LSD, JULY 12, 1971.
LOWEST WATER LEVEL 57.80 FT (17.617 M) BELOW LSD, JAN. 22, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1975	54.83	JUNE 11, 1975	54.77	SEP. 12, 1975	54.86
MAR. 4	55.01	JULY 12	54.53	DEC. 2	55.39
APR. 22	54.86B				

B WELL PUMPED RECENTLY.

435636N1164130.1 07N 03W 16DAD1 CLAYNE COOPER GEM COUNTY

DUG AND DRILLED STOCK WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 28 IN (71 CM), DEPTH 46.1 FT (14.0 M), 28-IN (71-CM) CASING 0-29 FT (0-8.8 M), CASING INFORMATION NOT AVAILABLE FOR DRILLED PART OF WELL. LSD 2,317.50 FT (706.374 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 10, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED FEB. 21, 1968. RECORDER REMOVED MAY 28, 1971. MP NO. 1 TOP OF CONCRETE PLATFORM EAST SIDE, 1.12 FT (0.341 M) ABOVE LSD (SINCE FEB. 21, 1968).

HIGHEST WATER LEVEL 12.92 FT (3.938 M) BELOW LSD, SEP. 26, 1970.
LOWEST WATER LEVEL 28.11 FT (8.568 M) BELOW LSD, APR. 30, 1971.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1975	25.48	JULY 19, 1975	25.94		

435426N1164037.1 07N 03W 34ABD1 TOM PULLEY GEM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DEPTH 22.8 FT (6.9 M), 1 1/4-IN (3.2 CM) PIEZOMETER TUBE 0-23.09 FT (0-7.04 M), PERFORATED 17.95-20.95 FT (5.47-6.38 M), GRAVEL PACKED, CONCRETE SEAL. LSD 2,267.80 FT (691.225 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO DEC. 3, 1971, MADE BY US BUREAU OF RECLAMATION. MP NO. 1 TOP OF 1 1/4-IN (3.2-CM) PIPE NORTHWEST SIDE, 1.06 FT (0.323 M) ABOVE LSD (SINCE JULY 24, 1968).

HIGHEST WATER LEVEL 0.91G FT (0.277 M) BELOW LSD, SEP. 25, 1970.
LOWEST WATER LEVEL 3.46 FT (1.055 M) BELOW LSD, APR. 10, 1974, JULY 19, 1975.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	3.05	JUNE 11, 1975	2.04	SEP. 24, 1975	1.42
MAR. 21	2.77	JULY 19	3.46	NOV. 29	3.12
APR. 22	3.27				

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435426N1164037.2 07N 03W 34ABD2 TOM PULLEY GEM COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN IDAHO GROUP, DEPTH 54.4 FT (16.6 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-56.2 FT (0-17.1 M), PERFORATED 51.2-52.7 FT (15.6-16.1 M), GRAVEL PACKED, CONCRETE SEAL. LSD 2,267.80 FT (691.225 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO DEC. 3, 1971, MADE BY US BUREAU OF RECLAMATION. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE NORTHWEST SIDE, 1.06 FT (0.323 M) ABOVE LSD (SINCE JULY 24, 1968).

HIGHEST WATER LEVEL 1.06G FT (0.323 M) ABOVE LSD, AUG. 27, 1970.
LOWEST WATER LEVEL 1.31 FT (0.399 M) BELOW LSD, APR. 10, 1974.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	1.04	JUNE 11, 1975 +	0.56	SEP. 24, 1975 +	0.58
MAR. 21	0.73	JULY 19 +	0.88	NOV. 28	0.97
APR. 22	1.10				

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435426N1164037.3 07N 03W 34ABD3 TOM PULLEY GEM COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN IDAHO GROUP, DIAM 4 TO 3/4 IN (10 TO 1.9 CM), DEPTH 85.5 FT (26.1 M), 4-IN (10-CM) CASING +5.52 TO -1.86 FT (+1.7 TO -0.57 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 1.86-85.0 FT (0.57-25.9 M), PERFORATED 80.0-81.5 FT (24.4-24.8 M). LSD 2,267.80 FT (691.225 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 10, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED APR. 17, 1969. RECORDER REMOVED MAY 28, 1971. MP NO. 2 TOP OF 4-IN (10-CM) CASING NORTHWEST SIDE, 5.52 FT (1.682 M) ABOVE LSD (SINCE JULY 24, 1968).

HIGHEST WATER LEVEL 4.04 FT (1.231 M) ABOVE LSD, AUG. 30, 1970, AUG. 31, 1970.
LOWEST WATER LEVEL 1.83 FT (0.558 M) ABOVE LSD, APR. 12, 1970.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	N	JUNE 11, 1975 +	3.62	SEP. 24, 1975 +	3.85
MAR. 21 +	2.55	JULY 19 +	3.61	NOV. 29 +	2.56
APR. 22 +	2.40				

N NO MEASUREMENT.

435524N1163628.1 07N 02W 29BBA2 WALLACE THAYN GEM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), DEPTH 291.3 FT (88.8 M), CASED TO 300 FT (91.4 M), OPEN BOTTOM. LSD 2,396.60 FT (730.484 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 1C, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED JUNE 26, 1969. RECORDER REMOVED MAY 28, 1971. MP NO. 1 TOP OF 6-IN (15-CM) CASING SOUTH SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE JUNE 26, 1969).

HIGHEST WATER LEVEL 19.73 FT (6.014 M) BELOW LSD, OCT. 30, 1974.
LOWEST WATER LEVEL 23.85 FT (7.269 M) BELOW LSD, JUNE 26, 1969.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	21.11	JUNE 11, 1975	23.04	SEP. 24, 1975	21.32
MAR. 4	21.79	JULY 19	22.03	NOV. 29	20.82
APR. 22	22.54				

435430N1163223.1 07N 02W 35ABB1 R J HOWARD GEM COUNTY

DUG DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 36 IN (91 CM), DEPTH 99.8 FT (30.4 M), CONCRETE CASING, CASING DEPTH NOT AVAILABLE. WATER LEVEL INFLUENCED BY LOCAL IRRIGATION. LSD ABOUT 2,451 FT (747 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO AUG. 1948 MADE BY R. J. HOWARD. MP NO. 4 TOP OF INNER EDGE OF WOODEN CURB NORTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE MAR. 19, 1953).

HIGHEST WATER LEVEL 67.5 FT (20.574 M) BELOW LSD, OCT. 12, 1961, OCT. 18, 1961, DEC. 5, 1961.
LOWEST WATER LEVEL 83.8 FT (25.542 M) BELOW LSD, MAY 20, 1964, JUNE 10, 1964.
RECORDS AVAILABLE 1941-42, 1948-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	72.98	JUNE 11, 1975	18.52B	NOV. 29, 1975	68.32
MAR. 4	74.76	SEP. 24	74.43		

B WELL PUMPED RECENTLY.

435443N1161748.1 07N 01E 26DDB1 GENE GATFIELD GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 10 IN (25 CM), REPORTED DEPTH 400 FT (121.9 M), CASED TO 400 FT (121.9 M), PERFORATED 160-400 FT (48.8-121.9 M), GRAVEL PACKED 0-400 FT (0-121.9 M). LSD ABOUT 2,695 FT (821 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 10-IN (25-CM) CASING, AT LSD (SINCE MAR. 1, 1967).

HIGHEST WATER LEVEL 33.00 FT (10.058 M) BELOW LSD, MAR. 14, 1972.
LOWEST WATER LEVEL 73.27 FT (22.333 M) BELOW LSD, SEP. 25, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1975	49.10	SEP. 25, 1975	73.27		

435201N1163847.1 06N 03W 12CDC1 LELAND MALLORY GEM COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN IDAHO GROUP, DIAM 4 1/2 TO 3/4 IN (11 TO 1.9 CM), DEPTH 53.1 FT (16.2 M), 4 1/2-IN (11-CM) CASING +4.01 TO -1.53 FT (+1.2 TO -0.5 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 1.53-52.8 FT (0.5-16.1 M), PERFORATED 48.2-49.7 FT (14.7-15.2 M), CEMENT PLUG 10-22 FT (3.0-6.7 M). LSD 2,314.80 FT (705.551 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 9, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED JUNE 17, 1970. RECORDER REMOVED MAY 28, 1971. MP NO. 2 TOP OF 4-1/2 IN (11-CM) CASING SOUTH SIDE, 4.01 FT (1.222 M) ABOVE LSD (SINCE JUNE 17, 1970).

HIGHEST WATER LEVEL 2.94 FT (0.896 M) ABOVE LSD, AUG. 23, 1974.
LOWEST WATER LEVEL 1.00 FT (0.305 M) BELOW LSD, MAR. 24, 1969.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	N	JUNE 11, 1975	+ 1.26	SEP. 24, 1975	+ 2.69
MAR. 21	0.09	JULY 19	+ 1.29	NOV. 29	+ 0.90
APR. 24	0.26				

N NO MEASUREMENT.

435140N1163251.1 06N 02W 14BCA1 MABEL LEVERS GEM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DEPTH 21.4 FT (6.5 M), 1 1/4-IN (3.2-CM) PIEZOMETER TUBE 0-25 FT (0-7.6 M), PERFORATED 18.0-21.0 FT (5.5-6.4 M). LSD 2,341.80 FT (713.781 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 10, 1971, MADE BY US BUREAU OF RECLAMATION. MP NO. 2 TOP OF 1 1/4-IN (3.2-CM) PIPE WEST SIDE, 4.34 FT (1.323 M) ABOVE LSD (SINCE APR. 25, 1969).

HIGHEST WATER LEVEL 0.25G FT (0.076 M) BELOW LSD, DEC. 26, 1968.
LOWEST WATER LEVEL 1.94G FT (0.591 M) BELOW LSD, AUG. 27, 1970.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	1.34	JUNE 11, 1975	1.77	SEP. 24, 1975	1.85
MAR. 4	1.13	JULY 11	1.66	NOV. 29	1.37
APR. 24	1.68				

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435140N1163251.2 06N 02W 14BCA2 MABEL LEVERS GEM COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN IDAHO GROUP, DIAM 4 TO 3/4 IN (10 TO 1.9 CM), DEPTH 84.2 FT (25.7 M), 4-IN (10-CM) CASING +4.23 TO -2.05 FT (+1.29 TO -0.62 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 2.05-84.2 FT (0.62-25.7 M), PERFORATED 79.5-81.0 FT (24.2-24.7 M). LSD 2,341.80 FT (713.781 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 10, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED APR. 16, 1969. RECORDER REMOVED MAY 28, 1971. MP NO. 2 TOP OF 4-IN (10-CM) CASING WEST SIDE, 4.23 FT (1.289 M) ABOVE LSD (SINCE APR. 16, 1969).

HIGHEST WATER LEVEL 3.64 FT (1.109 M) ABOVE LSD, AUG. 23, 1968.
LOWEST WATER LEVEL 1.31 FT (0.399 M) ABOVE LSD, APR. 24, 1975.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
MAR. 4, 1975	+	1.71	JUNE 11, 1975	+	1.80	SEP. 24, 1975	+	2.14
APR. 24	+	1.31	JULY 13	+	2.12	NOV. 29	+	1.73

435125N1162935.1 06N 01W 18DAA2 FRANK ROBINSON GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 30.9 FT (9.4 M), CASED TO 22 FT (6.7 M). LSD 2,371.90 FT (722.955 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS PRIOR TO NOV. 9, 1971, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED OCT. 17, 1968. RECORDER REMOVED MAY 28, 1971. MP NO. 1 TOP OF 4-IN (10-CM) CASING NORTH SIDE, 0.26 FT (0.079 M) ABOVE LSD (SINCE NOV. 9, 1967).

HIGHEST WATER LEVEL 3.04 FT (0.927 M) BELOW LSD, AUG. 24, 1970.
LOWEST WATER LEVEL 8.40 FT (2.560 M) BELOW LSD, APR. 10, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	8.19	JUNE 11, 1975	5.08	SEP. 25, 1975	6.45
MAR. 21	8.04	JULY 13	5.16	NOV. 29	7.70
APR. 24	8.24				

440402N1165528.1 08N 05W 03BAD1 PAYETTE JR HIGH PAYETTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 12 IN (30 CM), DEPTH 25.5 FT (7.8 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,156 FT (657 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) CASING NORTH SIDE, 0.20 FT (0.061 M) ABOVE LSD (SINCE MAR. 8, 1967).

HIGHEST WATER LEVEL 3.33 FT (1.015 M) BELOW LSD, JULY 23, 1968.
LOWEST WATER LEVEL 9.42 FT (2.871 M) BELOW LSD, APR. 25, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	8.35	JUNE 17, 1975	7.60	AUG. 28, 1975	7.76
MAR. 21	8.12	JULY 19	9.39	NOV. 29	7.50
APR. 24	8.58				

440203N1165031.1 08N 04W 17BDA1 JAMES BIVENS PAYETTE COUNTY

DUG IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 48 IN (122 CM), REPORTED DEPTH 18 FT (5.5 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,195 FT (669 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF STEEL CHANNEL IRON WEST SIDE, 1.80 FT (0.549 M) BELOW LSD (SINCE MAR. 7, 1967).

HIGHEST WATER LEVEL 5.93 FT (1.807 M) BELOW LSD, JULY 11, 1974.
LOWEST WATER LEVEL 13.11 FT (3.996 M) BELOW LSD, JULY 19, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	11.00	JUNE 17, 1975	11.99A	SEP. 24, 1975	7.61
MAR. 21	11.00	JULY 19	13.11	NOV. 29	9.81
APR. 24	11.27				

A WELL BEING PUMPED.

435933N1164859.1 08N 04W 33ACA1 GEORGE SHIGETA PAYETTE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 28.5 FT (8.7 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,211 FT (674 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED MAY 17, 1967. RECORDER CHANGED TO DIGITAL MAR. 25, 1975. MP NO. 1 TOP OF 6-IN (15-CM) CASING EAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE MAY 11, 1967).

HIGHEST WATER LEVEL 3.51 FT (1.070 M) BELOW LSD, JULY 18, 1971.
LOWEST WATER LEVEL 11.12 FT (3.389 M) BELOW LSD, NOV. 30, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1975	9.73	APR. 5, 1975	9.14	AUG. 20, 1975	6.24
JAN. 5	9.78	APR. 10	9.26	AUG. 25	6.54
JAN. 10	9.82	APR. 15	9.32	AUG. 28	5.50
JAN. 15	9.89	APR. 30	9.52	SEP. 25	6.65
JAN. 20	9.94	MAY 5	9.38	SEP. 28	5.62
JAN. 21	9.96	MAY 10	8.79	SEP. 30	6.34
JAN. 25	9.97	MAY 15	7.45	OCT. 3	5.65
JAN. 31	10.02	MAY 20	7.49	OCT. 5	6.54
FEB. 1	10.03	MAY 25	7.55	OCT. 10	7.09
FEB. 5	9.74	MAY 31	6.90	OCT. 15	7.59
FEB. 10	9.66	JUNE 5	4.62	OCT. 20	7.86
FEB. 15	8.87	JUNE 10	6.52	OCT. 25	8.12
FEB. 20	8.67	JUNE 15	6.50	OCT. 30	8.36
FEB. 25	8.73	JUNE 20	6.18	NOV. 5	8.52
FEB. 28	8.73	JUNE 25	7.07	NOV. 10	8.67
MAR. 5	8.56	JUNE 30	7.02	NOV. 15	8.74
MAR. 7	8.54	JULY 5	5.53	NOV. 20	8.90
MAR. 10	8.54	JULY 10	4.46	NOV. 25	9.07
MAR. 15	8.67	JULY 11	4.39	NOV. 29	9.17
MAR. 20	8.83	JULY 15	5.52	NOV. 30	11.12
MAR. 21	8.83H	JULY 20	4.98	DEC. 5	9.20
MAR. 25	8.90	JULY 25	5.32	DEC. 10	9.26
APR. 20	9.42	JULY 31	6.09	DEC. 15	9.34
APR. 24	9.47H	AUG. 5	5.80	DEC. 20	9.42
APR. 25	9.47	AUG. 10	5.80	DEC. 25	9.48
APR. 28	9.52	AUG. 15	6.19	DEC. 31	9.42
MAR. 31	9.04				

H TAPE MEASUREMENT (RECORDER).

435832N1165443.1 07N 05W 02BCC1 RICHARD L SMITH PAYETTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 10 IN (25 CM), REPORTED DEPTH 55 FT (16.8 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,276 FT (694 M) ABOVE MSL DATUM OF 1929. MP NO. 1 1/4-IN (0.64-CM) HOLE IN EAST SIDE PUMPBASE, 2.20 FT (0.671 M) ABOVE LSD (SINCE MAR. 7, 1967).

HIGHEST WATER LEVEL 25.49 FT (7.769 M) BELOW LSD, OCT. 1, 1974.
LOWEST WATER LEVEL 36.17 FT (11.025 M) BELOW LSD, APR. 25, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	34.80	SEP. 24, 1975	28.33		

435801N1164356.1 07N 03W 07AAA1 O THAYNE ACORD PAYETTE COUNTY

DRILLED DOMESTIC ARTESIAN WELL IN IDAHO GROUP, DIAM 4 IN (10 CM), REPORTED DEPTH 65 FT (19.8 M), CASED TO 63 FT (19.2 M). LSD ABOUT 2,175 FT (663 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CONCRETE PLATFORM EAST SIDE, 0.45 FT (0.137 M) ABOVE LSD (SINCE SEPT. 11, 1969).

HIGHEST WATER LEVEL 13.25 FT (4.039 M) ABOVE LSD, JUNE 27, 1967.
LOWEST WATER LEVEL 8.83 FT (2.691 M) ABOVE LSD, NOV. 29, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 21, 1975	+	12.39	JUNE 17, 1975	+	11.43	SEP. 24, 1975	+	9.43
MAR. 21	+	11.63	JULY 19	+	12.27	NOV. 29	+	8.83
APR. 24	+	11.88						

445126N1160236.1 18N 03E 36BC 1 EDWARD FREEBURG VALLEY COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 5 TO 6 IN (13 TO 15 CM), REPORTED DEPTH 177 FT (53.9 M), 5-IN (13-CM) CASING 0-140 FT (0-42.7 M), 6-IN (15-CM) CASING 140-160 FT (42.7-48.8 M), PERFORATED 140-160 FT (42.7-48.8 M), GRAVEL PACKED. LSD ABOUT 5,120 FT (1,561 M) ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OFHOLE IN WELL SEAL SOUTHEAST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE MAR. 11, 1975).

HIGHEST WATER LEVEL 32.25 FT (9.830 M) BELOW LSD, SEP. 19, 1974.
LOWEST WATER LEVEL 44.31 FT (13.506 M) BELOW LSD, MAR. 15, 1971.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	41.10	SEP. 24, 1975	34.17B		

B WELL PUMPED RECENTLY.

444351N1160300.1 16N 03E 14AAB1 ROBERT W BAKER VALLEY COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 5 TO 6 IN (13 TO 15 CM), REPORTED DEPTH 110 FT (33.5 M), 5-IN (13-CM) CASING 0-80 FT (0-24.4 M), 6-IN (15-CM) CASING 80-100 FT (24.4-30.5 M), PERFORATED 80-100 FT (24.4-30.5 M), GRAVEL PACKED. LSD ABOUT 4,865 FT (1,483 M) ABOVE MSL DATUM OF 1929. MP NO. 1 1/4-IN (3.2-CM) HOLE IN TOP OF WELL COVER, 1.20 FT (0.366 M) ABOVE LSD (SINCE MAR. 14, 1967).

HIGHEST WATER LEVEL 1.24 FT (0.378 M) BELOW LSD, MAR. 9, 1970.
LOWEST WATER LEVEL 3.49 FT (1.064 M) BELOW LSD, SEP. 19, 1973.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1975	2.50	JULY 7, 1975	2.97B	NOV. 5, 1975	2.24
MAR. 11	1.98	SEP. 24	2.35	DEC. 20	1.90
MAY 5	1.69				

B WELL PUMPED RECENTLY.

442755N1155922.1 13N 04E 16BAD1 CLARENCE NITSEL VALLEY COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 84 FT (25.6 M), CASED TO 67 FT (20.4 M). LSD ABOUT 4,770 FT (1,454 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING WEST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE MAR. 14, 1967).

HIGHEST WATER LEVEL 20.85L FT (6.355 M) BELOW LSD, JULY 8, 1974.
LOWEST WATER LEVEL 26.57L FT (8.099 M) BELOW LSD, AUG. 20, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1975	24.98	JULY 7, 1975	25.15	NOV. 4, 1975	24.99
MAR. 10	24.81	SEP. 23	25.19B	DEC. 18	24.66
MAY 5	25.05				

B WELL PUMPED RECENTLY.
L ELECTRIC TAPE, M-SCOPE.

443402N1163409.1 14N 02W 06DCD1 W SCHLEHUBER WASHINGTON COUNTY

DRILLED DOMESTIC ARTESIAN WELL IN COLUMBIA RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 405.5 FT (123.60 M), CASED TO 345 FT (105.2 M). LSD ABOUT 2,765 FT (842.8 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING EAST SIDE, 0.75 FT (0.229 M) ABOVE LSD (SINCE MAY 16, 1974).

HIGHEST WATER LEVEL 1.32 FT (0.402 M) ABOVE LSD, APR. 9, 1975.
LOWEST WATER LEVEL 0.45 FT (0.137 M) BELOW LSD, AUG. 5, 1975.
RECORDS AVAILABLE 1974-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1975	+ 0.93	MAY 8, 1975	+ 1.20	SEP. 18, 1975	+ 0.22
JAN. 15	+ 0.65R	JUNE 12	0.16	SEP. 23	+ 0.11
FEB. 6	+ 0.69	JULY 9	0.19	OCT. 8	+ 0.46
MAR. 5	+ 1.07R	AUG. 5	0.45	NOV. 13	+ 0.24
APR. 9	+ 1.32	SEP. 9	+ 0.27	DEC. 4	+ 0.70

R NEARBY WELL FLOWING.

442815N1164559.1 13N 04W 12CDC1 ART FAIRCHILD WASHINGTON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), DEPTH 169.6 FT (51.7 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,625 FT (800 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN WELL SEAL NORTH SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 15.14 FT (4.615 M) BELOW LSD, NOV. 27, 1961.
LOWEST WATER LEVEL 94.32 FT (28.749 M) BELOW LSD, SEP. 19, 1972.
RECORDS AVAILABLE 1961, 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1975	66.28	JUNE 13, 1975	56.15L	SEP. 23, 1975	79.53L
FEB. 5	62.04	JULY 9	54.49	OCT. 9	70.79L
MAR. 6	60.18	AUG. 6	80.30C	NOV. 13	64.26
APR. 10	58.62	SEP. 9	84.32	DEC. 5	62.06L
MAY 8	57.57				

C NEARBY WELL BEING PUMPED.
L ELECTRIC TAPE, M-SCOPE.

442820N1164106.1 13N 03W 10CCD1 MIDVALE CEMETRY WASHINGTON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN COLUMBIA RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 320.4 FT (97.7 M), CASED TO 149 FT (45.4 M). LSD ABOUT 2,610 FT (796 M) ABOVE MSL DATUM OF 1929. MP NO. 2 INNER EDGE OF CONCRETE SLAB NORTH SIDE, AT LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 0.71 FT (0.216 M) BELOW LSD, NOV. 28, 1961.
LOWEST WATER LEVEL 9.36 FT (2.853 M) BELOW LSD, SEP. 23, 1975.
RECORDS AVAILABLE 1961, 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1975	1.25	JUNE 12, 1975	4.26	SEP. 23, 1975	9.36
FEB. 5	1.21	JULY 8	7.30	OCT. 8	8.43
MAR. 6	1.18	AUG. 5	8.78	NOV. 13	4.01
APR. 10	1.21	SEP. 8	9.10	DEC. 3	2.520
MAY 8	1.24				

0 MEASUREMENTS DISCONTINUED.

441957N1165142.1 12N 04W 31DBB1 HAROLD BOLES WASHINGTON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 95 FT (29.0 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,510 FT (765 M) ABOVE MSL DATUM OF 1929. MP NO. 1 INNER EDGE OF CONCRETE PIT LINING EAST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 24.12 FT (7.352 M) BELOW LSD, SEP. 9, 1968.
LOWEST WATER LEVEL 50.77 FT (15.475 M) BELOW LSD, JULY 9, 1975.
RECORDS AVAILABLE 1967-72, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1975	47.19	JUNE 13, 1975	35.86	SEP. 24, 1975	34.57
FEB. 5	38.66	JULY 9	50.77	OCT. 8	36.59
MAR. 6	38.90	AUG. 6	49.87	NOV. 14	37.33
APR. 10	46.34	SEP. 9	33.98	DEC. 5	38.40
MAY 8	40.10				

441728N1170153.1 11N 06W 14BCB1 WILLIAM CARSON WASHINGTON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 72 FT (21.9 M), CASED TO 72 FT (21.9 M), PERFORATED 45-72 FT (13.7-21.9 M), GRAVEL PACKED. LSD ABOUT 2,178 FT (664 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE INSIDE PUMPBASE NORTHEAST SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 27.08 FT (8.254 M) BELOW LSD, MAR. 4, 1974.
LOWEST WATER LEVEL 44.29 FT (13.500 M) BELOW LSD, SEP. 11, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1975	27.94	SEP. 22, 1975	34.900		

O MEASUREMENTS DISCONTINUED.

441357N1165107.1 10N 04W 06ADD1 ROBERT STOUT WASHINGTON COUNTY

DRILLED UNUSED ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), DEPTH NOT AVAILABLE. LSD ABOUT 2,185 FT (666 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) TEE, 1.50 FT (0.457 M) ABOVE LSD (SINCE APR. 25, 1967).

HIGHEST WATER LEVEL 50.010 FT (15.243 M) ABOVE LSD, DEC. 4, 1975.
LOWEST WATER LEVEL 10.70 FT (3.261 M) ABOVE LSD, APR. 5, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 7, 1975		N	APR. 9, 1975	+	46.85	SEP. 8, 1975	+	48.75
JAN. 13		N	MAY 8	+	46.82	SEP. 22	+	48.72
JAN. 16	+	44.44	JUNE 13	+	46.69	OCT. 8	+	48.02
FEB. 5	+	46.03	JULY 8	+	47.22	NOV. 13	+	48.84
MAR. 5	+	46.05	AUG. 5	+	49.12	DEC. 4	+	50.010

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

Area 4



FIGURE 10.--Index map of area 4, east-central Idaho.

443942N1140213.1 15N 20E 01ADC1 DAN CRESWELL CUSTER COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 62.8 FT (19.1 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 4,748 FT (1,447 M) ABOVE MSL DATUM OF 1929. MP NO. 1 1/2-IN (1.3-CM) HOLE IN PUMPBASE, 1.80 FT (0.549 M) ABOVE LSD (SINCE MAY 21, 1971).

HIGHEST WATER LEVEL 33.40 FT (10.180 M) BELOW LSD, JULY 29, 1971.
LOWEST WATER LEVEL 45.69 FT (13.926 M) BELOW LSD, MAY 8, 1975.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	44.82	JULY 9, 1975	34.04	SEP. 28, 1975	37.18
MAR. 1	45.24	AUG. 23	34.61	NOV. 14	42.49
MAY 8	45.69				

442412N1134236.1 12N 23E 02BBC1 A M HATCH & CO CUSTER COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 20 IN (51 CM), DEPTH 127.7 FT (38.9 M), CASING DEPTH NOT AVAILABLE, PERFORATED INTERVAL NOT AVAILABLE. LSD ABOUT 5,908 FT (1,801 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN PUMPBASE SOUTHWEST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE APR. 30, 1971).

HIGHEST WATER LEVEL 16.78 FT (5.115 M) BELOW LSD, JULY 9, 1975.
LOWEST WATER LEVEL 31.77 FT (9.683 M) BELOW LSD, MAR. 1, 1972.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	31.30	JULY 9, 1975	16.78	SEP. 28, 1975	27.97
MAR. 1	N	AUG. 22	24.90	NOV. 14	30.37
MAY 8	31.39				

N NO MEASUREMENT.

440649N1135657.1 09N 21E 14BBC1 US BUR LAND MGT CUSTER COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 253.8 FT (77.4 M), CASED TO 267 FT (81.4 M), PERFORATED 167-267 FT (50.9-81.4 M). LSD ABOUT 6,363 FT (1,939 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING NORTHEAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE SEPT. 30, 1966).

HIGHEST WATER LEVEL 80.24 FT (24.457 M) BELOW LSD, OCT. 10, 1969.
LOWEST WATER LEVEL 85.72 FT (26.127 M) BELOW LSD, MAY 15, 1967.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	N	MAY 11, 1975	83.69	OCT. 1, 1975	81.44

N NO MEASUREMENT.

450940N1135326.1 21N 22E 08CBC1 US BUR LAND MGT LEMHI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 75 FT (22.9 M), CASED TO 34 FT (10.4 M). LSD ABOUT 3,965 FT (1,280 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO SEPT. 11, 1973, MADE BY IDAHO DEPT OF WATER ADMIN. MP NO. 1 TOP OF 1 5/8-IN (4.1-CM) HOLE IN WELL SEAL WEST SIDE, 0.20 FT (0.061 M) ABOVE LSD (SINCE MAR. 29, 1971).

HIGHEST WATER LEVEL 3.72 FT (1.134 M) BELOW LSD, MAY 15, 1974.
LOWEST WATER LEVEL 14.29G FT (4.356 M) BELOW LSD, JUNE 21, 1972.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	4.59	JULY 11, 1975	4.33	SEP. 24, 1975	7.82
MAR. 1	N	AUG. 25	5.42	NOV. 16	4.26
MAY 10	6.15B				

B WELL PUMPED RECENTLY.
G MEASURED BY OUTSIDE AGENCY OR PERSON.
N NO MEASUREMENT.

450915N1135045.1 21N 22E 15BAC1 LEON H JOHNSON LEMHI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 37 FT (11.3 M), CASED TO 36 FT (11.0 M), PERFORATED 26-34 FT (7.9-10.4 M). LSD ABOUT 4,045 FT (1,233 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE IN WELL SEAL SOUTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE SEPT. 13, 1973).

HIGHEST WATER LEVEL 3.69 FT (1.125 M) BELOW LSD, MAY 15, 1974.
LOWEST WATER LEVEL 18.13 FT (5.526 M) BELOW LSD, FEB. 28, 1975.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	17.89	JULY 11, 1975	4.48	SEP. 24, 1975	4.97
FEB. 28	18.13	AUG. 25	5.80	NOV. 16	14.66
MAY 10	13.32				

450711N1135334.1 21N 22E 31DAA1 JAMES B TATEM LEMHI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 33 FT (10.1 M), CASED TO 33 FT (10.1 M). LSD ABOUT 4,030 FT (1,228 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1/4-IN (0.64-CM) BUSHING IN WELL SEAL WEST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE SEPT. 11, 1973).

HIGHEST WATER LEVEL 4.60 FT (1.402 M) BELOW LSD, MAY 15, 1974.
LOWEST WATER LEVEL 14.44 FT (4.401 M) BELOW LSD, MAR. 1, 1975.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	8.13	JULY 11, 1975	4.87	SEP. 24, 1975	5.04
MAR. 1	14.44	AUG. 25	4.98	NOV. 16	6.75
MAY 10	7.12				

445904N1133826.1 19N 24E C8CDD1 STEVE MAHAFFEY LEMHI COUNTY

DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 59 FT (18.0 M), CASED TO 48 FT (14.6 M), PERFORATED 33-45 FT (10.1-13.7 M). LSD ABOUT 4,780 FT (1,457 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 5/8-IN (1.6-CM) HOLE IN WELL SEAL SOUTHWEST SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE DEC. 8, 1973).

HIGHEST WATER LEVEL 11.62 FT (3.542 M) BELOW LSD, JULY 15, 1974.
LOWEST WATER LEVEL 20.13 FT (6.136 M) BELOW LSD, APR. 12, 1974.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	19.34	JULY 11, 1975	13.80	SEP. 27, 1975	15.25
FEB. 28	19.81	AUG. 25	13.09	NOV. 16	18.78
MAY 10	19.77				

445212N1133745.1 18N 24E 20DDA1 CARL PETERSON LEMHI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 39.7 FT (12.10 M), CASED TO 39.7 FT (12.10 M). LSD ABOUT 5,170 FT (1,575.8 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/8-IN (1.0-CM) HOLE IN WELL SEAL NORTHEAST SIDE, 4.15 FT (1.265 M) BELOW LSD (SINCE MAY 10, 1975).

HIGHEST WATER LEVEL 6.72 FT (2.048 M) BELOW LSD, JULY 11, 1975.
LOWEST WATER LEVEL 25.93 FT (7.903 M) BELOW LSD, MAY 10, 1975.
RECORDS AVAILABLE 1975-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 10, 1975	25.93	AUG. 25, 1975	8.50	NOV. 16, 1975	21.24
JULY 11	6.72	SEP. 27	8.15		

443017N1134930.1 14N 22E 35BBD1 SHERMAN FURLEY LEMHI COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 249.4 FT (76.0 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,291 FT (1,613 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING NORTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE MAY 25, 1971).

HIGHEST WATER LEVEL 37.91 FT (11.555 M) BELOW LSD, OCT. 12, 1971.
LOWEST WATER LEVEL 54.96 FT (16.752 M) BELOW LSD, APR. 10, 1974.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	48.66	JULY 26, 1975	38.53	SEP. 28, 1975	40.29
MAR. 1	51.29	AUG. 23	39.88	NOV. 14	38.52
MAY 8	54.26				

Area 5



FIGURE 12.--Index map of area 5, southwest Idaho.

434615N1162758.1 05N 01W 16CAB1 DARRELL FISHER ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 628 FT (191 M), CASED TO 492 FT (150 M), OPEN HOLE. LSD ABOUT 2,715 FT (828 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 8-IN (20-CM) CASING SOUTHWEST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE MAR. 10, 1967).

HIGHEST WATER LEVEL 188.12 FT (57.339 M) BELOW LSD, MAR. 15, 1971.
LOWEST WATER LEVEL 191.90 FT (58.491 M) BELOW LSD, SEP. 7, 1973.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	189.45B	SEP. 9, 1975	191.83B		

B WELL PUMPED RECENTLY.

434406N1162408.1 05N 01W 36ABB1 JAMES A HOUSE ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 105 FT (32 M), CASED TO 105 FT (32 M), OPEN BOTTOM. LSD ABOUT 2,618 FT (798 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF PIPE IN WELL SEAL, 0.70 FT (0.213 M) BELOW LSD (SINCE AUG. 27, 1969).

HIGHEST WATER LEVEL 70.57 FT (21.510 M) BELOW LSD, SEP. 11, 1974.
LOWEST WATER LEVEL 76.10 FT (23.195 M) BELOW LSD, MAR. 15, 1971.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	74.79	JULY 29, 1975	74.61	SEP. 9, 1975	71.97

434341N1161920.1 05N 01E 34DBB1 J B ANDERSON ADA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 14 IN (36 CM), REPORTED DEPTH 175 FT (53 M), CASED 0-175 FT (0-53 M), PERFORATED 0-175 FT (0-53 M). LSD ABOUT 2,680 FT (817 M) ABOVE MSL DATUM OF 1929. MP NO. 1 DRILLED HOLE IN SOUTH SIDE OF CASING, 0.50 FT (0.152 M) ABOVE LSD (SINCE DEC. 16, 1966).

HIGHEST WATER LEVEL 25.09 FT (7.647 M) BELOW LSD, SEP. 22, 1972.
LOWEST WATER LEVEL 30.59 FT (9.324 M) BELOW LSD, FEB. 25, 1974.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	30.30	SEP. 9, 1975	28.18		

434048N1162351.1 04N 01W 13DDB1 IDAHO ST PRISON ADA COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN GLENNS FERRY FORMATION, DIAM 3 IN (7.6 CM), DEPTH 130 FT (40 M), CASING DEPTH NOT AVAILABLE. LSD 2,524.96 FT (769.608 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3-IN (8-CM) CASING, 1.30 FT (0.396 M) ABOVE LSD (SINCE MAR. 2, 1950).

HIGHEST WATER LEVEL 10.72 FT (3.267 M) ABOVE LSD, OCT. 22, 1952.
LOWEST WATER LEVEL 5.10 FT (1.554 M) ABOVE LSD, SEP. 28, 1951.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 18, 1975	+	7.87	JUNE 16, 1975	+	7.37	OCT. 28, 1975	+	8.86
MAR. 10	+	7.98	JULY 30	+	8.54	NOV. 22	+	7.24
MAY 13	+	7.77	SEP. 11	+	9.02			

433852N1162934.1 04N 01W 31AAA1 OTTO FRIDAY ADA COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 462 FT (141 M), CASED 0-455 FT (0-139 M), OPEN HOLE. LSD ABOUT 2,508 FT (764 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING PLUG, 3.50 FT (1.067 M) ABOVE LSD (SINCE APR. 28, 1967).

HIGHEST WATER LEVEL 30.62 FT (9.333 M) ABOVE LSD, DEC. 4, 1968.
LOWEST WATER LEVEL 19.58 FT (5.968 M) ABOVE LSD, JULY 29, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	+ 23.57	JUNE 16, 1975	+ 25.22	OCT. 28, 1975	+ 22.81
MAR. 10	+ 23.98	JULY 30	+ 24.32	NOV. 22	+ 21.92
MAY 13	+ 27.82	SEP. 9	+ 25.37		

433852N1162448.1 04N 01W 35AAA1 A A WAITE ADA COUNTY

DUG UNUSED WATER-TABLE IN YOUNGER TERRACE GRAVEL, DIAM 24 IN (61 CM), DEPTH 44 FT (13 M), CASING INFORMATION NOT AVAILABLE. LSD 2,570.60 FT (783.519 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. WATER LEVEL INFLUENCED BY LOCAL IRRIGATION. JULY 24, 1973, WELL HAD FILLED IN TO A DEPTH OF 32.2 FT (9.8 M). MEASUREMENTS MADE OCT. 13, 1933, THROUGH MAR. 1, 1947, AND NOV. 4, 1947, THROUGH MAR. 11, 1951, MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. RECORDER INSTALLED MAY 15, 1953. RECORDER CHANGED TO DIGITAL SEPT. 16, 1975. MP NO. 1 TOP OF CASING NORTH SIDE, 1.30 FT (0.396 M) ABOVE LSD (SINCE MAY 22, 1953).

HIGHEST WATER LEVEL 1.73 FT (0.527 M) BELOW LSD, JULY 10, 1974.
LOWEST WATER LEVEL 12.2 G FT (3.719 M) BELOW LSD, MAR. 15, 1935.
RECORDS AVAILABLE 1933-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	8.97	APR. 30, 1975	10.32	SEP. 16, 1975	3.56
JAN. 10	9.04	MAY 3	10.36	SEP. 20	4.18
JAN. 15	9.15	MAY 5	10.18	SEP. 25	4.41
JAN. 20	9.26	MAY 10	9.74	SEP. 29	4.64
JAN. 25	9.36	MAY 15	9.52	SEP. 30	4.07
JAN. 29	9.38	MAY 20	9.37	OCT. 5	3.70
JAN. 31	9.38	MAY 25	7.70	OCT. 7	2.82
FEB. 5	9.55	MAY 28	7.43H	OCT. 10	4.01
FEB. 10	9.59	MAY 31	6.72	OCT. 15	5.20
FEB. 11	9.64	JUNE 5	5.06	OCT. 20	5.82
FEB. 15	9.43	JUNE 10	5.44	OCT. 25	6.25
FEB. 19	9.37	JUNE 15	4.31	OCT. 28	6.53
FEB. 20	9.38	JUNE 20	4.51	OCT. 28	6.52
FEB. 25	9.47	JUNE 23	3.79	OCT. 30	6.69
FEB. 28	9.53	JUNE 25	3.82	NOV. 5	7.00
MAR. 4	9.42	JUNE 26	3.50	NOV. 10	7.37
MAR. 5	9.47	JUNE 29	4.33	NOV. 15	7.57
MAR. 10	9.55	JUNE 30	4.26	NOV. 20	7.83
MAR. 15	9.65	JULY 5	3.80	NOV. 25	8.02
MAR. 20	9.78	JULY 10	3.44	NOV. 26	7.93
MAR. 25	9.80	JULY 13	1.94	NOV. 30	8.20
MAR. 28	9.88	JULY 15	3.23	DEC. 5	8.35
MAR. 31	9.78H	JULY 20	4.58	DEC. 10	8.40
APR. 5	9.88	JULY 25	4.20	DEC. 15	8.55
APR. 10	10.02	JULY 31	3.25	DEC. 20	8.66
APR. 15	10.11	AUG. 2	3.67	DEC. 25	8.80
APR. 20	10.19	AUG. 5	3.50	DEC. 27	8.83
APR. 25	10.24	AUG. 6	3.11	DEC. 31	8.77
APR. 28	10.34	AUG. 8	3.21		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
H TAPE MEASUREMENT (RECORDER).

433946N1161614.1 04N 02E 19CCC1 ROBERT L FUNK ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 104 FT (32 M), CASED TO 97 FT (30 M). LSD ABOUT 2,621 FT (799 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING, 0.90 FT (0.274 M) ABOVE LSD (SINCE JULY 28, 1970).

HIGHEST WATER LEVEL 5.74 FT (1.750 M) BELOW LSD, OCT. 5, 1973.
LOWEST WATER LEVEL 8.95 FT (2.728 M) BELOW LSD, JULY 28, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1975	7.26	SEP. 9, 1975	11.08A		

A WELL BEING PUMPED.

433856N1161130.1 04N 02E 26CCC1 CRANE CRK GOLF ADA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 741 FT (226 M), CASED TO 741 FT (226 M), PERFORATED 210-741 FT (64-226 M). LSD 2,877.30 FT (877.001 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. FEB. 13, 1975, WELL HAD FILLED IN TO A DEPTH OF 730.19 FT (222.56 M). MP NO. 1 BOTTOM EDGE OF 6 3/8-IN (16-CM) PIPE, 1.50 FT (0.457 M) ABOVE LSD (SINCE MAY 2, 1967).

HIGHEST WATER LEVEL 81.13 FT (24.728 M) BELOW LSD, MAY 2, 1967.
LOWEST WATER LEVEL 159.03 FT (48.472 M) BELOW LSD, SEP. 9, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	102.66	MAY 13, 1975	89.83	SEP. 11, 1975	149.19C
FEB. 13	98.74	JUNE 12	102.70A	OCT. 23	124.65
MAR. 11	95.07	JULY 30	172.24A	NOV. 22	107.22

A WELL BEING PUMPED.
C NEARBY WELL BEING PUMPED.

433809N1161544.1 04N 02E 31DCB1 BOISE WTR CORP ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN IDAHO GROUP, DIAM 8 IN (20 CM), DEPTH 133.4 FT (40.7 M), CASED TO 128 FT (39 M). LSD ABOUT 2,690 FT (820 M) ABOVE MSL DATUM OF 1929. ORIGINAL REPORTED DEPTH 738 FT (225 M), DIAM 8 TO 4 IN (20 TO 10 CM), 8-IN (20-CM) CASING 0-150 FT (0-46 M), 4-IN (10-CM) CASING 150-738 FT (46-225 M), GRAVEL PACKED BELOW 150 FT (46 M). MP NO. 1 TOP OF HOLE IN 1/4-IN (0.64-CM) STEEL COVER SOUTH SIDE, 0.75 FT (0.229 M) ABOVE LSD (SINCE MAR. 11, 1971).

HIGHEST WATER LEVEL 43.93 FT (13.390 M) BELOW LSD, SEP. 25, 1972.
LOWEST WATER LEVEL 51.61 FT (15.731 M) BELOW LSD, JULY 25, 1975.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	51.16	JUNE 16, 1975	51.25	OCT. 23, 1975	48.64
MAR. 7	50.62	JULY 25	51.61	NOV. 22	49.26
MAY 13	47.19	SEP. 9	50.10		

433802N1162131.1 03N 01E 05AAB2 W A COWGER ADA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 6 IN (15 CM), DEPTH 82.4 FT (25.1 M), PERFORATED, INTERVAL NOT AVAILABLE. LSD 2,616.02 FT (797.363 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED SEPT. 24, 1953. RECORDER REMOVED NOV. 16, 1954. MP NO. 1 TOP OF 6-IN (15-CM) CASING SOUTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE SEPT. 24, 1953).

HIGHEST WATER LEVEL 3.24 FT (0.988 M) BELOW LSD, SEP. 11, 1974.
LOWEST WATER LEVEL 16.04 FT (4.889 M) BELOW LSD, MAY 17, 1955.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	10.24	JUNE 16, 1975	10.37	OCT. 23, 1975	6.22
MAR. 10	12.04	JULY 30	6.17	NOV. 22	7.96
MAR. 13	13.54	SEP. 9	5.29		

433624N1161736.1 03N 01E 11DDD1 V LUNDSTRUM ADA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN OLDER TERRACE GRAVEL, DIAM 14 IN (36 CM), DEPTH 126.0 FT (38.4 M), CASING DEPTH NOT AVAILABLE. LSD 2,684.00 FT (818.083 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS FROM 1924 TO MAR. 4, 1947, AND NOV. 6, 1947, TO OCT. 29, 1949, MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 5 TOP OF 14-IN (36-CM) CASING EAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE DEC. 16, 1966).

HIGHEST WATER LEVEL 1.10 FT (0.335 M) BELOW LSD, SEP. 11, 1974.
LOWEST WATER LEVEL 14.75G FT (4.496 M) BELOW LSD, MAR. 31, 1924.
RECORDS AVAILABLE 1924-49, 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	4.33	JUNE 16, 1975	2.61	OCT. 23, 1975	2.92
MAR. 7	4.44	JULY 27	1.65	NOV. 22	3.76
MAY 13	4.15	SEP. 11	1.70		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

433322N1161626.1 03N 01E 36ADA1 F J NATWICK ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN (10 CM), REPORTED DEPTH 330 FT (101 M), CASED TO 330 FT (101 M), PERFORATED 276-292 FT (84-89 M). LSD 2,820.36 FT (859.646 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 8-IN (20-CM) CONCRETE CASING SOUTHWEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE APR. 25, 1958).

HIGHEST WATER LEVEL 115.86 FT (35.314 M) BELOW LSD, NOV. 7, 1955.
LOWEST WATER LEVEL 126.11 FT (38.438 M) BELOW LSD, APR. 26, 1955.
RECORDS AVAILABLE 1953, 1955-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 4, 1975	120.00	SEP. 12, 1975	118.20		

433646N1161410.1 03N 02E 08ADC1 T H THURSTON ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 4 IN (10-CM), REPORTED DEPTH 90 FT (27 M), CASED TO 50 FT (15 M). LSD 2,726.90 FT (831.159 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 4-IN (10-CM) CASING, 1.20 FT (0.366 M) ABOVE LSD (SINCE NOV. 20, 1969).

HIGHEST WATER LEVEL 18.84 FT (5.742 M) BELOW LSD, SEP. 22, 1972.
LOWEST WATER LEVEL 30.76 FT (9.376 M) BELOW LSD, MAR. 29, 1973.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1975	29.84	SEP. 11, 1975	21.58		

433502N1161352.1 03N 02E 21BCC1 MRS CHRIS HAYNE ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF TERTIARY AGE, DIAM 14 IN (36 CM), DEPTH 58 FT (18 M), PERFORATED, INTERVAL NOT AVAILABLE. LSD 2,751.09 FT (838.532 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY 1935 UNADJ.). MP NO. 3 TOP OF 1 1/2-IN PIPE EAST SIDE, 2.18 FT (0.664 M) ABOVE LSD (SINCE JAN. 24, 1975).

HIGHEST WATER LEVEL 0.34 FT (0.104 M) BELOW LSD, AUG. 18, 1955.
LOWEST WATER LEVEL 16.22 FT (4.944 M) BELOW LSD, JULY 29, 1975.
RECORDS AVAILABLE 1947-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	12.42	JUNE 16, 1975	13.25	OCT. 23, 1975	9.81
MAR. 7	13.69	JULY 29	16.22	NOV. 22	10.92
MAY 13	14.93	SEP. 11	9.72		

Pages 105 and 106 were omitted in the original publication.

433339N1160742.1 03N 03E 29CDC1 DALLAS HARRIS ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 8 IN (20 CM), REPORTED DEPTH 147 FT (45 M). LSD 2,825.00 FT (861.060 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 8-IN (20-CM) CASING EAST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE APR. 17, 1970).

HIGHEST WATER LEVEL 58.39 FT (17.797 M) BELOW LSD, SEP. 20, 1971.
LOWEST WATER LEVEL 68.21 FT (20.790 M) BELOW LSD, MAR. 11, 1975.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	68.21	SEP. 26, 1975	65.31		

433311N1160545.1 03N 03E 33DAA1 HAROLD THOMPSON ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 127 FT (39 M), CASED TO 120 FT (37 M). LSD 2,862.30 FT (872.429 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF ELECTRIC INLET BOX IN CASING CAP, 1.70 FT (0.518 M) ABOVE LSD (SINCE AUG. 25, 1969).

HIGHEST WATER LEVEL 52.45 FT (15.987 M) BELOW LSD, MAR. 16, 1972.
LOWEST WATER LEVEL 62.13 FT (18.937 M) BELOW LSD, SEP. 22, 1972.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	55.06B	SEP. 26, 1975	56.09		

B WELL PUMPED RECENTLY.

433143N1162451.1 02N 01W 11ADA1 FRANK PATTERSON ADA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN OLDER TERRACE GRAVEL, DIAM 16 IN (41 CM), REPORTED DEPTH 130 FT (40 M), CASED TO 120 FT (37 M), PERFORATED 64-120 FT (20-37 M), OPEN HOLE. LSD ABOUT 2,685 FT (818 M) ABOVE MSL DATUM OF 1929. MP NO. 2 BOTTOM EDGE OF HOLE IN PUMPBASE SOUTH SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE DEC. 4, 1967).

HIGHEST WATER LEVEL 63.47 FT (19.346 M) BELOW LSD, SEP. 27, 1971.
LOWEST WATER LEVEL 82.46 FT (25.134 M) BELOW LSD, JULY 16, 1970.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	73.74	JUNE 24, 1975	92.29A	OCT. 24, 1975	65.84
MAR. 12	77.20	JULY 30	N	NOV. 22	69.34
MAY 13	91.25A	SEP. 12	68.18		

A WELL BEING PUMPED.
N NO MEASUREMENT.

432825N1161735.1 02N 01E 36BBB1 CARL WOODALL ADA COUNTY

DRILLED STOCK WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), DEPTH 305 FT (93 M), CASED TO 300 FT (91 M). LSD ABOUT 2,867 FT (874 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) THREAD PROTECTOR NORTHEAST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE NOV. 28, 1969).

HIGHEST WATER LEVEL 249.83 FT (76.148 M) BELOW LSD, JAN. 31, 1974.
LOWEST WATER LEVEL 255.26 FT (77.803 M) BELOW LSD, SEP. 12, 1975.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	251.48	JUNE 24, 1975	252.94	OCT. 24, 1975	254.76
MAR. 12	251.45	JULY 30	252.09	NOV. 22	253.77
MAY 13	251.44	SEP. 12	255.26		

432452N1162342.1 01N 01W 24AAA1 W K NICHOLS ADA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), REPORTED DEPTH 366 FT (112 M), CASED TO 20 FT (6 M), OPEN HOLE. LSD ABOUT 2,880 FT (878 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN EAST SIDE PUMPBASE, 2.50 FT (0.762 M) ABOVE LSD (SINCE DEC. 28, 1966).

HIGHEST WATER LEVEL 297.70 FT (90.739 M) BELOW LSD, DEC. 31, 1968.
LOWEST WATER LEVEL 336.97 FT (102.708 M) BELOW LSD, SEP. 15, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 4, 1975	M	APR. 4, 1975	O		

M OBSTRUCTION IN WELL ABOVE WATER SURFACE.
O MEASUREMENTS DISCONTINUED.

432504N1161159.1 01N 02E 15DCA1 UNION PAC R R ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), REPORTED DEPTH 600 FT (183 M). LSD ABOUT 2,970 FT (905 M) ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF WEST 8 X 16-IN (20 X 41-CM) TIMBER EAST EDGE, 1.40 FT (0.427 M) ABOVE LSD (SINCE MAY 14, 1970).

HIGHEST WATER LEVEL 361.43 FT (110.164 M) BELOW LSD, NOV. 28, 1967.
LOWEST WATER LEVEL 363.96 FT (110.935 M) BELOW LSD, OCT. 24, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1975	362.98	JUNE 24, 1975	362.74	OCT. 24, 1975	363.96
MAR. 12	362.85	JULY 30	361.75	NOV. 22	363.93
MAY 13	362.74	SEP. 12	363.58		

432127N1162317.1 01S 01E 06CCD1 L HOLLIDAY ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN IDAHO GROUP, DIAM 16 IN (41 CM), DEPTH 560.3 FT (170.8 M), CASED TO 597 FT (182 M), PERFORATED 442-487 FT (135-148 M), 530-582 FT (162-177 M), 585-597 FT (178-182 M). LSD ABOUT 2,965 FT (904 M) ABOVE MSL DATUM OF 1929. ORIGINAL REPORTED DEPTH 597 FT (182 M). RECORDER INSTALLED MAY 22, 1967. RECORDER REMOVED SEPT. 27, 1971. MP NO. 1 TOP OF 16-IN (41-CM) CASING NORTHEAST SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE DEC. 28, 1966).

HIGHEST WATER LEVEL 433.30 FT (132.070 M) BELOW LSD, APR. 24, 1974.
LOWEST WATER LEVEL 436.02 FT (132.899 M) BELOW LSD, DEC. 28, 1966.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	434.03	JUNE 24, 1975	433.71	OCT. 21, 1975	433.64
MAR. 12	434.04	JULY 30	433.99	DEC. 1	434.20
MAY 13	434.05	SEP. 30	434.10		

431839N1160107.1 01S 04E 30AAC1 UNION PAC R R ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN (30 CM), DEPTH 636.8 FT (194.1 M), CASED TO 550 FT (168 M), OPEN HOLE. LSD ABOUT 3,150 FT (960 M) ABOVE MSL DATUM OF 1929. ORIGINAL REPORTED DEPTH 750 FT (229 M). RECORDER INSTALLED JUNE 5, 1967. RECORDER REMOVED NOV. 23, 1971. MP NO. 2 TOP OF CASING EAST SIDE, 3.00 FT (0.914 M) ABOVE LSD (SINCE JUNE 1, 1967).

HIGHEST WATER LEVEL 484.74 FT (147.749 M) BELOW LSD, DEC. 10, 1975.
LOWEST WATER LEVEL 487.98 FT (148.736 M) BELOW LSD, OCT. 15, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	485.02	JUNE 19, 1975	484.77	OCT. 28, 1975	485.01
MAR. 1	485.11	SEP. 18	485.03	DEC. 10	484.74
MAY 14	484.96				

431434N1162232.1 02S 01E 18DDA1 IDAHO POWER CO ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 24 IN (61 CM), REPORTED DEPTH 40 FT (12 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,320 FT (707 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE IN CASING COVER, 8.30 FT (2.530 M) BELOW LSD (SINCE FEB. 24, 1967).

HIGHEST WATER LEVEL 10.41 FT (3.173 M) BELOW LSD, MAR. 17, 1972, MAR. 27, 1973.
LOWEST WATER LEVEL 12.12 FT (3.694 M) BELOW LSD, SEP. 27, 1971.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	10.73	SEP. 30, 1975	11.72B		

B WELL PUMPED RECENTLY.

431534N1155835.2 02S 04E 09DDD2 GLEN NYBORG ADA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN BRUNEAU FORMATION, DIAM 6 IN (15 CM), REPORTED DEPTH 600 FT (183 M), CASED TO 226 FT (69 M), OPEN HOLE. LSD ABOUT 3,122 FT (952 M) ABOVE MSL DATUM OF 1929. JAN. 9, 1969, WELL HAD FILLED IN TO A DEPTH OF 570 FT (174 M). MP NO. 1 TOP OF 6-IN (15-CM) CASING, 0.80 FT (0.244 M) ABOVE LSD (SINCE JAN. 23, 1967).

HIGHEST WATER LEVEL 419.58 FT (127.888 M) BELOW LSD, SEP. 18, 1975.
LOWEST WATER LEVEL 422.28 FT (128.711 M) BELOW LSD, DEC. 21, 1960.
RECORDS AVAILABLE 1960, 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1975	419.65	SEP. 18, 1975	419.58		

435007N1165915.1 06N 05W 30BAB1 CHARLES PITMAN CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIAL SAND OF QUATERNARY AGE, DIAM 12 IN (30 CM), REPORTED DEPTH 169 FT (51.5 M), CASED TO 135 FT (41.2 M). LSD ABOUT 2,225 FT (678 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN PUMPBASE WEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JAN. 9, 1967).

HIGHEST WATER LEVEL 25.17 FT (7.672 M) BELOW LSD, SEP. 10, 1968.
LOWEST WATER LEVEL 35.16 FT (10.717 M) BELOW LSD, MAY 27, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	29.53	JUNE 18, 1975	27.76	OCT. 25, 1975	27.27
MAR. 14	30.31	JULY 23	27.00	NOV. 29	28.74
MAY 9	29.81	SEP. 6	26.05		

434603N1165909.1 05N 05W 18CAC1 HARLAN BRESHEAR CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), REPORTED DEPTH 250 FT (76.2 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,225 FT (678 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 6-IN (15-CM) CASING SOUTH SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE JAN. 5, 1967).

HIGHEST WATER LEVEL 7.50 FT (2.286 M) BELOW LSD, SEP. 7, 1973.
LOWEST WATER LEVEL 13.90 FT (4.237 M) BELOW LSD, MAR. 20, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	13.07B	SEP. 6, 1975	8.44B		

B WELL PUMPED RECENTLY.

434522N1165246.1 05N 05W 24DBB1 CARL GOTSH CANYON COUNTY

DRILLED UNUSED DEWATERING WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 18 IN (46 CM), DEPTH 98 FT (29.9 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,300 FT (701 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED MAY 12, 1967. RECORDER REMOVED NOV. 24, 1971. MP NO. 1 TOP OF 18-IN (46-CM) CASING SOUTHEAST SIDE, AT LSD (SINCE JAN. 9, 1967).

HIGHEST WATER LEVEL 8.33 FT (2.539 M) BELOW LSD, JULY 10, 1968.
LOWEST WATER LEVEL 10.97 FT (3.344 M) BELOW LSD, MAR. 14, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	10.97	SEP. 5, 1975	9.39		

434627N1164618.1 05N 04W 13BCB1 JOSEPH COITEUX CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN (10 CM), DEPTH 105 FT (32.0 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,395 FT (730 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN (10-CM) CASING, 0.50 FT (0.152 M) ABOVE LSD (SINCE JAN. 11, 1967).

HIGHEST WATER LEVEL 16.08 FT (4.901 M) BELOW LSD, SEP. 16, 1969.
LOWEST WATER LEVEL 19.82 FT (6.041 M) BELOW LSD, APR. 15, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	19.76	SEP. 6, 1975	18.12		

434723N1164000.1 05N 03W 11BCA1 HOWARD OSWALD CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 16 TO 12 IN (41 TO 30 CM), REPORTED DEPTH 365 FT (111.2 M), 16-IN (41-CM) CASING 0-325 FT (0-99.1 M), 12-IN (30-CM) CASING 310-350 FT (94.5-106.7 M), PERFORATED 311-349 FT (94.8-106.4 M). LSD ABOUT 2,625 FT (800 M) ABOVE MSL DATUM OF 1929. APR. 8, 1974, WELL HAD FILLED IN TO A DEPTH OF 346.2 FT. MP NO. 2 TOP OF HOLE INSIDE PUMP BASE EAST SIDE, 1.70 FT (0.518 M) ABOVE LSD (SINCE APR. 26, 1967).

HIGHEST WATER LEVEL 153.88 FT (46.903 M) BELOW LSD, MAR. 5, 1975.
LOWEST WATER LEVEL 162.95 FT (49.667 M) BELOW LSD, SEP. 18, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	153.88	SEP. 6, 1975	154.74		

434514N1163345.1 05N 02W 22CAD1 MANUEL PERRY CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 TO 8 IN (30 TO 20 CM), REPORTED DEPTH 450 FT (137.2 M), 12-IN (30-CM) CASING 0-303 FT (0-92.4 M), 8-IN (20-CM) CASING 284-403 FT (86.6-122.8 M), PERFORATED 279-403 FT (85.0-122.8 M). LSD ABOUT 2,610 FT (796 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1 1/2-IN (3.8-CM) VERTICAL ACCESS PIPE ON SOUTH SIDE OF PUMP, 1.50 FT (0.457 M) ABOVE LSD (SINCE FEB. 21, 1967).

HIGHEST WATER LEVEL 181.79 FT (55.410 M) BELOW LSD, MAR. 5, 1975.
LOWEST WATER LEVEL 185.87 FT (56.653 M) BELOW LSD, FEB. 21, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	181.79	SEP. 9, 1975	185.53		

434132N1165840.1 04N 05W C7DCD1 DAVID Z ROBBINS CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 100 FT (30.5 M), CASED TO 100 FT (30.5 M), PERFORATED 64-100 FT (19.5-30.5 M), GRAVEL PACKED. LSD ABOUT 2,392 FT (729 M) ABOVE MSL DATUM OF 1929. MP NO. 1 BOTTOM EDGE OF SLOPING PIPE, 1.00 FT (0.305 M) ABOVE LSD (SINCE MAR. 16, 1971).

HIGHEST WATER LEVEL 11.84 FT (3.609 M) BELOW LSD, SEP. 13, 1974.
LOWEST WATER LEVEL 15.84 FT (4.828 M) BELOW LSD, APR. 5, 1974.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	15.53	SEP. 6, 1975	53.52A		

A WELL BEING PUMPED.

434232N1165010.1 04N 04W 05DDB1 C L CROCKETT CANYON COUNTY

DRILLED STOCK ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 4 IN (10 CM), DEPTH 178 FT (54.2 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,284 FT (696 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN (10-CM) CASING CAP, 2.30 FT (0.701 M) ABOVE LSD (SINCE JAN. 18, 1967).

HIGHEST WATER LEVEL 6.51 FT (1.984 M) ABOVE LSD, NOV. 15, 1972.
LOWEST WATER LEVEL 3.05 FT (0.930 M) ABOVE LSD, JAN. 18, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 17, 1975	+	3.77	JUNE 18, 1975	+	4.57	OCT. 25, 1975	+	4.41
MAR. 14	+	3.68	JULY 23	+	4.47	NOV. 29	+	4.31
MAY 9	+	4.07	SEP. 5	+	4.87			

433824N1165029.1 04N 04W 32DBB1 BRUCE BARTLETT CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN TERRACE DEPOSITS OF QUATERNARY AGE, DIAM 12 IN (30 CM), REPORTED DEPTH 155 FT (47.2 M), CASED TO 148 FT (45.1 M), PERFORATED 28-118 FT (8.5-36.0 M) SCREENED 118-148 FT (36.0-45.1 M), GRAVEL PACKED 0-155 FT (0-47.2 M). LSD ABOUT 2,530 FT (771 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING SOUTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 16, 1970).

HIGHEST WATER LEVEL 23.35 FT (7.117 M) BELOW LSD, SEP. 13, 1974.
LOWEST WATER LEVEL 50.16 FT (15.289 M) BELOW LSD, SEP. 11, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	31.39	SEP. 5, 1975	32.72A		

A WELL BEING PUMPED.

434128N1163836.1 04N 03W 13BAA1 W L RICHARDSON CANYON COUNTY

DRILLED STOCK ARTESIAN WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 185 FT (56.4 M), CASED TO 181 FT (55.2 M). LSD ABOUT 2,370 FT (722 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 2-IN (5.1-CM) ADAPTER, 0.80 FT (0.244 M) ABOVE LSD (SINCE FEB. 21, 1967).

HIGHEST WATER LEVEL 7.80 FT (2.377 M) ABOVE LSD, JULY 14, 1970.
LOWEST WATER LEVEL 4.62 FT (1.408 M) ABOVE LSD, JULY 23, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 18, 1975	+	5.01	JUNE 17, 1975	+	4.97	OCT. 25, 1975	+	5.36
MAR. 21	+	5.33	JULY 23	+	4.62	NOV. 29	+	5.91
MAY 28	+	5.48	SEP. 6	+	5.12			

433830N1163359.1 04N 02W 34BDC1 HUTER CANYON COUNTY

DRILLED UNUSED WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 16 IN (41 CM), REPORTED DEPTH 150 FT (45.7 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,462 FT (750 M) ABOVE MSL DATUM OF 1929. MP NO. 2 HOLE INSIDE PUMPBASE NORTH SIDE. 1.50 FT (0.457 M) ABOVE LSD (SINCE SEPT. 13, 1968).

HIGHEST WATER LEVEL 7.94 FT (2.420 M) BELOW LSD, SEP. 14, 1970.
LOWEST WATER LEVEL 12.99 FT (3.959 M) BELOW LSD, APR. 28, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	12.72	SEP. 9, 1975	9.29		

433646N1164618.1 03N 04W 11ADA1 US BUREAU RECL CANYON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 TO 4 IN (15 TO 10 CM), DEPTH 91 FT (27.7 M), 6-IN (15-CM) CASING 0-95 FT (0-29.0 M), 4-IN (10-CM) CASING 94-99.5 FT (28.6-30.3 M), PERFORATED 94-99.5 FT (28.6-30.3 M), OPEN BOTTOM. LSD ABOUT 2,497 FT (761 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED AUG. 20, 1953. RECORDER REMOVED OCT. 20, 1954. RECORDER INSTALLED MAY 12, 1967. RECORDER REMOVED NOV. 24, 1971. MP NO. 1 TOP OF CASING, 0.60 FT (0.183 M) ABOVE LSD (SINCE AUG. 19, 1953).

HIGHEST WATER LEVEL 5.89 FT (1.795 M) BELOW LSD, AUG. 26, 1953.
LOWEST WATER LEVEL 14.65 FT (4.465 M) BELOW LSD, MAY 25, 1969, MAY 26, 1969.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	12.61	JUNE 17, 1975	13.43	OCT. 25, 1975	10.47
MAR. 22	13.44	JULY 23	11.38	NOV. 29	11.60
MAY 9	13.20	SEP. 5	9.53		

433745N1164125.1 03N 03W 03BCB2 US BUREAU RECL CANYON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 TO 4 IN (15 TO 10 CM), DEPTH 94 FT (28.6 M), 6-IN (15-CM) CASING 0-84 FT (0-25.6 M), 4-IN (10-CM) SCREEN 84-94.5 FT (25.6-28.8 M). LSD ABOUT 2,429 FT (740 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED OCT. 19, 1953. RECORDER REMOVED AUG. 20, 1954. MP NO. 2 TOP OF 1/4-IN (0.64-CM) PLUG HOLE IN CASING CAP, 8.00 FT (2.438 M) BELOW LSD (SINCE SEPT. 28, 1961).

HIGHEST WATER LEVEL 4.98 FT (1.518 M) BELOW LSD, SEP. 5, 1975.
LOWEST WATER LEVEL 15.81 FT (4.819 M) BELOW LSD, APR. 11, 1969.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	15.69	SEP. 5, 1975	4.98		

433633N1163751.1 03N 02W 07CBC1 LARRY RALLS CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 8 IN (20 CM), REPORTED DEPTH 196 FT (59.7 M), CASED TO 196 FT (59.7 M), PERFORATED 185-196 FT (56.4-59.7 M). LSD ABOUT 2,436 FT (742 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL, 1.00 FT (0.305 M) ABOVE LSD (SINCE NOV. 3, 1969).

HIGHEST WATER LEVEL 3.10 FT (0.945 M) BELOW LSD, SEP. 27, 1971.
LOWEST WATER LEVEL 7.34 FT (2.237 M) BELOW LSD, MAR. 9, 1970.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	3.14	SEP. 5, 1975	4.18		

433658N1163040.1 03N 01W 07BCB1 US BUREAU RECL CANYON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 6 TO 4 IN (15 TO 10 CM), DEPTH 51 FT (15.5 M), 6-IN (15-CM) CASING 0-46 FT (0-14.0 M), 4-IN (10-CM) CASING 46-51 FT (14.0-15.5 M), PERFORATED 46-51 FT (14.0-15.5 M), GRAVEL PACKED 50-51 FT (15.2-15.5 M). LSD 2,494.87 FT (760.436 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED DEC. 11, 1953. RECORDER REMOVED OCT. 15, 1954. MP NO. 2 TOP OF 1-IN PLUG HOLE IN CENTER OF CASING COVER, 0.90 FT (0.274 M) ABOVE LSD (SINCE SEPT. 9, 1975).

HIGHEST WATER LEVEL 1.45 FT (0.442 M) BELOW LSD, JAN. 28, 1965.
LOWEST WATER LEVEL 9.59 FT (2.923 M) BELOW LSD, JUNE 20, 1954, JUNE 21, 1954.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	3.23	SEP. 9, 1975	8.76C		

C NEARBY WELL BEING PUMPED.

433208N1164415.1 02N 03W 06DBD1 CHARLES SHILEY CANYON COUNTY

DRILLED UNUSED WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN (10 CM), DEPTH 246.3 FT (75.1 M), CASING DEPTH NOT AVAILABLE. LSD 2,613.78 FT (796.681 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN WOODEN PLATFORM, 0.80 FT (0.244 M) ABOVE LSD (SINCE APR. 12, 1956).

HIGHEST WATER LEVEL 180.0 G FT (54.864 M) BELOW LSD, NOV. 5, 1925.
LOWEST WATER LEVEL 218.91 FT (66.724 M) BELOW LSD, JULY 23, 1975.
RECORDS AVAILABLE 1925, 1953, 1956-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	216.02	JUNE 17, 1975	218.21	OCT. 25, 1975	217.51
MAR. 21	216.58	JULY 23	218.91	NOV. 29	217.21
MAY 9	217.22	SEP. 19	218.33		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

432919N1164037.1 02N 03W 22DDC1 WALT RUSSELL CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 14 IN (36 CM), REPORTED DEPTH 603 FT (183.8 M), CASED TO 580 FT (176.8 M), PERFORATED 400-580 FT (121.9-176.8 M), GRAVEL PACKED 0-580 FT (0-176.8 M). LSD ABOUT 2,750 FT (838 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) SLANTED ACCESS PIPE ON SOUTHWEST SIDE OF PUMP, 0.90 FT (0.274 M) ABOVE LSD (SINCE APR. 27, 1967).

HIGHEST WATER LEVEL 313.00 FT (95.402 M) BELOW LSD, APR. 27, 1967.
LOWEST WATER LEVEL 349.38 FT (106.491 M) BELOW LSD, SEP. 19, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	337.69	SEP. 19, 1975	349.38		

432941N1163306.1 02N 02W 23CBB1 SWARTZ CANYON COUNTY

DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 165 FT (50.3 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,655 FT (809 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN (10-CM) CASING NORTH SIDE, 5.50 FT (1.676 M) BELOW LSD (SINCE DEC. 29, 1966).

HIGHEST WATER LEVEL 107.47 FT (32.757 M) BELOW LSD, SEP. 16, 1969.
LOWEST WATER LEVEL 113.2 FT (34.503 M) BELOW LSD, NOV. 27, 1953.
RECORDS AVAILABLE 1953, 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	109.43	SEP. 19, 1975	109.54D		

D NEARBY WELL PUMPED RECENTLY.

433145N1163043.1 02N 01W 07BBC1 US BUREAU RECL CANYON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 4 IN (15 TO 10 CM), DEPTH 103.0 FT (31.4 M), 6-IN (15-CM) CASING 0-97 FT (0-29.6 M), 4-IN (10-CM) CASING 96-102 FT (29.3-31.1 M), PERFORATED 96-102 FT (29.3-31.1 M). LSD 2,547.92 FT (776.606 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED AUG. 19, 1953. RECORDER REMOVED NOV. 24, 1971. MP NO. 1 TOP OF CASING NORTHEAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE AUG. 19, 1953).

HIGHEST WATER LEVEL 5.80 FT (1.768 M) BELOW LSD, OCT. 12, 1960.
LOWEST WATER LEVEL 13.36 FT (4.072 M) BELOW LSD, APR. 23, 1971.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	11.75	JUNE 20, 1975	11.43	OCT. 24, 1975	9.66
MAR. 12	12.30	JULY 23	10.56	NOV. 30	10.73
MAY 7	12.33	SEP. 19	10.02		

432708N1163539.1 01N 02W 05ADD1 LEONARD TIEGS CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 TO 10 IN (30 TO 25 CM), REPORTED DEPTH 720 FT (219.5 M), 12-IN (30-CM) CASING 0-423 FT (0-128.9 M), 10-IN (25-CM) CASING 415-625 FT (126.5-190.5 M), PERFORATED 415-625 FT (126.5-190.5 M). LSD ABOUT 2,675 FT (815 M) ABOVE MSL DATUM OF 1929. MP NO. 1 BOTTOM EDGE OF ACCESS HOLE IN SOUTH SIDE OF CASING, 0.40 FT (0.122 M) ABOVE LSD (SINCE APR. 18, 1967).

HIGHEST WATER LEVEL 128.70 FT (39.228 M) BELOW LSD, MAR. 20, 1968.
LOWEST WATER LEVEL 201.76 FT (61.496 M) BELOW LSD, AUG. 28, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	130.21	JUNE 18, 1975	285.42A	OCT. 25, 1975	138.52
MAR. 14	129.22	SEP. 19	N	NOV. 29	132.93
MAY 10	135.25				

A WELL BEING PUMPED.
N NO MEASUREMENT.

432510N1163533.1 01N 02W 17DDA1 STEVE TIEGS CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 16 TO 10 IN (41 TO 25 CM), REPORTED DEPTH 565 FT (172.2 M), 16-IN (41-CM) CASING 0-370 FT (0-112.8 M), 10-IN (25-CM) CASING 370-487 FT (112.8-148.4 M), PERFORATED 370-487 FT (112.8-148.4 M). LSD ABOUT 2,718 FT (828 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 16-IN (41-CM) CASING WEST SIDE, AT LSD (SINCE DEC. 22, 1966).

HIGHEST WATER LEVEL 196.28 FT (59.826 M) BELOW LSD, MAR. 10, 1970.
LOWEST WATER LEVEL 229.90 FT (70.074 M) BELOW LSD, OCT. 23, 1969.
RECORDS AVAILABLE 1966, 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	203.55	SEP. 19, 1975	N	OCT. 25, 1975	O
MAY 10	A	OCT. 25	N		

A WELL BEING PUMPED.
N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

431948N1163300.1 01S 02W 14CCC2 REX JENSEN CANYON COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 235 FT (71.6 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,390 FT (728 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 5/8-IN (0.95-CM) TAP HOLE IN WELL SEAL, 8.00 FT (2.438 M) BELOW LSD (SINCE OCT. 26, 1962).

HIGHEST WATER LEVEL 42.42 FT (12.930 M) BELOW LSD, SEP. 28, 1966.
LOWEST WATER LEVEL 70.98 FT (21.635 M) BELOW LSD, MAR. 8, 1975.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	70.98	SEP. 20, 1975	74.45A		

A WELL BEING PUMPED.

432453N1155616.1 01N 04E 23AAB1 JAMES O BECK ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 18 IN (46 CM), DEPTH 68.1 FT (20.8 M), CASED TO 68 FT (20.7 M), PERFORATED 25-42 FT (7.6-12.8 M), 50-65 FT (15.2-19.8 M), GRAVEL PACKED. LSD ABOUT 3,500 FT (1,067 M) ABOVE MSL DATUM OF 1929. MP NO. 3 HOLE IN PUMPBASE SOUTHWEST SIDE, 1.05 FT (0.320 M) ABOVE LSD (SINCE JULY 28, 1960).

HIGHEST WATER LEVEL 20.30L FT (6.187 M) BELOW LSD, MAR. 13, 1972.
LOWEST WATER LEVEL 32.45 FT (9.891 M) BELOW LSD, MAY 29, 1959.
RECORDS AVAILABLE 1947-51, 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1975	22.30	JULY 31, 1975	21.23	SEP. 18, 1975	20.80

L ELECTRIC TAPE, M-SCOPE.

432055N1155718.1 01S 04E 10DAD1 W MOREHOUSE ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 10 TO 6 IN (25 TO 15 CM), REPORTED DEPTH 525 FT (160.0 M), CASED TO 496 FT (151.2 M), 10-IN (25-CM) CASING 0-496 FT (0-151.2 M), 6-IN (15-CM) SCREEN 485-525 FT (147.8-160.0 M), OPEN BOTTOM. LSD ABOUT 3,300 FT (1,006 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED MAY 4, 1961. RECORDER REMOVED JULY 20, 1964. MP NO. 1 TOP OF 10-IN (25-CM) CASING SOUTH SIDE, 1.60 FT (0.488 M) ABOVE LSD (SINCE NOV. 19, 1960).

HIGHEST WATER LEVEL 341.09 FT (103.964 M) BELOW LSD, JAN. 21, 1964.
LOWEST WATER LEVEL 342.40 FT (104.363 M) BELOW LSD, MAR. 5, 1974.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1975	341.60	SEP. 18, 1975	341.52		

431707N1150728.1 01S 11E 35CCC1 SCHOOL DIST 8 ELMORE COUNTY

DUG UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 38 IN (96 CM), DEPTH 15.6 FT (4.8 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,092 FT (1,552 M) ABOVE MSL DATUM OF 1929. MP NO. 1 PAINTED SPOT NORTHWEST CORNER OF CONCRETE WELL OPENING, AT LSD (SINCE SEPT. 17, 1957).

HIGHEST WATER LEVEL 1.90 FT (0.579 M) BELOW LSD, APR. 21, 1971.
LOWEST WATER LEVEL 9.06 FT (2.761 M) BELOW LSD, SEP. 18, 1972.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	N	MAY 13, 1975	8.35	SEP. 22, 1975	7.12

N NO MEASUREMENT.

431242N1154855.1 02S 05E 36BBB1 DOMINGO AGUIRRE ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 356.9 FT (108.8 M), CASED TO 50 FT (15.2 M). LSD ABOUT 3,190 FT (972 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED JUNE 23, 1967. RECORDER REMOVED NOV. 15, 1971. MP NO. 3 TOP OF CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE JUNE 23, 1967).

HIGHEST WATER LEVEL 281.98 FT (85.947 M) BELOW LSD, DEC. 10, 1975.
LOWEST WATER LEVEL 285.95 FT (87.158 M) BELOW LSD, MAY 28, 1965.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	282.29	JUNE 19, 1975	282.07	OCT. 26, 1975	282.29
MAR. 3	282.60	AUG. 6	282.59	DEC. 10	281.98
MAY 14	282.18	SEP. 18	282.19		

431527N1154209.1 02S 06E 11DAC1 LLOYD HANSEN ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN BRUNEAU FORMATION, DIAM 12 IN (30 CM), REPORTED DEPTH 1,620 FT (493.8 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,400 FT (1,036 M) ABOVE MSL DATUM OF 1929. AUG. 13, 1970, WELL HAD FILLED IN TO A DEPTH OF 1,550 FT (472.4 M). MP NO. 1 TOP OF HOLE IN 12-IN (30-CM) CASING, 1.70 FT (0.518 M) ABOVE LSD (SINCE MAR. 3, 1967).

HIGHEST WATER LEVEL 106.96 FT (32.601 M) BELOW LSD, MAR. 19, 1973.
LOWEST WATER LEVEL 116.62 FT (35.546 M) BELOW LSD, SEP. 12, 1973.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1975	107.84	SEP. 18, 1975	107.15		

430716N1154251.1 03S 06E 35BCC1 AL BRUECK ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 IN (30 CM), DEPTH 857.0 FT (261.2 M), CASED TO 598 FT (182.3 M), PERFORATED 6-264 FT (1.8-80.5 M). LSD ABOUT 3,145 FT (959 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) CASING NORTHEAST SIDE, 1.80 FT (0.549 M) ABOVE LSD (SINCE AUG. 8, 1967).

HIGHEST WATER LEVEL 385.00G FT (117.348 M) BELOW LSD, NOV. 3, 1967.
LOWEST WATER LEVEL 401.32L FT (122.322 M) BELOW LSD, DEC. 10, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	399.87L	JUNE 19, 1975	399.98L	OCT. 28, 1975	397.61L
MAR. 1	400.11L	JULY 21	400.24L	DEC. 10	401.32L
MAY 15	398.40L	SEP. 18	398.24L		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
L ELECTRIC TAPE, M-SCOPE.

431103N1153640.1 03S 07E 03CDC1 GREG KNUDSEN ELMORE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), REPORTED DEPTH 411 FT (125.3 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,460 FT (1,055 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WOODEN WELL COVER, 3.00 FT (0.914 M) BELOW LSD (SINCE JAN. 24, 1967).

HIGHEST WATER LEVEL 33.53 FT (10.220 M) BELOW LSD, APR. 14, 1969.
LOWEST WATER LEVEL 48.40 FT (14.752 M) BELOW LSD, SEP. 27, 1973.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1975	36.49B	SEP. 18, 1975	33.82		

B WELL PUMPED RECENTLY.

430656N1152707.1 03S 08E 36CDA1 ROY ROSS ELMORE COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 12 IN (30 CM), REPORTED DEPTH 600 FT (182.9 M), CASED TO 470 FT (143.3 M). LSD ABOUT 3,395 FT (1,035 M) ABOVE MSL DATUM OF 1929. MP NO. 1 CENTER OF USG PRESSURE GAUGE, 4.60 FT (1.402 M) ABOVE LSD (SINCE APR. 24, 1967).

HIGHEST WATER LEVEL 161.68 FT (49.280 M) ABOVE LSD, MAR. 22, 1973, MAR. 17, 1975.
LOWEST WATER LEVEL 78.52 FT (23.933 M) ABOVE LSD, SEP. 18, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1975	+ 161.68	SEP. 17, 1975	+ 135.12		

430229N1160659.1 04S 03E 29DDD1 TCM COLLETT ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 12 IN (30 CM), REPORTED DEPTH 100 FT (30.5 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,485 FT (757 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) CASING EAST SIDE, AT LSD (SINCE JAN. 30, 1967).

HIGHEST WATER LEVEL 5.71 FT (1.740 M) BELOW LSD, SEP. 13, 1973.
LOWEST WATER LEVEL 21.93 FT (6.684 M) BELOW LSD, APR. 15, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1975	19.72	SEP. 19, 1975	6.75		

430310N1154857.1 04S 05E 25BBC1 EDWARD KIRK ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 518 FT (157.9 M), CASING INFORMATION NOT AVAILABLE. LSD ABOUT 3,048 FT (929 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE INSIDE PUMPBASE NORTH SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE JAN. 27, 1967).

HIGHEST WATER LEVEL 359.05 FT (109.438 M) BELOW LSD, JAN. 27, 1967.
LOWEST WATER LEVEL 396.78 FT (120.938 M) BELOW LSD, DEC. 8, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	375.45	JUNE 19, 1975	400.79A	OCT. 29, 1975	380.50
MAR. 1	374.78	AUG. 6	386.93A	DEC. 8	396.78
MAY 14	384.67	SEP. 19	392.47		

A WELL BEING PUMPED.

430505N1153734.1 04S 07E 09DCC1 H GROEFSEMA ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 TO 8 IN (30 TO 20 CM), REPORTED DEPTH 862 FT (262.7 M), 12-IN (30-CM) CASING 0-630 FT (0-192.0 M), 8-IN (20-CM) CASING 665-775 FT (202.7-236.2 M). LSD ABOUT 3,152 FT (961 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE INSIDE PUMPBASE NORTHEAST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE JAN. 30, 1967).

HIGHEST WATER LEVEL 367.40 FT (111.983 M) BELOW LSD, MAR. 19, 1973.
LOWEST WATER LEVEL 383.52L FT (116.897 M) BELOW LSD, OCT. 24, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1975	370.98L	SEP. 17, 1975	374.89L		

L ELECTRIC TAPE, M-SCOPE.

430310N1151908.1 04S 10E 30BBA1 RAY BLAIR ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN GLENNS FERRY FORMATION, DIAM 16 IN (41 CM), REPORTED DEPTH 2,265 FT (690.4 M), 20-IN (51-CM) CASING 0-400 FT (0-121.9 M), 16-IN (41-CM) CASING 0-1,497 FT (0-456.3 M). LSD ABOUT 3,455 FT (1,053 M) ABOVE MSL DATUM OF 1929. SEPT. 2, 1970, WELL HAD FILLED IN TO A DEPTH OF 1,481 FT (451.4 M). MP NO. 1 TOP OF HOLE IN 20-IN (51-CM) CASING COVER, 1.70 FT (0.518 M) ABOVE LSD (SINCE FEB. 3, 1967).

HIGHEST WATER LEVEL 257.33 FT (78.434 M) BELOW LSD, MAR. 23, 1968.
LOWEST WATER LEVEL 264.08 FT (80.492 M) BELOW LSD, SEP. 23, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1975	262.15	SEP. 23, 1975	264.08		

430112N1160010.1 05S 04E 05CAA1 TOM NICHOLSON ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 14 IN (36 CM), REPORTED DEPTH 600 FT (182.9 M), CASED TO 440 FT (134.1 M), PERFORATED 225-330 FT (68.6-100.6 M). LSD ABOUT 2,850 FT (869 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1/2-IN (1.3-CM) HOLE INSIDE PUMPBASE SOUTH SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE SEPT. 16, 1970).

HIGHEST WATER LEVEL 175.60 FT (53.523 M) BELOW LSD, JAN. 30, 1967.
LOWEST WATER LEVEL 192.40L FT (58.644 M) BELOW LSD, OCT. 30, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1975	183.80	SEP. 19, 1975	N	OCT. 30, 1975	192.40L

L ELECTRIC TAPE, M-SCOPE.
N NO MEASUREMENT.

425948N1154227.1 05S 06E 14BAA1 FLYING H FARMS ELMORE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 408 FT (124.4 M), CASED TO 30 FT (9.1 M). LSD ABOUT 3,030 FT (924 M) ABOVE MSL DATUM OF 1929. NOV. 22, 1974, WELL WAS DEEPENED TO A REPORTED DEPTH OF 447 FT (136.2 M). MP NO. 1 TOP OF HOLE IN WELL SEAL, 0.50 FT (0.152 M) ABOVE LSD (SINCE FEB. 3, 1967).

HIGHEST WATER LEVEL 379.55L FT (115.687 M) BELOW LSD, SEP. 13, 1972.
LOWEST WATER LEVEL 383.02L FT (116.744 M) BELOW LSD, SEP. 13, 1971.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 14, 1975	382.75L	SEP. 19, 1975	380.97L		

L ELECTRIC TAPE, M-SCOPE.

425621N1152735.1 05S 08E 36CCC1 HENRY TRAVIS ELMORE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN MELON GRAVEL, DIAM 6 IN (15 CM), REPORTED DEPTH 90 FT (27.4 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,536 FT (773 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CANVAS COLLAR WEST SIDE, 3.70 FT (1.128 M) BELOW LSD (SINCE FEB. 15, 1967).

HIGHEST WATER LEVEL 55.49 FT (16.913 M) BELOW LSD, SEP. 21, 1974.
LOWEST WATER LEVEL 63.81 FT (19.449 M) BELOW LSD, APR. 25, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1975	62.12	SEP. 17, 1975	59.56		

425655N1151700.1 05S 10E 32ADA1 JOE POTUCEK ELMORE COUNTY

DRILLED STOCK ARTESIAN WELL IN GLENNS FERRY FORMATION, DIAM 6 IN (15 CM), REPORTED DEPTH 1,006 FT (306.6 M), CASED TO 85 FT (25.9 M). LSD ABOUT 2,510 FT (765 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING CAP, AT LSD (SINCE APR. 25, 1967).

HIGHEST WATER LEVEL 40.20 FT (12.253 M) ABOVE LSD, DEC. 9, 1968.
LOWEST WATER LEVEL 25.67 FT (7.824 M) ABOVE LSD, MAY 19, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	N	MAY 19, 1975 +	25.67	SEP. 23, 1975 +	28.83
MAR. 11	N	JULY 11 +	27.48	NOV. 21 +	25.680

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

425208N1151842.1 06S 10E 30DCB1 US BUR LAND MGT ELMORE COUNTY

DRILLED STOCK WATER-TABLE WELL IN BRUNEAU FORMATION, DIAM 6 IN (15 CM), REPORTED DEPTH 437 FT (133.2 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,990 FT (911 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN CASING COVER, 1.10 FT (0.335 M) ABOVE LSD (SINCE FEB. 10, 1967).

HIGHEST WATER LEVEL 250.76L FT (76.432 M) BELOW LSD, MAR. 20, 1973.
LOWEST WATER LEVEL 253.54L FT (77.279 M) BELOW LSD, SEP. 15, 1970.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1975	252.37L	SEP. 23, 1975	251.40L		

L ELECTRIC TAPE, M-SCOPE.

425617N1151200.1 06S 11E 06BBA1 WILLIAM TRAIL ELMORE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN GLENNS FERRY FORMATION, DIAM 6 IN (15 CM), REPORTED DEPTH 445 FT (135.6 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,680 FT (817 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL EAST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE FEB. 15, 1967).

HIGHEST WATER LEVEL 107.21 FT (32.678 M) BELOW LSD, FEB. 15, 1967.
LOWEST WATER LEVEL 109.92 FT (33.504 M) BELOW LSD, SEP. 21, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1975	110.30B	SEP. 23, 1975	111.40B		

B WELL PUMPED RECENTLY.

433429N1165836.1 03N 05W 19DCD1 C R BAKER OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN (10 CM), REPORTED DEPTH 325 FT (99.1 M), CASED TO 110 FT (33.5 M). LSD ABOUT 2,378 FT (725 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL, 1.20 FT (0.366 M) ABOVE LSD (SINCE JAN. 13, 1967).

HIGHEST WATER LEVEL 33.23 FT (10.129 M) BELOW LSD, SEP. 19, 1972.
LOWEST WATER LEVEL 72.07 FT (21.967 M) BELOW LSD, JUNE 11, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	66.54B	JUNE 18, 1975	77.93B	OCT. 25, 1975	73.49B
MAR. 21	63.45A	JULY 23	89.27B	NOV. 29	70.92B
MAY 9	77.45A	SEP. 20	N		

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.
N NO MEASUREMENT.

433423N1165114.1 03N 04W 30AAB1 NORMAN C LODGE OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 200 FT (61.0 M), CASED 0-135 FT (0-41.1 M), PERFORATED 63-71 FT (19.2-21.6 M). LSD ABOUT 2,305 FT (703 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN PUMPBASE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JAN. 3, 1967).

HIGHEST WATER LEVEL 53.04 FT (16.167 M) BELOW LSD, JAN. 3, 1967.
LOWEST WATER LEVEL 66.62 FT (20.306 M) BELOW LSD, SEP. 19, 1972.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	55.81	SEP. 20, 1975	56.17		

433124N1165135.1 02N 04W 07DBB1 J R ROBINSON OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN (10 CM), REPORTED DEPTH 1,100 FT (335.3 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,356 FT (718 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN CASING COVER, 5.90 FT (1.798 M) BELOW LSD (SINCE JAN. 16, 1967).

HIGHEST WATER LEVEL 49.20 FT (14.996 M) BELOW LSD, APR. 28, 1967.
LOWEST WATER LEVEL 83.81 FT (25.545 M) BELOW LSD, MAR. 21, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	83.81	SEP. 20, 1975	74.08B		

B WELL PUMPED RECENTLY.

432439N1164323.1 01N 03W 20BDA1 JAMES L JENSEN OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 12 IN (30 CM), REPORTED DEPTH 155 FT (47.2 M), CASED TO 90 FT (27.4 M), PERFORATED, INTERVAL NOT AVAILABLE. LSD ABOUT 2,405 FT (733 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 12-IN (30-CM) CASING NORTHEAST SIDE, 2.26 FT (0.668 M) ABOVE LSD (SINCE SEPT. 20, 1975).

HIGHEST WATER LEVEL 35.74 FT (10.894 M) BELOW LSD, JAN. 16, 1967.
LOWEST WATER LEVEL 60.95 FT (18.578 M) BELOW LSD, SEP. 18, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	38.20	SEP. 20, 1975	54.54		

432208N1163857.1 01S 03W 01BCB1 WINSTON GOERING OWYHEE COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 3 IN (7.6 CM), REPORTED DEPTH 1,800 FT (548.6 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,290 FT (698 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 2 1/2-IN (6.4-CM) HORIZONTAL PIPE, 2.50 FT (0.762 M) ABOVE LSD (SINCE MAY 5, 1967).

HIGHEST WATER LEVEL 10.62 FT (3.237 M) ABOVE LSD, NOV. 25, 1970.
LOWEST WATER LEVEL 6.40 FT (1.951 M) ABOVE LSD, JAN. 3, 1972.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE		WATER LEVEL	DATE		WATER LEVEL	DATE		WATER LEVEL
JAN. 26, 1975	+	8.78R	JUNE 20, 1975	+	7.27	OCT. 25, 1975	+	9.66
MAR. 21	+	7.33	JULY 23	+	7.82	NOV. 29	+	9.21
MAY 7	+	7.77	SEP. 20	+	9.17			

R NEARBY WELL FLOWING.

431642N1163412.1 02S 02W 03CBB1 WILEY H OHM OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 8 IN (20 CM), REPORTED DEPTH 900 FT (274.3 M), CASED TO 65 FT (19.8 M). LSD 2,465.80 FT (751.576 M) ABOVE MSL DATUM OF 1929. MP NO. 1 DRILLED HOLE IN NORTHEAST SIDE OF CASING, AT LSD (SINCE JAN. 19, 1967).

HIGHEST WATER LEVEL 29.44 FT (8.973 M) BELOW LSD, MAR. 7, 1974.
LOWEST WATER LEVEL 51.29 FT (15.633 M) BELOW LSD, SEP. 24, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	29.98	SEP. 20, 1975	N	SEP. 20, 1975	O

N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

430704N1161749.1 03S 01E 35DAC1 ALFRED HEYWOOD OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 300 FT (91.4 M), CASED TO 60 FT (18.3 M). LSD ABOUT 2,340 FT (713 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN SEAL SOUTHEAST SIDE, 4.70 FT (1.433 M) BELOW LSD (SINCE FEB. 2, 1967).

HIGHEST WATER LEVEL 2.16 FT (0.658 M) ABOVE LSD, DEC. 8, 1975.
LOWEST WATER LEVEL 14.63 FT (4.459 M) BELOW LSD, APR. 26, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	3.20E	MAY 7, 1975	N	OCT. 30, 1975	N
MAR. 15	3.70E	JUNE 20	N	DEC. 8	+ 2.16

E ESTIMATED.
N NO MEASUREMENT.

430312N1162337.1 04S 01E 30BBB1 M A ROBINSON OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 10 IN (25 CM), REPORTED DEPTH 320 FT (97.5 M), CASED TO 32 FT (9.8 M). LSD ABOUT 2,810 FT (856 M) ABOVE MSL DATUM OF 1929. MP NO. 3 BOTTOM OF HOLE IN CASING, 0.13 FT (0.040 M) ABOVE LSD (SINCE MAR. 21, 1973).

HIGHEST WATER LEVEL 31.21 FT (9.513 M) BELOW LSD, MAR. 12, 1970.
LOWEST WATER LEVEL 52.94 FT (16.136 M) BELOW LSD, JULY 13, 1973.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	32.62	JUNE 20, 1975	54.15A	OCT. 30, 1975	33.89
MAR. 8	32.79	JULY 24	35.84	DEC. 8	32.96
MAY 7	32.85	SEP. 20	35.75		

A WELL BEING PUMPED.

+258U7N1162115.1 05S 01E 20DDD1 BOB COLLETT OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN BANBURY FORMATION, DIAM 10 IN (25 CM), REPORTED DEPTH 666 FT (203.0 M), CASED TO 74 FT (22.6 M). LSD NOT AVAILABLE. MP NO. 1 HOLE IN EAST SIDE OF CASING, 1.50 FT (0.457 M) ABOVE LSD (SINCE MAY 13, 1971).

HIGHEST WATER LEVEL 15.70 FT (4.785 M) BELOW LSD, MAR. 17, 1974.
LOWEST WATER LEVEL 58.20 FT (17.739 M) BELOW LSD, SEP. 12, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	22.53	JULY 24, 1975	27.99	OCT. 30, 1975	37.88
MAR. 8	18.70	SEP. 20	37.00	DEC. 8	31.22
MAY 7	20.41				

430114N1161508.1 05S 02E 05BCD1 COX & LAWRENCE OWYHEE COUNTY

DRILLED UNUSED ARTESIAN WELL IN IDAHO GROUP, DIAM 10 IN (25 CM), REPORTED DEPTH 2,009 FT (612.3 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,530 FT (771 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 10-IN (25-CM) FLANGE COVER, AT LSD (SINCE MAY 23, 1967).

HIGHEST WATER LEVEL 51.60 FT (15.728 M) ABOVE LSD, MAY 23, 1967.
LOWEST WATER LEVEL 42.50 FT (12.954 M) ABOVE LSD, SEP. 12, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1975 +	48.13	SEP. 19, 1975 +	49.98		

425414N1160433.1 06S 03E 14BCB1 TRIANGLE DAIRY OWYHEE COUNTY

DRILLED UNUSED ARTESIAN WELL IN IDAHO GROUP, DIAM 4 IN (10 CM), REPORTED DEPTH 1,342 FT (409.0 M), CASED TO 373 FT (113.7 M). LSD ABOUT 2,643 FT (806 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED MAY 26, 1967. RECORDER REMOVED NOV. 16, 1971. MP NO. 4 TOP OF 4-IN (10-CM) CASING SOUTH SIDE, 0.10 FT (0.030 M) BELOW LSD (SINCE JULY 14, 1971).

HIGHEST WATER LEVEL 7.3 FT (2.225 M) ABOVE LSD, FEB. 18, 1955.
LOWEST WATER LEVEL 53.22 FT (16.221 M) BELOW LSD, SEP. 19, 1975.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1975	38.48	JUNE 20, 1975	36.04	OCT. 30, 1975	51.43
MAR. 8	34.15	JULY 24	43.97	DEC. 8	45.05
MAY 10	29.34C	SEP. 19	53.22		

C NEARBY WELL BEING PUMPED.

425425N1155638.1 06S 04E 14ABC1 GENE MORRISON OWYHEE COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN IDAVADA VOLCANICS, DIAM 15 IN (38 CM), REPORTED DEPTH 1,905 FT (580.6 M), CASED TO 1,600 FT (487.7 M). LSD ABOUT 2,065 FT (812 M) ABOVE MSL DATUM OF 1929. MP NO. 2 BOTTOM EDGE OF HOLE IN PUMPBASE SOUTH SIDE, 2.15 FT (0.655 M) BELOW LSD (SINCE APR. 16, 1969).

HIGHEST WATER LEVEL 6.09 FT (1.856 M) BELOW LSD, APR. 26, 1967.
LOWEST WATER LEVEL 86.35 FT (26.319 M) BELOW LSD, SEP. 13, 1971.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	33.31	SEP. 18, 1975	97.49A		

A WELL BEING PUMPED.

425323N1154843.1 06S 05E 24BCA1 G HUTCHINSON OWYHEE COUNTY

DRILLED DOMESTIC ARTESIAN WELL IN BANBURY FORMATION, DIAM 6 TO 4 IN (15 TO 10 CM), REPORTED DEPTH 1,095 FT (333.8 M), 6-IN (15-CM) CASING 0-23 FT (0-7.0 M), 4-IN (10-CM) CASING 23-76 FT (7.0-23.2 M). LSD ABOUT 2,525 FT (770 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CHROME VALVE, 1.00 FT (0.305 M) ABOVE LSD (SINCE OCT. 24, 1958).

HIGHEST WATER LEVEL 55.50 FT (16.916 M) ABOVE LSD, FEB. 21, 1963.
LOWEST WATER LEVEL 1.78 FT (0.543 M) ABOVE LSD, MAR. 15, 1975.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	+ 3.48	JUNE 19, 1975	+ 32.62	OCT. 24, 1975	+ 21.45
MAR. 15	+ 1.78	JULY 24	+ 33.32	DEC. 8	+ 30.97
MAY 10	+ 32.22	SEP. 17	+ 24.06		

425127N1155155.1 06S 05E 33DBB1 ALAN ERWIN OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM) REPORTED DEPTH 142 FT (43.3 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,540 FT (774 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1/4-IN (0.64-CM) HOLE IN CASING COUPLING COVER EAST SIDE, 0.95 FT (0.290 M) ABOVE LSD (SINCE FEB. 8, 1967).

HIGHEST WATER LEVEL 2.78 FT (0.847 M) BELOW LSD, FEB. 8, 1967.
LOWEST WATER LEVEL 21.19 FT (6.459 M) BELOW LSD, SEP. 10, 1974.
RECORDS AVAILABLE 1953, 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	12.00B	SEP. 17, 1975	26.53B		

B WELL PUMPED RECENTLY.

425525N1154227.1 06S 06E 11BAA1 KENNETH JOHNS OWYHEE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN MELON GRAVEL, DIAM 4 IN (10 CM), DEPTH 89.0 FT (27.1 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,505 FT (764 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) OUTER CASING EAST SIDE, 1.00 FT (0.305 M) BELOW LSD (SINCE FEB. 8, 1967).

HIGHEST WATER LEVEL 58.26 FT (17.758 M) BELOW LSD, NOV. 14, 1972.
LOWEST WATER LEVEL 63.17 FT (19.254 M) BELOW LSD, APR. 25, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1975	59.36B	SEP. 17, 1975	N		

B WELL PUMPED RECENTLY.
N NO MEASUREMENT.

424737N1155448.1 07S 05E 19CCC1 BELL BRAND INC OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 12 IN (30 CM), REPORTED DEPTH 760 FT (231.6 M), CASED TO 309 FT (94.2 M). LSD ABOUT 2,720 FT (829 M) ABOVE MSL DATUM OF 1929. MP NO. 2 HOLE IN SOUTHWEST SIDE OF CASING, 1.50 FT (0.457 M) ABOVE LSD (SINCE NOV. 21, 1966).

HIGHEST WATER LEVEL 10.28 FT (3.133 M) BELOW LSD, AUG. 12, 1953.
LOWEST WATER LEVEL 39.09 FT (11.915 M) BELOW LSD, JULY 24, 1975.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	32.63	JUNE 19, 1975	38.92A	OCT. 24, 1975	37.50
MAR. 8	31.75	JULY 24	39.09	DEC. 8	35.22
MAY 10	34.37	SEP. 17	43.17A		

A WELL BEING PUMPED.

425004N1154453.2 07S 06E 09BAD2 RAY COLYER OWYHEE COUNTY

DRILLED IRRIGATION AND DOMESTIC WELL IN BANBURY FORMATION, DIAM 8 IN (20 CM), REPORTED DEPTH 960 FT (292.6 M), CASED TO 80 FT (24.4 M). LSD ABOUT 2,578 FT (786 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 10-IN (25-CM) ELBOW, 1.50 FT (0.457 M) ABOVE LSD (SINCE JULY 28, 1953).

HIGHEST WATER LEVEL 59.3 FT (18.075 M) ABOVE LSD, FEB. 24, 1954.
LOWEST WATER LEVEL 9.00 FT (2.743 M) ABOVE LSD, SEP. 8, 1955.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1975 +	48.00	SEP. 17, 1975 +	25.78		

424119N1151056.1 08S 11E 33CBA1 US BUR LAND MGT OWYHEE COUNTY

DRILLED STOCK WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 290 FT (88.4 M), CASED TO 290 FT (88.4 M), PERFORATED 250-285 FT (76.2-86.9 M). LSD ABOUT 3,190 FT (972 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF CASING COVER, 1.30 FT (0.396 M) ABOVE LSD (SINCE FEB. 9, 1967).

HIGHEST WATER LEVEL 169.02 FT (51.517 M) BELOW LSD, MAR. 6, 1975.
LOWEST WATER LEVEL 171.69 FT (52.331 M) BELOW LSD, FEB. 9, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1975	169.02	SEP. 28, 1975	169.34		

423655N1150410.1 09S 12E 29ACD1 F E WHEELER OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 18 IN (46 CM), REPORTED DEPTH 530 FT (161.5 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,640 FT (1,110 M) ABOVE MSL DATUM OF 1929. MP NO. 2 BOTTOM EDGE OF SLOPING PIPE EAST SIDE OF PUMPBASE FLUSH WITH CONCRETE PLATFORM, 2.00 FT (0.610 M) ABOVE LSD (SINCE MAR. 24, 1968).

HIGHEST WATER LEVEL 194.60 FT (59.314 M) BELOW LSD, MAR. 24, 1968.
LOWEST WATER LEVEL 244.72 FT (74.591 M) BELOW LSD, OCT. 19, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	226.94	JULY 11, 1975	N	SEP. 28, 1975	N
MAR. 6	221.13	AUG. 18	N	NOV. 12	221.76
MAY 19	217.74				

N NO MEASUREMENT.

Area 6



FIGURE 14.--Index map of area 6, south-central Idaho.

432657N1141448.1 01N 18E 01DAA1 B WOOD R CANAL BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 84.8 FT (25.8 M), CASED TO 85 FT (26 M), PERFORATED 78-84 FT (23.8-25.6 M). LSD 5,136.59 FT (1,565.633 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED JULY 22, 1954. RECORDER REMOVED OCT. 4, 1955. RECORDER INSTALLED MAY 21, 1975, FOR PROJECT STUDY. MP NO. 1 TOP OF CASING WEST SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE JULY 22, 1954).

HIGHEST WATER LEVEL 31.51 FT (9.604 M) BELOW LSD, JUNE 19, 1965.
LOWEST WATER LEVEL 50.23 FT (15.310 M) BELOW LSD, MAR. 27, 1969.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	46.50	AUG. 10, 1975	37.92C	OCT. 5, 1975	39.73
MAY 21	39.62H	AUG. 15	38.00C	OCT. 10	39.58
MAY 25	38.14	AUG. 20	37.12C	OCT. 15	40.37
MAY 31	36.13	AUG. 25	38.35C	OCT. 20	41.13
JUNE 5	35.23	AUG. 31	37.74	OCT. 25	41.99
JUNE 10	33.68	SEP. 3	37.22	OCT. 31	42.67
JUNE 15	33.62	SEP. 5	37.25	NOV. 5	42.90
JUNE 20	33.51	SEP. 10	38.37	NOV. 10	42.08
JUNE 25	33.21	SEP. 15	39.17	NOV. 15	43.36
JUNE 26	33.05H	SEP. 19	39.87	NOV. 20	43.55
JULY 16	35.13	SEP. 20	39.84	DEC. 17	45.21H
JULY 20	35.75	SEP. 22	39.81H	DEC. 20	45.37
JULY 25	36.13	SEP. 25	39.79	DEC. 25	45.64
JULY 31	35.13	SEP. 29	39.87	DEC. 31	45.95
AUG. 5	36.56C				

C NEARBY WELL BEING PUMPED.
H TAPE MEASUREMENT (RECORDER).

432042N1141638.1 01S 18E 14AAB1 E HADLEY STUART BLAINE COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 120 FT (37 M), CASING DEPTH NOT AVAILABLE. LSD 4,903.22 FT (1,494.502 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CONCRETE ON SOUTH SIDE OF STILLING POOL, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 12, 1954).

HIGHEST WATER LEVEL 46.47 FT (14.164 M) ABOVE LSD, JUNE 27, 1956.
LOWEST WATER LEVEL 18.57 FT (5.660 M) ABOVE LSD, MAY 20, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	+ 30.26	JUNE 24, 1975	+ 37.63S	OCT. 30, 1975	+ 37.27
MAR. 26	+ 30.90S	JULY 21	+ 42.23S	NOV. 19	+ 35.49
APR. 28	+ 31.85	AUG. 26	+ 39.33S	DEC. 17	+ 32.65
MAY 23	+ 34.33	OCT. 2	+ 38.22		

S NEARBY WELL FLOWED RECENTLY.

432143N1141143.1 01S 19E 03CCB2 JACK ALLRED BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 51.1 FT (15.6 M), CASED TO 51 FT (15.5 M), PERFORATED 25-35 FT (7.6-10.7 M). LSD 4,933.70 FT (1,503.792 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. WATER LEVEL INFLUENCED BY NEARBY WELL BEING PUMPED. RECORDER INSTALLED JULY 29, 1954. MP NO. 2 TOP OF CASING EAST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE JUNE 9, 1964).

HIGHEST WATER LEVEL 2.55 FT (0.777 M) BELOW LSD, AUG. 12, 1965.
LOWEST WATER LEVEL 21.56 FT (6.571 M) BELOW LSD, MAY 4, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1975	14.81	APR. 30, 1975	15.13	AUG. 20, 1975	6.73
JAN. 5	15.05	MAY 1	15.08	AUG. 25	5.69
JAN. 10	15.30	MAY 5	15.25	AUG. 31	6.00
JAN. 15	15.56	MAY 10	15.46	SEP. 5	6.30
JAN. 20	15.78	MAY 15	15.56	SEP. 10	6.67
JAN. 24	15.92H	MAY 20	15.19	SEP. 15	6.86
JAN. 25	15.95	MAY 25	15.12	SEP. 20	6.99
JAN. 31	16.15	MAY 31	15.35	SEP. 20	7.00
FEB. 5	16.30	JUNE 5	12.16	SEP. 25	6.82
FEB. 10	16.42	JUNE 10	10.40	SEP. 30	7.10
FEB. 15	16.56	JUNE 15	9.15	OCT. 5	7.51
FEB. 20	16.68	JUNE 19	7.90	OCT. 15	7.88
FEB. 25	16.79	JUNE 19	8.03	OCT. 20	8.30
FEB. 28	16.86	JUNE 20	7.98	OCT. 25	8.59
MAR. 5	16.97	JUNE 25	6.58	NOV. 5	9.50
MAR. 10	17.06	JUNE 30	6.22	NOV. 10	9.86
MAR. 13	17.10H	JULY 4	4.36	NOV. 15	10.46
MAR. 15	17.11	JULY 10	4.52H	NOV. 18	10.82
MAR. 20	17.20	JULY 10	4.51	NOV. 20	11.00
MAR. 25	17.27	JULY 13	4.12	NOV. 25	11.52
MAR. 31	17.36	JULY 15	4.32	NOV. 30	11.97
APR. 5	17.45	JULY 20	4.82	DEC. 5	12.39
APR. 10	17.57	JULY 25	4.89	DEC. 10	12.71
APR. 13	17.62	JULY 31	5.71	DEC. 15	13.15
APR. 15	17.58	AUG. 5	5.52	DEC. 20	13.58
APR. 20	17.18	AUG. 10	4.99	DEC. 25	13.97
APR. 25	16.05	AUG. 15	6.22	DEC. 31	14.41

H TAPE MEASUREMENT (RECORDER).

431944N1141035.1 01S 19E 22AAA1 BLAINE COUNTY BLAINE COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 150 FT (46 M), CASED TO 116 FT (35 M), PERFORATED, INTERVAL NOT AVAILABLE. LSD 4,885.39 FT (1,489.067 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING CAP, 1.00 FT (0.305 M) ABOVE LSD (SINCE MAY 26, 1964).

HIGHEST WATER LEVEL 11.18 FT (3.408 M) ABOVE LSD, SEP. 22, 1975.
LOWEST WATER LEVEL 3.98 FT (1.213 M) ABOVE LSD, AUG. 25, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	+ 6.15	JUNE 19, 1975	+ 7.60	OCT. 1, 1975	+ 7.52
MAR. 13	+ 6.16	JULY 22	+ 4.88	OCT. 29	+ 5.79
MAR. 24	+ 5.97	AUG. 25	+ 6.88	NOV. 20	+ 7.35
APR. 28	+ 10.47	SEP. 22	+ 11.18	DEC. 18	+ 6.92
MAY 22	+ 6.83				

432046N1135125.1 01S 22E C9CCD1 HAZEL WILDE BLAINE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 98.1 FT (29.9 M), CASED TO 21 FT (6.4 M). LSD NOT AVAILABLE. MP NO. 2 TOP OF CASING, 1.50 FT (0.457 M) ABOVE LSD (SINCE FEB. 19, 1962).

HIGHEST WATER LEVEL 45.00 FT (13.716 M) BELOW LSD, MAY 25, 1965.
LOWEST WATER LEVEL 77.28 FT (23.555 M) BELOW LSD, JAN. 24, 1962.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1975	72.39	SEP. 23, 1975	55.58		

431803N1134330.1 01S 23E 26CCC1 US GEOL SURVEY BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), REPORTED DEPTH 1,030.7 FT (314.2 M), CASED TO 1,030.7 FT (314.2 M), PERFORATED 1,000.7-1,025.7 FT (305.0-312.6 M). LSD NOT AVAILABLE. MP NO. 1 TOP OF 2-IN (5-CM) PIPE COUPLING SOUTHWEST SIDE, 2.12 FT (0.646 M) ABOVE LSD (SINCE SEPT. 19, 1972).

HIGHEST WATER LEVEL 946.97 FT (288.636 M) BELOW LSD, FEB. 27, 1974.
LOWEST WATER LEVEL 949.19 FT (289.313 M) BELOW LSD, SEP. 20, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1975	948.48	MAY 17, 1975	947.67	SEP. 23, 1975	948.67
MAR. 14	948.09	JULY 9	947.81	NOV. 20	948.49

431642N1140130.2 02S 20E 01ACC2 WILLIAM C DAVIS BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 208.6 FT (63.6 M), CASED TO 208 FT (63 M), PERFORATED 185-194 FT (56.4-59.1 M), 197-206 FT (60.0-62.8 M). LSD 4,790.07 FT (1,460.013 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED AUG. 17, 1955. RECORDER REMOVED AUG. 20, 1971. MP NO. 1 TOP OF CASING NORTHEAST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE OCT. 18, 1954).

HIGHEST WATER LEVEL 125.04 FT (38.112 M) BELOW LSD, SEP. 25, 1965.
LOWEST WATER LEVEL 152.34 FT (46.433 M) BELOW LSD, APR. 25, 1961, APR. 26, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 22, 1975	150.35	JULY 23, 1975	141.85	OCT. 29, 1975	140.75
MAR. 13	151.98	AUG. 25	140.20	NOV. 20	143.32
APR. 29	140.89	SEP. 22	140.94	DEC. 18	147.45
MAY 22	144.14	OCT. 1	140.94		

430833N1131436.1 03S 27E 24DDA1 US GEOL SURVEY BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 900.7 FT (274.5 M), CASED TO 900.7 FT (274.5 M), PERFORATED 849-898 FT (258.8-273.7 M). LSD 4,982.10 FT (1,518.544 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 2-IN (5-CM) PIPE COUPLING, 2.35 FT (0.716 M) ABOVE LSD (SINCE JULY 9, 1971).

HIGHEST WATER LEVEL 846.83 FT (258.114 M) BELOW LSD, MAY 29, 1973.
LOWEST WATER LEVEL 848.92 FT (258.751 M) BELOW LSD, NOV. 22, 1971.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	847.75	SEP. 9, 1975	848.24	DEC. 22, 1975	848.51
JULY 24	847.87	OCT. 21	848.47		

424112N1132554.1 08S 26E 33BCB1 US BUREAU RECL BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), REPORTED DEPTH 242 FT (73.8 M), 8-IN (20-CM) CASING 0-146 FT (0-44.5 M), 6-IN (15-CM) CASING 142-242 FT (43.3-73.8 M), PERFORATED 212-242 FT (64.6-73.8 M). LSD 4,212.73 FT (1,284.040 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. ALL MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED SEPT. 25, 1951. RECORDER REMOVED BY US BUREAU CF RECLAMATION AUG. 9, 1972. MP NO. 1 TOP OF 8-IN (20-CM) CASING, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 25, 1951).

HIGHEST WATER LEVEL 97.07 FT (29.587 M) BELOW LSD, SEP. 10, 1952.
LOWEST WATER LEVEL 108.80 FT (33.162 M) BELOW LSD, MAR. 27, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1975	105.78	JUNE 17, 1975	105.29	OCT. 22, 1975	104.36
MAR. 12	106.18	JULY 23	105.15	DEC. 5	104.92
MAY 7	105.93	SEP. 10	104.52		

424112N1132554.2 08S 26E 33BCB2 US BUREAU RECL BLAINE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 18 IN (46 CM), REPORTED DEPTH 33.0 FT (10.1 M), CASED TO 1 FT (0.3 M), OPEN HOLE, CONCRETE SEAL. LSD 4,212.73 FT (1,284.040 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. MP NO. 1 TOP OF 8-IN (20-CM) CASING, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 25, 1951).

HIGHEST WATER LEVEL 20.95 FT (6.386 M) BELOW LSD, OCT. 9, 1952.
LOWEST WATER LEVEL 26.50 FT (8.077 M) BELOW LSD, MAR. 23, 1970.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1975	24.80	JUNE 17, 1975	21.26	OCT. 22, 1975	21.65
MAR. 12	24.14	JULY 23	21.57	DEC. 5	23.53
MAY 7	21.54	SEP. 10	21.48		

441052N1131710.1 10N 27E 19CAA1 ALAN J AMY BUTTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 127.5 FT (38.9 M), CASED TO 128 FT (39 M), PERFORATED 54-128 FT (16.4-39 M). LSD ABOUT 6,037 FT (1,840 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE INSIDE PUMPBASE SOUTHWEST SIDE, 1.30 FT (0.396 M) ABOVE LSD (SINCE SEPT. 24, 1963).

HIGHEST WATER LEVEL 35.48 FT (10.814 M) BELOW LSD, SEP. 20, 1965.
LOWEST WATER LEVEL 39.78 FT (12.125 M) BELOW LSD, APR. 24, 1964.
RECORDS AVAILABLE 1963-66, 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL		DATE	WATER LEVEL
MAR. 13, 1975	37.93	SEP. 8, 1975		A	OCT. 28, 1975	36.41

A WELL BEING PUMPED.

435522N1124442.1 07N 31E 22BDD1 US ERDA BUTTE COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 433.2 FT (132.04 M), CASED TO 436.2 FT (132.95 M), PERFORATED 353.8-431.2 FT (107.84-131.43 M), CONCRETE SEAL 321-327 FT (97.8-99.7 M), GRAVEL PACKED 327-434.8 FT (99.7-132.53 M), CONCRETE SEAL IN BOTTOM. LSD 4,935.01 FT (1,504.191 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 3 TOP OF 8-IN (20-CM) CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE APR. 30, 1957).

HIGHEST WATER LEVEL 349.37 FT (106.488 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 353.45 FT (107.732 M) BELOW LSD, OCT. 9, 1957.
RECORDS AVAILABLE 1956-57, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	349.37				

435416N1124604.1 07N 31E 28CAC1 US ERDA BUTTE COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 432.4 FT (131.80 M), CASED TO 432.9 FT (131.95 M), PERFORATED 321.9-371.9 FT (98.12-113.36 M), CONCRETE SEAL 262-300 FT (79.8-91.4 M), GRAVEL PACKED 300-429.8 FT (91.4-131.00 M), CONCRETE SEAL IN BOTTOM. LSD 4,896.09 FT (1,492.328 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 10-IN (25-CM) CASING, 1.53 FT (0.466 M) ABOVE LSD (SINCE MAR. 15, 1965).

HIGHEST WATER LEVEL 311.67 FT (94.997 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 315.67 FT (96.216 M) BELOW LSD, OCT. 27, 1958.
RECORDS AVAILABLE 1957-59, 1965-66, 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	311.67				

435308N1124541.1 07N 31E 33DCD1 US ERDA BUTTE COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 395.5 FT (120.55 M), CASED TO 394.9 FT (120.36 M), PERFORATED 296.2-316.4 FT (90.28-96.44 M), 332.1-389.9 FT (101.22-118.84 M), GRAVEL PACKED, CONCRETE SEAL ABOVE GRAVEL PACK, CONCRETE SEAL IN BOTTOM. LSD 4,872.51 FT (1,485.141 M) ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF 1 1/4-IN (3.2-CM) PIPE COUPLING, 2.64 FT (0.805 M) ABOVE LSD (SINCE JULY 16, 1968).

HIGHEST WATER LEVEL 288.65 FT (87.980 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 292.95 FT (89.291 M) BELOW LSD, OCT. 11, 1957.
RECORDS AVAILABLE 1956-59, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	288.65				

435340N1124449.1 07N 31E 34BDC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 320 FT (97.5 M), CASED TO 320 FT (97.5 M), PERFORATED 285-320 FT (87-97.5 M), CEMENTED BUTTOM. LSD 4,848.8 FT (1,477.91 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED OCT. 15, 1952. RECORDER REMOVED OCT. 13, 1954. RECORDER INSTALLED MAY 12, 1961. MP NO. 2 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 2.40 FT (0.732 M) ABOVE LSD (SINCE OCT. 15, 1952).

HIGHEST WATER LEVEL 263.62 FT (80.351 M) BELOW LSD, MAY 12, 1974.
LOWEST WATER LEVEL 268.75 FT (81.915 M) BELOW LSD, OCT. 1, 1965, SEP. 21, 1966, OCT. 25, 1966.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	265.60	MAY 10, 1975	264.56	SEP. 10, 1975	266.04
JAN. 10	265.42	MAY 15	264.35	SEP. 15	266.15
JAN. 15	265.60	MAY 20	264.22	SEP. 20	266.25
JAN. 20	265.44	MAY 25	264.40	SEP. 22	266.32
JAN. 25	265.32	MAY 31	264.30	SEP. 25	266.21
JAN. 31	265.30	JUNE 2	264.14	SEP. 30	266.29
FEB. 5	265.32	JUNE 5	264.27	OCT. 5	266.21
FEB. 10	264.97	JUNE 10	264.39	OCT. 10	266.13
FEB. 15	265.10	JUNE 15	264.26	OCT. 15	266.25
FEB. 20	264.89	JUNE 20	264.40	OCT. 20	266.20
FEB. 25	265.14	JUNE 25	264.52	OCT. 25	266.13
FEB. 28	265.09	JUNE 30	264.63	OCT. 31	266.17
MAR. 5	264.83	JULY 5	264.79	NOV. 5	266.12
MAR. 10	264.78	JULY 10	264.93	NOV. 10	265.80
MAR. 15	264.87	JULY 15	264.87	NOV. 15	266.01
MAR. 20	264.75	JULY 20	265.06	NOV. 20	266.03
MAR. 25	264.52	JULY 25	265.20	NOV. 25	266.03
MAR. 31	264.64	JULY 31	265.35	NOV. 30	265.88
APR. 5	264.62	AUG. 5	265.38	DEC. 5	265.85
APR. 10	264.73	AUG. 10	265.50	DEC. 10	265.68
APR. 15	264.57	AUG. 15	265.65	DEC. 15	265.75
APR. 20	264.70	AUG. 20	265.74	DEC. 20	265.80
APR. 25	264.37	AUG. 25	265.80	DEC. 25	265.73
APR. 30	264.54	AUG. 31	265.85	DEC. 31	265.41
MAY 5	264.35	SEP. 5	266.09		

435313N1132723.1 06N 25E 03AAA1 PHILLIP SAYER BUTTE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 91.7 FT (28.0 M), CASED TO 110 FT (33.5 M). LSD ABOUT 5,760 FT (1,756 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN (10-CM) CASING NORTHEAST SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE SEPT. 9, 1966).

HIGHEST WATER LEVEL 63.97 FT (19.498 M) BELOW LSD, SEP. 1, 1974.
LOWEST WATER LEVEL 76.31 FT (23.259 M) BELOW LSD, MAY 15, 1967.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	N	MAY 11, 1975	73.24	OCT. 2, 1975	67.04

N NO MEASUREMENT.

435045N1130317.1 06N 28E 13DDA1 D & W HANSEN BUTTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), REPORTED DEPTH 201 FT (61.3 M), CASED TO 201 FT (61.3 M), PERFORATED 100-201 FT (61.3-30.5 M). LSD ABOUT 4,945 FT (1,507 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 5/8-IN (1.6-CM) HOLE INSIDE PUMPBASE NORTHEAST SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE MAY 5, 1965).

HIGHEST WATER LEVEL 95.08 FT (28.980 M) BELOW LSD, APR. 11, 1973.
LOWEST WATER LEVEL 111.08 FT (33.857 M) BELOW LSD, SEP. 20, 1967.
RECORDS AVAILABLE 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1975	M	APR. 29, 1975	98.20	SEP. 8, 1975	103.86

M OBSTRUCTION IN WELL ABOVE WATER SURFACE.

435032N1125940.1 06N 29E 16DDD1 SWT SAGE DEV CO BUTTE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 99.8 FT (30.4 M), CASED TO 101 FT (30.8 M), PERFORATED 94-99 FT (28.6-30.2 M), OPEN BOTTOM. LSD ABOUT 4,865 FT (1,483 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING EAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE NOV. 19, 1963).

HIGHEST WATER LEVEL 54.33 FT (16.560 M) BELOW LSD, MAY 10, 1973.
LOWEST WATER LEVEL 81.76 FT (24.920 M) BELOW LSD, AUG. 15, 1968.
RECORDS AVAILABLE 1959-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	58.94	JUNE 9, 1975	58.02	OCT. 28, 1975	65.37
MAR. 13	58.14	JULY 23	61.77	DEC. 8	60.29
APR. 29	57.58	SEP. 8	68.45		

434934N1125507.1 06N 30E 30ABA1 W T WILLIAMS BUTTE COUNTY

DUG UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 30 IN (76 CM), DEPTH 85.5 FT (26.1 M), CRIBBED WITH CONCRETE, CASING DEPTH NOT AVAILABLE. LSD 4,800.37 FT (1,463.153 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY UNADJ.). MAY 26, 1961, WELL HAD FILLED IN TO A DEPTH OF 78.7 FT (24.0 M). RECORDER INSTALLED MAY 26, 1961. RECORDER REMOVED AUG. 19, 1971. MP NO. 2 TOP NORTHEAST EDGE OF HOLE IN WOODEN PLATFORM, 0.80 FT (0.244 M) ABOVE LSD (SINCE MAY 26, 1961).

HIGHEST WATER LEVEL 45.58 FT (13.893 M) BELOW LSD, OCT. 29, 1959.
LOWEST WATER LEVEL 68.69 FT (20.937 M) BELOW LSD, AUG. 26, 1949.
RECORDS AVAILABLE 1949, 1952-53, 1956, 1959, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	49.58	JUNE 9, 1975	51.35	OCT. 28, 1975	47.04
MAR. 13	50.02	JULY 23	49.30	DEC. 8	46.08
APR. 29	50.79	SEP. 8	47.30		

435152N1124431.1 06N 31E 10ACC1 US ERDA BUTTE COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 305.2 FT (93.02 M), CASED TO 305.2 FT (93.02 M), PERFORATED 210.6-255.6 FT (64.19-77.91 M), 265.6-295.8 FT (80.95-90.16 M), GRAVEL PACKED 190-305.2 FT (57.9-93.02 M), CONCRETE SEAL 184-190 FT (56.1-57.9 M), CONCRETE SEAL IN BOTTOM. LSD 4,794.63 FT (1,461.403 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY UNADJ.). MP NO. 2 TOP OF 1-IN (2.5-CM) PIPE, 2.69 FT (0.820 M) ABOVE LSD (SINCE MAY 27, 1965).

HIGHEST WATER LEVEL 210.45 FT (64.145 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 214.64 FT (65.422 M) BELOW LSD, OCT. 27, 1958.
RECORDS AVAILABLE 1956-59, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	210.45				

435053N1124208.1 06N 31E 13DBB1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 326 FT (99.4 M), CASED TO 326 FT (99.4 M), PERFORATED 255-265 FT (77.7-80.8 M), 270-275 FT (82.3-83.8 M), 285-325 FT (86.9-99.1 M), CONCRETE SEAL IN BOTTOM. LSD 4,796.02 FT (1,461.827 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED AUG. 27, 1954. RECORDER REMOVED JULY 1, 1960. MP NO. 1 TOP OF 8-IN (20-CM) COLLAR, 1.89 FT (0.576 M) ABOVE LSD (SINCE AUG. 27, 1954).

HIGHEST WATER LEVEL 211.80 FT (64.557 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 216.41 FT (65.962 M) BELOW LSD, MAY 25, 1953.
RECORDS AVAILABLE 1952-60, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	211.80				

434941N1124542.1 06N 31E 21DCC1 US ERDA BUTTE COUNTY

DRILLED INDUSTRIAL DISPOSAL WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 320.2 FT (97.60 M), CASED TO 320.2 FT (97.60 M), PERFORATED 189.8-315.8 FT (57.85-96.26 M), GRAVEL PACKED, CONCRETE SEAL IN BOTTOM. LSD 4,787.24 FT (1,459.151 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 2 TOP OF 10-IN (25-CM) CASING, 1.65 FT (0.503 M) ABOVE LSD (SINCE MAR. 16, 1965).

HIGHEST WATER LEVEL 204.20 FT (62.240 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 208.00 FT (63.398 M) BELOW LSD, JAN. 20, 1958.
RECORDS AVAILABLE 1957-60, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	204.20				

434926N1124442.1 06N 31E 27BAD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 775.0 FT (236.22 M), CASED TO 760 FT (232 M), PERFORATED 241-261 FT (73.4-79.6 M). LSD 4,790.17 FT (1,460.044 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). AUG. 1952 WELL WAS DEEPENED TO A DEPTH OF 1,200 FT (366 M), LATER CAVED TO 902 FT (274.9 M). RECORDER INSTALLED MAY 13, 1950. RECORDER REMOVED MAY 2, 1956. MP NO. 3 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 1.45 FT (0.442 M) ABOVE LSD (SINCE AUG. 26, 1952).

HIGHEST WATER LEVEL 207.29 FT (63.182 M) BELOW LSD, APR. 24, 1974.
LOWEST WATER LEVEL 215.93 FT (65.815 M) BELOW LSD, APR. 4, 1950.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	208.29	JULY 15, 1975	207.97	OCT. 21, 1975	209.03
APR. 22	207.76	AUG. 22	208.83	DEC. 19	208.85
MAY 22	207.57				

434442N1131951.1 05N 26E 23CDB1 HERMAN COBURN BUTTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 20 TO 16 IN (6.1 TO 4.9 CM), DEPTH 197.6 FT (60.2 M), CASING DEPTH NOT AVAILABLE, PERFORATED IN GRAVEL. LSD 5,488.02 FT (1,672.75 M) ABOVE MSL DATUM OF 1929, (PRELIMINARY). MP NO. 2 TOP OF CASING, 0.45 FT (0.137 M) BELOW LSD (SINCE OCT. 7, 1959).

HIGHEST WATER LEVEL 14.13 FT (4.307 M) BELOW LSD, SEP. 24, 1971.
LOWEST WATER LEVEL 50.87 FT (15.505 M) BELOW LSD, MAR. 17, 1962.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	23.45	OCT. 2, 1975	17.63		

434745N1125715.1 05N 29E 01BBB1 RUBY FARM CO BUTTE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 154 FT (47 M), CASING INFORMATION NOT AVAILABLE. LSD ABOUT 4,808 FT (1,465 M) ABOVE MSL DATUM OF 1929. APR. 4, 1966, WELL HAD FILLED IN TO A DEPTH OF 148.8 FT (45.4 M). MP NO. 2 TOP OF CASING WEST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE APR. 4, 1966).

HIGHEST WATER LEVEL 115.38 FT (35.168 M) BELOW LSD, NOV. 12, 1971.
LOWEST WATER LEVEL 124.53 FT (37.957 M) BELOW LSD, JUNE 18, 1967.
RECORDS AVAILABLE 1959, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	120.44	JUNE 9, 1975	121.78	OCT. 28, 1975	118.16
MAR. 13	119.95	JULY 23	121.95	DEC. 8	118.64
APR. 29	120.75	SEP. 8	119.07		

434430N1125759.1 05N 29E 23CDA1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 399.2 FT (121.7 M), CASED TO 399 FT (121.6 M), PERFORATED 285-306 FT (86.9-93.3 M), CEMENTED BOTTOM. LSD 4,800.30 FT (1,463.131 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED OCT. 15, 1952. RECORDER REMOVED NOV. 2, 1970. RECORDER INSTALLED SEPT. 11, 1975. MP NO. 1 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 1.83 FT (0.558 M) ABOVE LSD (SINCE SEPT. 24, 1951).

HIGHEST WATER LEVEL 256.55 FT (78.196 M) BELOW LSD, MAY 16, 1969.
LOWEST WATER LEVEL 277.59 FT (84.609 M) BELOW LSD, APR. 6, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	269.88	OCT. 15, 1975	269.20	NOV. 25, 1975	269.15
APR. 11	269.17	OCT. 20	269.26	NOV. 29	268.65
MAY 22	264.93	OCT. 25	269.20	DEC. 5	267.69
JULY 18	272.21	OCT. 31	269.19	DEC. 10	267.05
AUG. 22	271.31	NOV. 5	269.19	DEC. 17	266.01H
SEP. 11	270.11H	NOV. 10	269.04	DEC. 20	265.70
SEP. 14	270.04	NOV. 15	269.10	DEC. 25	265.55
OCT. 5	269.48	NOV. 20	269.14	DEC. 31	265.56
OCT. 10	269.28				

H TAPE MEASUREMENT (RECORDER).

434538N1124429.1 05N 31E 14BCC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 4 IN (15 TO 10 CM), DEPTH 329.0 FT (100.3 M), 6-IN (15-CM) CASING 0-255 FT (0-77.7 M), 4-IN (10-CM) CASING 251-329 FT (76.5-100.3 M), PERFORATED 298-322 FT (90.8-98.1 M), OAKUM SEAL 251-255 FT (76.5-77.7 M). LSD ABOUT 4,806 FT (1,465 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED OCT. 16, 1952. RECORDER REMOVED OCT. 20, 1953. MP NO. 2 TOP OF THREADED 6-IN (15-CM) CASING SOUTHWEST SIDE, 1.55 FT (0.472 M) ABOVE LSD (SINCE SEPT. 22, 1951).

HIGHEST WATER LEVEL 259.90 FT (79.217 M) BELOW LSD, FEB. 14, 1972.
LOWEST WATER LEVEL 268.65 FT (81.884 M) BELOW LSD, SEP. 13, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	264.06	JULY 18, 1975	263.53	NOV. 24, 1975	261.85
APR. 22	262.79	AUG. 25	262.58	DEC. 19	261.36
MAY 22	262.91	OCT. 21	261.93		

434334N1124631.1 05N 31E 28CCC1 US GEOL SURVEY BUTTE COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12-10-8 IN (30-25-20 CM), DEPTH 716.7 FT (218.4 M), 12-IN (30-CM) CASING 0-342 FT (0-104 M), 10-IN (25-CM) CASING 320-377 FT (97.5-115 M), 8-IN (20-CM) CASING 313-535 FT (95-163 M), OPEN HOLE. LSD 4,795.03 FT (1,461.525 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JAN. 13, 1965. RECORDER REMOVED SEPT. 11, 1975. MP NO. 1 TOP OF 12-IN (30-CM) CASING, 2.00 FT (0.610 M) ABOVE LSD (SINCE OCT. 4, 1956).

HIGHEST WATER LEVEL 256.57 FT (78.202 M) BELOW LSD, FEB. 1, 1972.
LOWEST WATER LEVEL 267.08 FT (81.406 M) BELOW LSD, JUNE 25, 1964.
RECORDS AVAILABLE 1956-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	261.84	APR. 10, 1975	261.18	JULY 15, 1975	262.16
JAN. 10	261.48	APR. 15	260.92	JULY 20	262.26
JAN. 15	261.84	APR. 20	261.23	JULY 25	262.10
JAN. 20	261.53	APR. 25	260.65	JULY 31	261.86
JAN. 25	261.37	APR. 30	261.12	AUG. 5	261.45
JAN. 31	261.41	MAY 5	260.83	AUG. 10	261.22
FEB. 5	261.49	MAY 10	261.35	AUG. 15	261.12
FEB. 10	260.88	MAY 15	260.96	AUG. 20	260.94
FEB. 15	261.28	MAY 20	260.80	AUG. 25	260.63
FEB. 20	260.85	MAY 25	261.32	AUG. 31	260.38
FEB. 25	261.39	MAY 31	261.20	SEP. 1	260.17
FEB. 28	261.29	JUNE 5	261.48	SEP. 5	260.67
MAR. 5	260.89	JUNE 10	261.82	SEP. 10	260.40
MAR. 10	260.84	JUNE 15	261.66	SEP. 11	260.50H
MAR. 15	261.12	JUNE 20	261.98	OCT. 1	260.70
MAR. 20	260.93	JUNE 25	262.07	OCT. 21	260.09
MAR. 25	260.60	JUNE 30	262.25	DEC. 3	259.16
MAR. 31	260.79	JULY 5	262.55	DEC. 19	258.91
APR. 5	260.85	JULY 10	262.58		

H TAPE MEASUREMENT (RECORDER).

434004N1132201.1 04N 26E 21ABB1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 TO 4 IN (15 TO 10 CM), REPORTED DEPTH 760 FT (231.6 M), 6-IN (15-CM) CASING 0-650 FT (0-198.1 M), 4-IN (10-CM) CASING 633-760 FT (193-232 M), PERFORATED 656-661 FT (200-201.5 M), 685-690 FT (208.8-210.3 M), JOHNSON NEOPRENE PACKER SET AT 633.50 FT (193.09 M). LSD NOT AVAILABLE. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE NIPPLE WELDED IN 8-IN (20-CM) CASING COVER, 2.50 FT (0.762 M) ABOVE LSD (SINCE SEPT. 8, 1969).

HIGHEST WATER LEVEL 582.28L FT (177.479 M) BELOW LSD, APR. 21, 1972.
LOWEST WATER LEVEL 590.71 FT (180.048 M) BELOW LSD, MAR. 2, 1975.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	590.71	OCT. 2, 1975	584.15		

L ELECTRIC TAPE, M-SCOPE.

433825N1131923.1 04N 26E 26DCD1 INLAND BRICK CO BUTTE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 8 IN (20 CM), DEPTH 143.0 FT (43.6 M), CASED TO 143 FT (43.6 M). LSD 5,332.25 FT (1,625.270 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MAY 22, 1974, WELL HAD FILLED IN TO A DEPTH OF 136.5 FT (41.60 M). MP NO. 1 TOP OF CASING, 1.10 FT (0.335 M) ABOVE LSD (SINCE AUG. 24, 1949).

HIGHEST WATER LEVEL 36.90 FT (11.247 M) BELOW LSD, SEP. 19, 1969.
LOWEST WATER LEVEL 48.62 FT (14.819 M) BELOW LSD, MAR. 17, 1962.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	N	MAY 12, 1975	38.95	OCT. 2, 1975	38.08

N NO MEASUREMENT.

433750N1132345.1 04N 26E 32CBB1 US BUREAU RECL BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 253.0 FT (77.1 M), CASED TO 207 FT (63 M). LSD 5,371.22 FT (1,637.148 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 30, 1965. RECORDER REMOVED SEPT. 27, 1971. MP NO. 1 TOP OF CASING NORTH SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE SEPT. 23, 1958).

HIGHEST WATER LEVEL 195.12 FT (59.473 M) BELOW LSD, OCT. 2, 1969.
LOWEST WATER LEVEL 208.72 FT (63.618 M) BELOW LSD, APR. 17, 1962.
RECORDS AVAILABLE 1958, 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1975	N	MAY 12, 1975	200.14	OCT. 2, 1975	197.60

N NO MEASUREMENT.

434056N1130001.1 04N 29E C9DCD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 463 FT (141 M), 6-IN (15-CM) CASING 0-440 FT (0-134 M), 5-IN (13-CM) CASING 430-463 FT (131-141 M), PERFORATED 410-430 FT (125-131 M), OPEN BOTTOM. LSD 4,884.25 FT (1,488.719 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED OCT. 16, 1952. RECORDER REMOVED NOV. 16, 1954. MP NO. 3 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 1.17 FT (0.357 M) ABOVE LSD (SINCE JUNE 9, 1952).

HIGHEST WATER LEVEL 382.76 FT (116.665 M) BELOW LSD, FEB. 10, 1972.
LOWEST WATER LEVEL 401.06 FT (122.243 M) BELOW LSD, OCT. 1, 1964.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1975	389.63	JULY 18, 1975	389.77	OCT. 20, 1975	389.94
APR. 21	389.90	AUG. 22	390.02	DEC. 17	389.75
MAY 22	389.52				

434128N1125512.1 04N 30E 07AUB1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 TO 10 IN (30 TO 25 CM), DEPTH 692 FT (210.9 M), 12-IN (30-CM) CASING 0-388 FT (0-118 M), 10-IN (25-CM) CASING 335-587 FT (102-179 M), CONCRETE SEAL 385-387 FT (117.34-117.95 M). LSD 4,820.50 FT (1,469.288 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). WELL CAVED TO A DEPTH OF 563 FT (171.6 M). RECORDER INSTALLED MAR. 17, 1951. RECORDER REMOVED JULY 23, 1956. RECORDER INSTALLED JULY 10, 1969. MP NO. 6 TOP OF 12-IN (30-CM) CASING NORTHEAST SIDE, 1.78 FT (0.542 M) ABOVE LSD (SINCE JUNE 5, 1952).

HIGHEST WATER LEVEL 308.24 FT (93.952 M) BELOW LSD, JAN. 11, 1972.
LOWEST WATER LEVEL 330.27 FT (100.666 M) BELOW LSD, JULY 24, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	317.74	APR. 15, 1975	318.23	JULY 20, 1975	318.07
JAN. 10	317.60	APR. 20	318.34	JULY 25	318.16
JAN. 15	317.74	APR. 25	318.07	JULY 31	318.26
JAN. 20	317.60	APR. 30	318.10	AUG. 5	318.23
JAN. 25	317.60	MAY 5	317.86	AUG. 8	318.32
JAN. 28	317.56	MAY 9	317.88	AUG. 25	318.30H
FEB. 20	317.73	MAY 25	317.46	AUG. 29	318.32
FEB. 25	317.95	MAY 31	317.34	SEP. 10	318.23
FEB. 28	317.99	JUNE 5	317.34	SEP. 14	318.23
MAR. 5	317.92	JUNE 10	317.43	OCT. 21	317.78H
MAR. 10	317.95	JUNE 15	317.34	OCT. 23	317.84
MAR. 15	318.12	JUNE 20	317.50	NOV. 25	317.77
MAR. 20	318.12	JUNE 25	317.61	NOV. 28	317.36
MAR. 25	317.96	JUNE 30	317.68	DEC. 22	317.39H
MAR. 31	318.17	JULY 5	317.82	DEC. 25	317.42
APR. 5	318.22	JULY 10	317.93	DEC. 30	317.03
APR. 10	318.33	JULY 18	317.99H	DEC. 31	317.14
APR. 11	318.35				

H TAPE MEASUREMENT (RECORDER).

433938N1125200.1 04N 30E 22BDD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 498.0 FT (151.8 M), 6-IN (15-CM) CASING 0-406 FT (0-123.7 M), 5-IN (13-CM) CASING 365-496 FT (111-151 M), PERFORATED 438-445 FT (133.5-135.6 M), OPEN BOTTOM. LSD 4,834.73 FT (1,473.626 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JUNE 6, 1952. RECORDER REMOVED SEPT. 30, 1954. MP NO. 4 TOP OF 6 1/4-IN (16-CM) CASING WITH FLANGE NORTHEAST SIDE, 2.31 FT (0.704 M) ABOVE LSD (SINCE JUNE 5, 1952).

HIGHEST WATER LEVEL 342.25 FT (104.318 M) BELOW LSD, APR. 24, 1972.
LOWEST WATER LEVEL 355.23 FT (108.274 M) BELOW LSD, SEP. 13, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	345.69	JULY 18, 1975	346.04	OCT. 21, 1975	345.72
APR. 22	345.91	AUG. 25	346.05	DEC. 22	346.38
MAY 23	345.92				

434031N1124527.1 04N 31E 16ADD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 475.0 FT (144.8 M), 6-IN (15-CM) CASING 0-404 FT (0-123 M), 5-IN (13-CM) CASING 395-487 FT (120-148 M), PERFORATED 452-487 FT (138-148 M). LSD 4,899.89 FT (1,493.486 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). SEPT. 12, 1952, WELL WAS DEEPENED AND RECASED, DEPTH 620.0 FT (189.0 M), 4-IN (10-CM) CASING 0-532 FT (0-162 M), OPEN HOLE. RECORDER INSTALLED MAR. 17, 1953. RECORDER REMOVED APR. 7, 1953. MP NO. 2 CHISELED X IN TOP OF 4-IN (10-CM) CASING NORTHEAST SIDE, 1.84 FT (0.561 M) ABOVE LSD (SINCE SEPT. 18, 1952).

HIGHEST WATER LEVEL 406.61 FT (123.935 M) BELOW LSD, FEB. 27, 1973.
LOWEST WATER LEVEL 414.24 FT (126.260 M) BELOW LSD, MAY 11, 1950.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	407.32	JULY 18, 1975	408.40	OCT. 21, 1975	408.86
APR. 22	407.46	AUG. 21	409.07	DEC. 22	408.46
MAY 23	407.74				

433445N1132034.1 03N 26E 22ABA1 LOWE AND WEAVER BUTTE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 1,025 FT (312.4 M), CASED TO 969.5 FT (295.5 M). LSD 5,311.63 FT (1,618.985 M) ABOVE MSL DATUM OF 1929. ORIGINAL DEPTH 1,075 FT (327.7 M). MP NO. 1 TOP OF 2-IN (5.1-CM) PIPE COUPLING SOUTH SIDE, 0.65 FT (0.198 M) ABOVE LSD (SINCE SEPT. 17, 1970).

HIGHEST WATER LEVEL 790.10 FT (240.822 M) BELOW LSD, APR. 21, 1972.
LOWEST WATER LEVEL 793.32 FT (241.804 M) BELOW LSD, SEP. 17, 1974.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	791.55	SEP. 9, 1975	792.00		

433523N1125732.1 03N 29E 14ADB1 US ERDA BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 588.0 FT (179.2 M), CASED TO 590 FT (179.8 M), PERFORATED 447-588 FT (136.2-179.2 M). LSD 4,917.64 FT (1,498.897 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JAN. 7, 1950. RECORDER REMOVED JULY 7, 1960. RECORDER INSTALLED JULY 11, 1963. MP NO. 2 TOP OF CASING AT PAINTED SPOT NORTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE DEC. 18, 1949).

HIGHEST WATER LEVEL 447.52 FT (136.404 M) BELOW LSD, MAR. 1, 1953.
LOWEST WATER LEVEL 458.28 FT (139.684 M) BELOW LSD, SEP. 23, 1964.
RECORDS AVAILABLE 1949-60, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	451.44	MAY 5, 1975	451.40	SEP. 10, 1975	451.68
JAN. 8	451.00	MAY 10	451.68	SEP. 15	451.76
JAN. 10	451.25	MAY 15	451.48	SEP. 20	451.83
JAN. 15	451.53	MAY 20	451.34	SEP. 25	451.83
JAN. 20	451.40	MAY 25	451.64	SEP. 30	451.85
JAN. 25	451.35	MAY 31	451.50	OCT. 5	451.73
JAN. 31	451.52	JUNE 5	451.50	OCT. 10	451.60
FEB. 5	451.64	JUNE 10	451.63	OCT. 15	451.90
FEB. 10	451.48	JUNE 15	451.41	OCT. 19	452.21
FEB. 15	451.45	JUNE 20	451.45	OCT. 20	452.03
FEB. 20	451.18	JUNE 25	451.67	OCT. 25	451.65
FEB. 25	451.97	JUNE 30	451.96	OCT. 31	451.68
FEB. 28	452.04	JULY 5	451.87	NOV. 5	451.62
MAR. 5	451.49	JULY 10	451.77	NOV. 10	451.29
MAR. 10	451.32	JULY 15	451.54	NOV. 15	451.55
MAR. 15	451.45	JULY 20	451.66	NOV. 20	451.63
MAR. 20	451.37	JULY 25	451.70	NOV. 25	451.70
MAR. 25	451.09	JULY 31	451.72	NOV. 30	451.55
MAR. 31	451.35	AUG. 5	451.60	DEC. 5	451.60
APR. 5	451.40	AUG. 10	451.63	DEC. 10	451.45
APR. 10	451.57	AUG. 15	451.70	DEC. 15	451.57
APR. 15	451.42	AUG. 20	451.70	DEC. 20	451.70
APR. 20	451.67	AUG. 25	451.67	DEC. 25	451.70
APR. 25	451.32	AUG. 31	451.60	DEC. 31	451.40
APR. 30	451.60	SEP. 5	451.84		

433423N1130319.1 03N 29E 19CBB1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 657 FT (200 M), CASED TO 657 FT (200 M), PERFORATED 619-633 FT (188.7-192.9 M), 644-657 FT (196.3-200.2 M). LSD 5,049.20 FT (1,538.996 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED AUG. 18, 1955. RECORDER REMOVED MAR. 13, 1956. RECORDER INSTALLED JAN. 31, 1961. RECORDER REMOVED JAN. 2, 1962. MP NO. 2 TOP OF 6-IN (15-CM) CASING NORTHEAST SIDE, 1.69 FT (0.515 M) ABOVE LSD (SINCE JUNE 21, 1952).

HIGHEST WATER LEVEL 510.64 FT (155.643 M) BELOW LSD, MAR. 22, 1965.
LOWEST WATER LEVEL 609.14 FT (185.666 M) BELOW LSD, DEC. 31, 1961.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1975	604.25	JULY 22, 1975	604.09	OCT. 20, 1975	603.98
APR. 14	603.44	AUG. 29	604.10	DEC. 17	604.52
MAY 29	603.95				

433407N1125615.1 03N 29E 24DD 5 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 650.9 FT (198.4 M), CASED TO 461 FT (140.5 M), CONCRETE SEAL, OPEN HOLE. LSD 4,917.33 FT (1,498.802 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 2 TOP OF 6-IN (15-CM) CASING, 1.63 FT (0.497 M) ABOVE LSD (SINCE JAN. 19, 1965).

HIGHEST WATER LEVEL 448.50 FT (136.703 M) BELOW LSD, APR. 13, 1959.
LOWEST WATER LEVEL 457.64 FT (139.489 M) BELOW LSD, NOV. 30, 1964.
RECORDS AVAILABLE 1958-60, 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 5, 1975	451.72	JULY 28, 1975	451.77	DEC. 1, 1975	451.80
APR. 16	451.69	AUG. 29	451.78	DEC. 23	451.92
MAY 31	451.70	OCT. 29	451.99		

433326N1125648.1 03N 29E 25CAA1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 571.5 FT (174.2 M), CASED TO 507 FT (154.5 M). LSD 4,929.63 FT (1,502.551 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 2 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 1.85 FT (0.564 M) ABOVE LSD (SINCE APR. 4, 1956).

HIGHEST WATER LEVEL 462.93 FT (141.101 M) BELOW LSD, APR. 13, 1959.
LOWEST WATER LEVEL 469.57 FT (143.125 M) BELOW LSD, JULY 1, 1967.
RECORDS AVAILABLE 1956-60, 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	465.18	JULY 23, 1975	465.48	OCT. 30, 1975	465.30
APR. 15	465.33	AUG. 29	465.42	DEC. 23	465.53
MAY 31	465.35				

433356N1125742.1 03N 29E 26AC 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATIUN WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 505 FT (154 M), CASED TO 324 FT (99 M). LSD 4,938.80 FT (1,505.346 M) ABOVE MSL DATUM OF 1929. OCT. 29, 1965, A LYNES INFLATABLE PACKER WAS INSTALLED AT ABOUT 365 FT (111 M). MP NO. 2 TOP OF 4-IN (10-CM) COLLAR, 1.92 FT (0.585 M) ABOVE LSD (SINCE NOV. 3, 1965).

HIGHEST WATER LEVEL 472.56 FT (144.036 M) BELOW LSD, DEC. 21, 1972.
LOWEST WATER LEVEL 480.26 FT (146.383 M) BELOW LSD, APR. 8, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	474.25	AUG. 4, 1975	474.60	OCT. 31, 1975	474.65
APR. 26	474.47	AUG. 29	474.49	DEC. 23	474.60
MAY 31	474.40				

433246N1125712.1 03N 29E 36CB 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 637 FT (194 M), CASED TO 522 FT (159 M). LSD 4,940.15 FT (1,505.757 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING, 2.30 FT (0.701 M) ABOVE LSD (SINCE OCT. 25, 1962).

HIGHEST WATER LEVEL 474.20 FT (144.536 M) BELOW LSD, DEC. 21, 1972.
LOWEST WATER LEVEL 482.06 FT (146.932 M) BELOW LSD, SEP. 23, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	475.87	JULY 23, 1975	476.23	OCT. 27, 1975	476.26
APR. 15	476.07	AUG. 29	476.15	DEC. 23	476.24
MAY 31	475.95				

433542N1124941.1 03N 30E 12CDD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 500 FT (152.4 M), CASED TO 500 FT (152.4 M), PERFORATED 475-497 FT (144.7-151.5 M). LSD 4,938.73 FT (1,505.325 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). APR. 29, 1969, SURFACE WATER ENTERED WELL AT LSD AND PLUGGED WELL TO AQUIFER. JAN. 22, 1973, WELL HAD FILLED IN TO A DEPTH OF 452.8 FT (138.0 M). JULY 31, 1975, WELL WAS CLEANED AND SURGED TO A DEPTH OF 500 FT. DEC. 1, 1975, WELL HAD FILLED IN TO A DEPTH OF 494 FT. RECORDER INSTALLED OCT. 24, 1951. RECORDER REMOVED NOV. 29, 1951. MP NO. 3 TOP OF CASING, 1.37 FT (0.418 M) ABOVE LSD (SINCE OCT. 1, 1951).

HIGHEST WATER LEVEL 461.18 FT (140.568 M) BELOW LSD, AUG. 21, 1975.
LOWEST WATER LEVEL 467.22 FT (142.409 M) BELOW LSD, SEP. 13, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 21, 1975	461.18	DEC. 1, 1975	461.35	DEC. 22, 1975	461.41
OCT. 13	461.27				

433401N1125510.1 03N 30E 19DDC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 700 FT (213.4 M), CASED TO 593 FT (180.7 M), 8-IN (20-CM) CASING 0-460 FT (0-140.2 M), 6-IN (15-CM) CASING 445-593 FT (135.6-180.7 M), PERFORATED 470-570 FT (143.2-173.7 M), OPEN BOTTOM. LSD 4,908.23 FT (1,496.028 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 8-IN (20-CM) CASING, 1.52 FT (0.463 M) ABOVE LSD (SINCE OCT. 22, 1962).

HIGHEST WATER LEVEL 440.37 FT (134.225 M) BELOW LSD, DEC. 21, 1972.
LOWEST WATER LEVEL 448.83 FT (136.803 M) BELOW LSD, SEP. 16, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	442.31	JULY 22, 1975	442.54	OCT. 13, 1975	442.56
APR. 15	442.40	AUG. 21	442.63	DEC. 22	442.57
MAY 31	442.41				

433253N1125503.1 03N 30E 31AAD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 676 FT (206.0 M), 8-IN (20-CM) CASING 0-406 FT (0-123.8 M), 6-IN (15-CM) CASING 399-676 FT (121.6-206.0 M), PERFORATED 471-481 FT (143.6-146.6 M) , 512-553 FT (156.0-168.6 M). LSD 4,915.85 FT (1,498.351 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED OCT. 14, 1952. RECORDER REMOVED AUG. 4, 1955. RECORDER INSTALLED JUNE 30, 1960. RECORDER REMOVED OCT. 10, 1961. MP NO. 2 TOP OF 8-IN (20-CM) CASING, NORTHEAST SIDE, 1.73 FT (0.527 M) ABOVE LSD (SINCE DEC. 27, 1951).

HIGHEST WATER LEVEL 453.14 FT (138.117 M) BELOW LSD, APR. 27, 1953.
LOWEST WATER LEVEL 460.32 FT (140.305 M) BELOW LSD, SEP. 16, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	455.13	JULY 22, 1975	455.52	OCT. 13, 1975	455.57
APR. 15	455.22	AUG. 21	455.63	DEC. 22	455.72
MAY 31	455.43				

433320N1124323.1 03N 32E 29DDC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 704 FT (214.6 M), 6-IN (15-CM) CASING 0-434 FT (0-132.3 M), 5-IN (13-CM) CASING 427-704 FT (130.2-214.6 M), PERFORATED 675-696 FT (205.7-212.1 M). LSD 5,125.82 FT (1,562.350 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED MAY 14, 1950. RECORDER REMOVED OCT. 4, 1954. RECORDER INSTALLED MAY 24, 1961. RECORDER REMOVED JAN. 4, 1962. MP NO. 2 PAINTED CROSS TOP OF 6-IN (15-CM) CASING NORTH SIDE, 1.90 FT (0.579 M) ABOVE LSD (SINCE MAY 10, 1950).

HIGHEST WATER LEVEL 651.10 FT (198.455 M) BELOW LSD, JAN. 7, 1950.
LOWEST WATER LEVEL 657.51 FT (200.409 M) BELOW LSD, SEP. 22, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1975	652.72	JULY 17, 1975	653.22	OCT. 22, 1975	653.81
APR. 21	652.60	AUG. 27	653.92	DEC. 18	653.65
MAY 23	652.72				

432853N1132012.1 02N 26E 22DDA1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 719.4 FT (219.3 M), CASED TO 719.4 FT (219.3 M), PERFORATED 670-675 FT (204.2-205.7 M), 712-717 FT (217.0-218.5 M). ORIGINAL WELL WAS DRILLED TO A DEPTH OF 1,053 FT (321 M), CASED TO 728 FT (222 M). SEPT. 10, 1971, INSTALLED A 6-IN (15-CM) INFLATABLE PACKER 719.4-721.8 FT (219.28-220.01 M) WELDED TO A 2-IN (5.1-CM) PIPE, INSTALLED A 1-IN (2.5-CM) MEASURING PIPE 0-719.4 FT (0-219.3 M), PERFORATED 698.4-719.4 FT (212.87-219.27 M). LSD 5,361.81 FT (1,634.279 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE COUPLING, 2.09 FT (0.637 M) ABOVE LSD (SINCE SEPT. 10, 1971).

HIGHEST WATER LEVEL 660.66 FT (201.369 M) BELOW LSD, JULY 24, 1972.
LOWEST WATER LEVEL 662.47 FT (201.921 M) BELOW LSD, SEP. 9, 1975.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	662.12	SEP. 9, 1975	662.47	DEC. 22, 1975	662.10
JULY 24	662.07	OCT. 21	662.05		

432853N1132012.2 02N 26E 22DDA2 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 1,053 FT (321 M) CASED TO 728 FT (222 M). SEPT. 10, 1971, INSTALLED A 6-IN (15-CM) INFLATABLE PACKER 719.4-721.8 FT (219.28-220.01 M) WELDED TO A 2-IN (5.1-CM) PIPE TO SEAL OFF THE PERCHED WATER ZONE. 2-IN (5.1-CM) PIPE PERFORATED 1,030-1,051 FT (313.9-320.3 M). LSD 5,361.81 FT (1,634.279 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 2 TOP OF 2-IN (5.1-CM) PIPE COUPLING, 2.12 FT (0.646 M) ABOVE LSD (SINCE SEPT. 10, 1971).

HIGHEST WATER LEVEL 979.07 FT (298.420 M) BELOW LSD, MAY 24, 1972.
LOWEST WATER LEVEL 982.04L FT (299.326 M) BELOW LSD, MAY 23, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	980.56	SEP. 9, 1975	980.65	DEC. 22, 1975	980.73
JULY 24	980.28	OCT. 21	980.72		

L ELECTRIC TAPE, M-SCOPE.

433122N1131203.1 02N 27E 02DDC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 812 FT (247.5 M), CASED TO 812 FT (247.5 M), PERFORATED 782-812 FT (238.4-247.5 M), OPEN BOTTOM. LSD 5,195.44 FT (1,583.570 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JULY 18, 1951. RECORDER REMOVED OCT. 21, 1953. RECORDER INSTALLED APR. 6, 1966. RECORDER REMOVED SEPT. 14, 1966. RECORDER INSTALLED JULY 14, 1967. RECORDER REMOVED DEC. 13, 1967. MP NO. 2 TOP OF 6-IN (15-CM) CASING, 1.86 FT (0.573 M) ABOVE LSD (SINCE MAY 10, 1951).

HIGHEST WATER LEVEL 750.70 FT (228.813 M) BELOW LSD, DEC. 27, 1950.
LOWEST WATER LEVEL 763.48 FT (232.709 M) BELOW LSD, NOV. 25, 1964.
RECORDS AVAILABLE 1950-60, 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1975	759.97	JULY 16, 1975	760.68	OCT. 10, 1975	760.83
MAY 1	759.95	AUG. 26	760.45	DEC. 20	760.91
MAY 28	760.32				

433006N1130332.1 02N 28E 13AD 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 646 FT (196.9 M), CASED TO 576 FT (175.6 M). LSD 5,028.91 FT (1,532.812 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING EAST SIDE, 1.64 FT (0.500 M) ABOVE LSD (SINCE MAR. 18, 1972).

HIGHEST WATER LEVEL 585.27 FT (178.390 M) BELOW LSD, JUNE 25, 1975.
LOWEST WATER LEVEL 594.50 FT (181.204 M) BELOW LSD, NOV. 26, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1975	594.28	JUNE 25, 1975	585.27	OCT. 28, 1975	587.70
MAR. 27	590.66	JULY 25	585.85	NOV. 26	587.86
APR. 25	587.19	AUG. 28	586.74	DEC. 4	588.42
MAY 31	585.49	SEP. 29	587.14	DEC. 30	589.39

432920N1130745.1 02N 28E 16CD 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 691 FT (210.6 M), CASED TO 48 FT (14.6 M). LSD 5,081.02 FT (1,548.695 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED JULY 14, 1967. RECORDER REMOVED SEPT. 10, 1967. MP NO. 2 TOP OF 8-IN (20-CM) CASING NORTH SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE NOV. 21, 1966).

HIGHEST WATER LEVEL 639.24 FT (194.840 M) BELOW LSD, APR. 23, 1969.
LOWEST WATER LEVEL 646.63 FT (197.093 M) BELOW LSD, JUNE 25, 1967.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1975	643.23	JULY 16, 1975	643.75	OCT. 10, 1975	643.95
MAY 1	642.92	AUG. 26	643.45	DEC. 20	644.12
MAY 28	643.40				

432733N1130439.1 02N 28E 35ADD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 654.1 FT (199.4 M), 8-IN (20-CM) CASING 0-241 FT (0-73.5 M), 6-IN (15-CM) CASING 235-652 FT (71.6-198.7 M), PERFORATED 618-648 FT (188.4-197.5 M), LEAD SEAL. LSD 5,037.87 FT (1,535.543 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED NOV. 26, 1952. RECORDER REMOVED AUG. 2, 1956. RECORDER INSTALLED JUNE 29, 1965. RECORDER REMOVED MAY 15, 1968. RECORDER INSTALLED JUNE 2, 1971. MP NO. 6 TOP OF 8-IN (20-CM) CASING, 2.31 FT (0.704 M) ABOVE LSD (SINCE JUNE 2, 1971).

HIGHEST WATER LEVEL 599.78 FT (182.813 M) BELOW LSD, MAR. 1, 1955.
LOWEST WATER LEVEL 606.34 FT (184.812 M) BELOW LSD, JUNE 21, 1962.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	603.18	MAY 20, 1975	602.71	SEP. 15, 1975	603.12
JAN. 25	602.85	MAY 25	603.04	SEP. 20	603.17
JAN. 27	603.02	MAY 31	602.94	SEP. 21	603.22
FEB. 25	602.97	JUNE 5	603.00	SEP. 25	603.08
FEB. 28	602.93	JUNE 10	603.11	SEP. 30	603.20
MAR. 5	602.74	JUNE 15	602.91	OCT. 5	603.10
MAR. 10	602.69	JUNE 20	603.10	OCT. 10	603.05
MAR. 15	602.84	JUNE 25	603.16	OCT. 15	603.12
MAR. 20	602.77	JUNE 30	603.15	OCT. 20	603.05
MAR. 21	602.35	JULY 2	603.20	OCT. 25	602.99
MAR. 22	602.35	JULY 16	603.12	OCT. 31	603.11
MAR. 25	602.41	JULY 22	603.12	NOV. 5	602.96
MAR. 31	602.63	JULY 25	603.01	NOV. 10	602.69
APR. 5	602.63	AUG. 1	602.99	NOV. 11	603.24
APR. 10	602.77	AUG. 5	602.80	NOV. 15	602.90
APR. 15	602.59	AUG. 10	602.80	NOV. 20	602.96
APR. 20	602.79	AUG. 15	602.90	NOV. 25	603.07
APR. 25	602.48	AUG. 20	602.96	NOV. 29	602.92
APR. 30	602.71	AUG. 25	602.93	DEC. 21	602.98
MAY 5	602.63	AUG. 31	602.98	DEC. 25	603.02
MAY 10	602.85	SEP. 5	603.12	DEC. 31	602.77
MAY 15	602.70	SEP. 10	603.02		

432952N1130205.1 02N 29E 17CB 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 626 FT (190.8 M), CASED TO 580 FT (176.8 M). LSD 5,010.21 FT (1,527.112 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING WEST SIDE, 2.23 FT (0.680 M) ABOVE LSD (SINCE MAR. 18, 1972).

HIGHEST WATER LEVEL 574.48 FT (175.101 M) BELOW LSD, APR. 12, 1972.
LOWEST WATER LEVEL 577.60 FT (176.052 M) BELOW LSD, SEP. 26, 1973.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	576.29	JULY 2, 1975	575.71	OCT. 28, 1975	577.21
MAR. 27	575.81	JULY 25	576.81	DEC. 4	576.91
APR. 25	575.50	AUG. 28	576.50	DEC. 30	576.71
MAY 30	576.28	SEP. 26	577.03		

403013N1130243.1 02N 29E 18AD 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 640 FT (195.1 M), CASED TO 585 FT (178.3 M). LSD 5,015.88 FT (1,528.840 M) ABOVE MSL DATUM OF 1929. MP NO. 4 TOP OF 1-IN (2.5-CM) PIPE, 2.27 FT (0.619 M) ABOVE LSD (SINCE OCT. 17, 1974).

HIGHEST WATER LEVEL 580.48 FT (176.930 M) BELOW LSD, MAR. 18, 1972.
LOWEST WATER LEVEL 583.65 FT (177.896 M) BELOW LSD, SEP. 26, 1973.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1975	582.50	JULY 25, 1975	582.70	OCT. 28, 1975	583.03
MAR. 27	581.63	AUG. 28	582.36	DEC. 4	582.81
APR. 25	581.42	SEP. 29	583.01	DEC. 30	582.63
MAY 30	582.22				

432941N1130301.1 02N 29E 18CD 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 635 FT (193.6 M), CASED TO 587 FT (178.9 M). LSD 5,020.42 FT (1,530.224 M) ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF 1 1/4-IN COUPLING, 2.03 FT (0.619 M) ABOVE LSD (SINCE AUG. 28, 1975).

HIGHEST WATER LEVEL 583.65 FT (177.896 M) BELOW LSD, SEP. 15, 1971.
LOWEST WATER LEVEL 587.21 FT (178.982 M) BELOW LSD, NOV. 26, 1974.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1975	586.82	JULY 25, 1975	586.48	OCT. 28, 1975	586.64
MAR. 27	586.63	AUG. 28	586.43	DEC. 4	586.37
APR. 25	586.12	SEP. 29	586.75	DEC. 30	586.55
MAY 30	586.37				

433123N1125301.1 02N 30E 04DCC1 US ERDA BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 1,057 FT (322.2 M), CASED TO 681 FT (207.6 M). MP NO. 1 TOP OF 10-IN (25-CM) CASING NORTHEAST SIDE, 1.77 FT (0.540 M) ABOVE LSD (SINCE OCT. 22, 1962).

HIGHEST WATER LEVEL 466.09 FT (142.064 M) BELOW LSD, MAR. 12, 1973.
LOWEST WATER LEVEL 471.23 FT (143.631 M) BELOW LSD, AUG. 24, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	466.95	JULY 22, 1975	467.78	OCT. 13, 1975	467.86
APR. 14	467.07	AUG. 27	467.91	DEC. 17	467.70
MAY 29	467.43				

433023N1125615.1 02N 30E 18BC 1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 752 FT (229.2 M), CASED TO 516 FT (157.3 M). LSD 4,942.69 FT (1,506.532 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING, 2.41 FT (0.735 M) ABOVE LSD (SINCE AUG. 22, 1962).

HIGHEST WATER LEVEL 493.09 FT (150.294 M) BELOW LSD, JULY 20, 1973.
LOWEST WATER LEVEL 497.13 FT (151.525 M) BELOW LSD, SEP. 16, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1975	493.48	JULY 22, 1975	493.85	OCT. 20, 1975	493.91
APR. 14	493.49	AUG. 29	493.81	DEC. 17	494.29
MAY 29	493.93				

432339N1130645.1 01N 29E 30BBD1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 704 FT (214.6 M), CASED TO 704 FT (214.6 M), PERFORATED 673-704 FT (205.1-214.6 M), OPEN BOTTOM. LSD 5,066.89 FT (1,544.388 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JULY 30, 1965. RECORDER REMOVED JULY 22, 1966. MP NO. 2 TOP OF CASING NORTHEAST SIDE, 2.11 FT (0.643 M) ABOVE LSD (SINCE OCT. 15, 1950).

HIGHEST WATER LEVEL 646.52 FT (197.059 M) BELOW LSD, NOV. 14, 1952.
LOWEST WATER LEVEL 651.56 FT (198.595 M) BELOW LSD, MAY 26, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1975	648.54	JULY 17, 1975	648.69	OCT. 10, 1975	648.84
MAY 1	648.40	AUG. 26	648.92	DEC. 20	648.50
MAY 28	648.53				

431948N1131618.1 01S 27E 14DCC1 US GEOL SURVEY BUTTE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 1,041 FT (317.3 M), CASED TO 1,031 FT (314.2 M), PERFORATED 1,011-1,031 FT (308.2-314.2 M). LSD 5,158.86 FT (1,572.420 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED JULY 23, 1971. RECORDER REMOVED MAY 4, 1972. MP NO. 3 TOP OF 2-IN (5.1-CM) NIPPLE NORTHEAST SIDE, 1.59 FT (0.485 M) ABOVE LSD (SINCE MAY 4, 1972).

HIGHEST WATER LEVEL 990.00 FT (301.752 M) BELOW LSD, APR. 27, 1973.
LOWEST WATER LEVEL 992.41H FT (302.486 M) BELOW LSD, NOV. 2, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	991.34	SEP. 9, 1975	991.53	DEC. 22, 1975	991.84
JULY 24	991.40	OCT. 21	991.01		

H TAPE MEASUREMENT (RECORDER).

432033N1145847.1 01S 12E 13BAA1 H E MILLER CAMAS COUNTY

DRILLED UNUSED ARTESIAN WELL IN SAND OF QUATERNARY AGE, DIAM 3 IN (7.6-CM), REPORTED DEPTH 435 FT (132.6 M), CASED TO 135 FT (41.2 M). LSD 5,090.70 FT (1,551.645 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MAR. 20, 1972, WELL HAD FILLED IN TO A DEPTH OF 218.20 FT (66.51 M). MP NO. 1 TOP OF CASING EAST SIDE, 2.30 FT (0.701 M) ABOVE LSD (SINCE SEPT. 12, 1957).

HIGHEST WATER LEVEL 1.60 FT (0.488 M) BELOW LSD, APR. 26, 1965.
LOWEST WATER LEVEL 6.73 FT (2.051 M) BELOW LSD, SEP. 22, 1975.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	6.06	SEP. 22, 1975	6.73		

432043N1144850.1 01S 14E C8DDB1 MINNIE BOTTCHER CAMAS COUNTY

DRILLED STOCK ARTESIAN WELL IN SAND OF QUATERNARY AGE, DIAM 3 TO 2 IN (7.6 TO 5.1 CM), REPORTED DEPTH 320 FT (97.5 M), CASED TO 140 FT (42.7 M). LSD ABOUT 5,060 FT (1,542 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP EDGE OF 2-IN (5.1-CM) ELBOW, 0.80 FT (0.243 M) ABOVE LSD (SINCE OCT. 15, 1957).

HIGHEST WATER LEVEL 18.72 FT (5.706 M) ABOVE LSD, MAY 15, 1958.
LOWEST WATER LEVEL 9.72 FT (2.963 M) ABOVE LSD, AUG. 26, 1961.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975 +	15.98	SEP. 22, 1975 +	10.98		

431938N1143909.1 01S 15E 22AAA1 BEN KRAHN CAMAS COUNTY

DUG UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 8 IN (20 CM), DEPTH 39.0 FT (11.9 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 4,994 FT (1,522 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING EAST SIDE, 1.40 FT (0.427 M) ABOVE LSD (SINCE SEP. 13, 1957).

HIGHEST WATER LEVEL 0.20 FT (0.061 M) ABOVE LSD, APR. 4, 1974.
LOWEST WATER LEVEL 12.15 FT (3.703 M) BELOW LSD, JUNE 18, 1966.
RECORDS AVAILABLE 1957, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	1.03	SEP. 22, 1975	3.83		

+23732N1132958.1 09S 25E 23DBA1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 174.0 FT (53.0 M), 8-IN (20-CM) CASING 0-11 FT (0-3.4 M), 6-IN (15-CM) CASING 11-172 FT (3.4-52.4 M), 30 FT (9.1 M) SLOTTED PERFORATIONS BELOW WATER LEVEL. LSD 4,266.97 FT (1,300.572 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. PERIODIC MEASUREMENTS PUBLISHED SINCE MAR. 21, 1972, MADE BY US GEOL SURVEY. RECORDER INSTALLED JUNE 20, 1951. CONTINUOUS RECORDER MAINTAINED, AND ITS RECORD FURNISHED BY US BUREAU OF RECLAMATION. MP NO. 1 TOP OF CASING, 1.00 FT (0.305 M) ABOVE LSD (SINCE MAY 25, 1951).

HIGHEST WATER LEVEL 116.5 FT (35.509 M) BELOW LSD, SEP. 23, 1951, SEP. 25, 1951, SEP. 28, 1951, OCT. 1, 1951, OCT. 2, 1951, OCT. 3, 1951.
LOWEST WATER LEVEL 132.58 FT (40.410 M) BELOW LSD, APR. 17, 1962.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	126.12	MAY 5, 1975	129.55	SEP. 5, 1975	123.75
JAN. 10	126.25	MAY 10	129.58	SEP. 10	123.47H
JAN. 15	126.69	MAY 15	129.34	SEP. 15	123.44
JAN. 20	126.85	MAY 20	129.08	SEP. 20	123.48
JAN. 25	127.03	MAY 25	128.99	SEP. 25	123.35
JAN. 31	127.41	MAY 31	128.80	SEP. 30	123.34
FEB. 5	127.76	JUNE 5	128.56	OCT. 5	123.21
FEB. 10	127.80	JUNE 10	128.48	OCT. 10	123.08
FEB. 15	128.10	JUNE 15	127.98	OCT. 15	123.10
FEB. 17	128.21	JUNE 20	127.74	OCT. 20	123.14
FEB. 28	128.70	JUNE 25	127.62H	OCT. 25	123.25
MAR. 5	128.70	JUNE 30	127.33	OCT. 31	123.50
MAR. 10	128.88	JULY 5	126.94	NOV. 5	123.56
MAR. 11	128.94H	JULY 10	126.78	NOV. 10	123.67
MAR. 15	129.12	JULY 15	126.22	NOV. 15	123.92
MAR. 20	129.24	JULY 20	126.00	NOV. 20	124.18
MAR. 26	129.31	JULY 23	125.87	NOV. 25	124.48
MAR. 31	129.42H	JULY 31	125.34	DEC. 1	124.65H
APR. 5	129.51	AUG. 5	124.99	DEC. 5	124.85
APR. 10	129.69	AUG. 10	124.74	DEC. 10	124.97
APR. 15	129.69	AUG. 15	124.44	DEC. 15	125.39
APR. 20	129.79	AUG. 20	124.20	DEC. 20	125.66
APR. 25	129.71	AUG. 25	123.96	DEC. 25	125.90
APR. 30	129.75	AUG. 31	123.75	DEC. 31	126.05

H TAPE MEASUREMENT (RECORDER).

423943N1132720.1 09S 26E 07AAB1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 152.5 FT (46.5 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-152.5 FT (0-46.5 M), PERFORATED 145-150 FT (44.2-45.7 M), GRAVEL PACKED, CONCRETE SEAL. LSD 4,199.95 FT (1,280.145 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 1.80 FT (0.549 M) ABOVE LSD (SINCE NOV. 18, 1970).

HIGHEST WATER LEVEL 54.75G FT (16.688 M) BELOW LSD, AUG. 25, 1972.
LOWEST WATER LEVEL 64.71G FT (19.724 M) BELOW LSD, APR. 15, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1975	63.06G	MAY 27, 1975	62.83G	SEP. 10, 1975	57.77
FEB. 27	64.22G	JUNE 25	61.13G	SEP. 26	57.64G
MAR. 11	64.21	JULY 29	58.55G	OCT. 24	58.18G
APR. 24	64.16G	AUG. 29	58.08G		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

423943N1132720.2 09S 26E 07AAB2 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 550 FT (167.6 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-227 FT (0-69.2 M), PERFORATED 219.5-224.5 FT (66.9-68.4 M), GRAVEL PACKED, CONCRETE SEAL. LSD 4,199.95 FT (1,280.145 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 1.26 FT (0.384 M) ABOVE LSD (SINCE NOV. 18, 1970).

HIGHEST WATER LEVEL 55.42G FT (16.892 M) BELOW LSD, AUG. 25, 1972.
LOWEST WATER LEVEL 65.31G FT (19.906 M) BELOW LSD, APR. 15, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1975	63.41G	MAY 27, 1975	63.63G	SEP. 10, 1975	58.51
FEB. 27	64.64G	JUNE 25	61.78G	SEP. 26	58.32G
MAR. 11	64.77	JULY 29	59.53G	OCT. 24	58.52G
APR. 24	64.78G	AUG. 29	58.60G		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

423943N1132720.3 09S 26E 07AAB3 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DEPTH 804.5 FT (245.2 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-861 FT (0-262.4 M), PERFORATED 777.7-782.7 FT (237.1-238.6 M), GRAVEL PACKED, CONCRETE SEAL. LSD 4,199.95 FT (1,280.145 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE, 0.31 FT (0.094 M) ABOVE LSD (SINCE NOV. 18, 1970).

HIGHEST WATER LEVEL 6.09G FT (1.856 M) BELOW LSD, JULY 27, 1972.
LOWEST WATER LEVEL 16.67G FT (5.081 M) BELOW LSD, SEP. 26, 1975.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1975	13.82G	MAY 27, 1975	11.28G	SEP. 10, 1975	16.28
FEB. 27	13.45G	JUNE 25	11.74G	SEP. 26	16.67G
MAR. 11	13.02	JULY 29	13.97G	OCT. 24	16.46G
APR. 24	11.76G	AUG. 29	15.85G		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

423922N1132812.1 09S 26E 07BCC1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 5 IN (13 CM), DEPTH 88.0 FT (26.8 M), 8-IN (20-CM) CASING 0-7.2 FT (0-2.2 M), 5-IN (13-CM) CASING 0-88.5 FT (0-27.0 M), PERFORATED 58.5-88.5 FT (17.8-27.0 M). LSD 4,207.84 FT (1,282.550 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED AUG. 22, 1951. RECORDER REMOVED SEPT. 12, 1962. MP NO. 1 TOP OF 5-IN (13-CM) CASING, 0.70 FT (0.213 M) ABOVE LSD (SINCE AUG. 17, 1951).

HIGHEST WATER LEVEL 58.33 FT (17.779 M) BELOW LSD, OCT. 2, 1951, OCT. 3, 1951.
LOWEST WATER LEVEL 74.36 FT (22.665 M) BELOW LSD, MAR. 31, 1962.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	71.08	SEP. 10, 1975	65.03		

423855N1132339.1 09S 26E 10DDD1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 128.0 FT (39.0 M), 8-IN (20-CM) CASING 0-15 FT (0-4.6 M), 6-IN (15-CM) CASING 15-118 FT (4.6-36.0 M). LSD 4,217.18 FT (1,285.396 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED JUNE 21, 1951. RECORDER REMOVED SEPT. 12, 1962. MP NO. 1 TOP OF CASING, 0.75 FT (0.229 M) ABOVE LSD (SINCE JUNE 4, 1951).

HIGHEST WATER LEVEL 67.30 FT (20.513 M) BELOW LSD, OCT. 20, 1951, OCT. 24, 1951.
LOWEST WATER LEVEL 83.11 FT (25.332 M) BELOW LSD, APR. 22, 1962.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	79.67	SEP. 10, 1975	74.70		

423052N1132414.1 10S 26E 34BAD2 IVAN SCHRENK CASSIA COUNTY

DRILLED STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 342 FT (104.2 M), CASED TO 54 FT (16.4 M). LSD 4,465.51 FT (1,361.087 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 1/4-IN (0.64-CM) TAP HOLE IN PUMPBASE WEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 11, 1957).

HIGHEST WATER LEVEL 275.36 FT (83.930 M) BELOW LSD, MAY 21, 1956.
LOWEST WATER LEVEL 285.33 FT (86.969 M) BELOW LSD, SEP. 20, 1974.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	279.52	SEP. 17, 1975	283.510		

0 MEASUREMENTS DISCONTINUED.

422501N1135648.1 11S 22E 32CCC1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 6 IN (15 CM). REPORTED DEPTH 635.0 FT (193.6 M). CASED TO 605 FT (184.4 M), CASING SEALED AT 605 FT (184.4 M). LSD 4,309.70 FT (1,313.597 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. RECORDER INSTALLED JUNE 2, 1972, AND OPERATED BY US BUREAU OF RECLAMATION. RECORDER REMOVED DEC. 17, 1974. MP NO. 1 TOP OF 6-IN (15-CM) CASING WEST SIDE, 2.58 FT (0.786 M) ABOVE LSD (SINCE JUNE 2, 1972).

HIGHEST WATER LEVEL 369.54 FT (112.636 M) BELOW LSD, APR. 23, 1974.
LOWEST WATER LEVEL 405.21 FT (123.508 M) BELOW LSD, AUG. 31, 1972.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 2, 1972	384.40G	DEC. 21, 1972	380.53	AUG. 15, 1973	396.76
JUNE 5	385.30	DEC. 25	381.29	AUG. 20	396.41
JUNE 15	382.79	DEC. 29	380.68	AUG. 25	396.24
JUNE 20	382.26	JAN. 5, 1973	379.88	AUG. 31	396.76
JUNE 25	386.33	FEB. 1	377.23	SEP. 5	396.25
JUNE 30	388.08	FEB. 3	377.00	SEP. 10	398.83
JULY 5	389.22	MAR. 2	376.93	SEP. 11	398.93
JULY 10	391.92	MAR. 5	374.52	SEP. 12	398.93
JULY 15	393.32	MAR. 10	374.14	SEP. 15	394.85
JULY 20	395.29	MAR. 14	373.98	SEP. 20	396.03
JULY 25	396.83	APR. 2	371.72	SEP. 24	396.95
JULY 31	398.66	APR. 5	371.33	OCT. 5	390.78
AUG. 5	399.09	APR. 10	371.11	OCT. 10	389.83
AUG. 10	401.1E	APR. 15	370.74	OCT. 15	388.80
AUG. 15	402.08	APR. 20	370.39	OCT. 20	387.95
AUG. 20	403.32	APR. 24	370.22	OCT. 25	387.14
AUG. 25	404.27	APR. 25	371.17	OCT. 31	386.00
AUG. 31	405.21	APR. 30	370.76	NOV. 5	385.19
SEP. 3	405.16	MAY 5	370.65	NOV. 10	384.55
SEP. 25	399.40	MAY 10	370.73	NOV. 15	383.66
SEP. 30	395.60	MAY 15	370.70	NOV. 20	382.74
OCT. 5	394.64	MAY 20	370.97	NOV. 25	381.92
OCT. 10	393.66	MAY 25	371.76	NOV. 30	381.40
OCT. 15	392.59	MAY 31	375.91	DEC. 5	380.78
OCT. 20	391.34	JUNE 5	376.91	DEC. 10	380.20
OCT. 25	390.30	JUNE 10	379.48	DEC. 15	379.70
OCT. 31	389.06	JUNE 21	381.79	DEC. 20	379.08
NOV. 5	387.98	JUNE 25	383.02	DEC. 25	378.43
NOV. 10	387.06	JUNE 30	384.30	DEC. 31	377.84
NOV. 15	385.98	JULY 5	386.28	JAN. 5, 1974	377.19
NOV. 20	385.19	JULY 10	388.03	JAN. 10	376.80
NOV. 25	384.34	JULY 15	389.61	JAN. 12	376.60
NOV. 30	383.51	JULY 20	390.16	FEB. 12	374.09
DEC. 5	382.73	JULY 25	391.36	MAR. 15	372.08
DEC. 10	382.07	JULY 31	393.65	MAR. 20	371.61
DEC. 15	381.46	AUG. 5	394.67	MAR. 24	371.41
DEC. 20	380.83	AUG. 10	395.89	APR. 12	370.21

422501N1135648.1 11S 22E 32CCC1 US BUREAU RECL CASSIA COUNTY

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 15, 1974	370.06	JUNE 20, 1974	383.83	AUG. 31, 1974	401.56
APR. 20	369.81	JUNE 25	385.72	SEP. 5	402.23
APR. 23	369.54	JUNE 30	387.63	SEP. 10	397.96
APR. 25	370.24	JULY 5	389.44	SEP. 15	398.63
APR. 30	370.86	JULY 10	390.34	SEP. 20	400.24
MAY 5	373.11	JULY 15	392.17	SEP. 25	399.52
MAY 10	372.94	JULY 20	393.79	SEP. 30	396.83
MAY 15	373.03	JULY 25	392.04	OCT. 5	396.07
MAY 20	375.72	JULY 31	396.49	OCT. 10	394.08
MAY 25	377.12	AUG. 5	395.85	OCT. 11	393.66
MAY 31	377.90	AUG. 10	398.67	AUG. 1, 1975	385.89
JUNE 5	376.75	AUG. 15	400.07	SEP. 11	393.16
JUNE 10	377.46	AUG. 20	397.63	OCT. 22	385.01
JUNE 15	381.21	AUG. 25	400.03		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

422458N1134527.1 11S 23E 34CDC1 ALLRED BROS. CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 346.4 FT (105.6 M), CASED TO 282.3 FT (86.0 M). LSD 4,271.11 FT (1,301.834 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. JULY 1, 1971, GEOPHYSICAL LOG SHOWED WELL HAD FILLED IN TO A DEPTH OF 340.5 FT (103.8 M). MP NO. 1 TOP OF CASING, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 5, 1952).

HIGHEST WATER LEVEL 289.97 FT (88.383 M) BELOW LSD, JUNE 5, 1952.
LOWEST WATER LEVEL 337.48 FT (102.864 M) BELOW LSD, AUG. 10, 1965.
RECORDS AVAILABLE 1952, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	322.69	JUNE 17, 1975	327.12	OCT. 22, 1975	325.99
MAR. 13	320.63	JULY 22	333.39	DEC. 3	322.83
MAY 6	318.36	SEP. 12	333.92		

422458N1133402.1 11S 25E 32CCC2 ROBERT N BAILEY CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 14 IN (36 CM), REPORTED DEPTH 500 FT (152.4 M), 16-IN (41-CM) CASING 0-60 FT (0-18.3 M), 14-IN (36-CM) CASING 0-239 FT (0-72.8 M), PERFORATED 0-239 FT (0-72.8 M). LSD ABOUT 4,680 FT (1,426 M) ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF HOLE IN PUMP BASE SOUTHEAST SIDE, 1.03 FT (0.314 M) ABOVE LSD (SINCE JULY 24, 1974).

HIGHEST WATER LEVEL 14.79 FT (4.508 M) BELOW LSD, NOV. 8, 1966.
LOWEST WATER LEVEL 36.79 FT (11.214 M) BELOW LSD, OCT. 3, 1967.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	23.30	JUNE 16, 1975	24.40	OCT. 24, 1975	19.66
MAR. 13	23.18	JULY 21	28.00	DEC. 1	21.90
MAY 6	22.55	SEP. 18	26.16		

422835N1131407.1 11S 27E 12DDA1 TAYLOR LAND CO CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 20 IN (51 CM), REPORTED DEPTH 376 FT (114.6 M), CASED 0-245 FT (0-74.7 M), 297-330 FT (90.5-100.6 M), PERFORATED 167-245 FT (50.9-74.7 M), 297-330 FT (90.5-100.6 M). LSD 4,480.50 FT (1,365.656 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 5 TOP OF ACCESS HOLE INSIDE PUMP BASE NORTHWEST SIDE, 1.41 FT (0.430 M) ABOVE LSD (SINCE SEPT. 20, 1974).

HIGHEST WATER LEVEL 180.25G FT (54.940 M) BELOW LSD, APR. 15, 1964.
LOWEST WATER LEVEL 242.45 FT (73.899 M) BELOW LSD, SEP. 21, 1972.
RECORDS AVAILABLE 1963-65, 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	219.69	SEP. 17, 1975	239.28A	OCT. 30, 1975	226.33

A WELL BEING PUMPED.
G MEASURED BY OUTSIDE AGENCY OR PERSON.

422639N1132601.1 11S 27E 29AAA1 PARR BROTHERS CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN RAFT FORMATION, DIAM 8 IN (20 CM), DEPTH 247.4 FT (75.4 M), CASED TO 237 FT (72.2 M). LSD 4,394.72 FT (1,339.511 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED MAY 19, 1961. MP NO. 1 TOP OF 8-IN (20-CM) CASING NORTHEAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE AUG. 11, 1950).

HIGHEST WATER LEVEL 32.75 FT (9.982 M) BELOW LSD, NOV. 5, 1952.
LOWEST WATER LEVEL 94.59 FT (28.831 M) BELOW LSD, OCT. 30, 1975, OCT. 31, 1975.
RECORDS AVAILABLE 1950, 1952, 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	90.09	MAY 10, 1975	87.40	SEP. 5, 1975	92.29
JAN. 10	90.03	MAY 15	87.28	SEP. 10	92.49
JAN. 15	89.94	MAY 20	87.16	SEP. 15	92.78
JAN. 20	89.63	MAY 25	87.08	SEP. 20	93.05
JAN. 25	89.56	MAY 27	87.06	SEP. 25	93.33
JAN. 31	89.45	MAY 28	87.06	SEP. 30	93.65
FEB. 5	89.36	MAY 31	87.10	OCT. 5	93.90
FEB. 10	89.28	JUNE 5	87.25	OCT. 10	94.17
FEB. 15	89.18	JUNE 10	87.45	OCT. 15	94.40
FEB. 20	89.09	JUNE 15	87.67	OCT. 20	94.51
FEB. 25	89.00	JUNE 20	87.92	OCT. 25	94.57
FEB. 28	88.95	JUNE 25	88.14	OCT. 30	94.59
MAR. 5	88.86	JUNE 30	88.41	OCT. 31	94.59
MAR. 10	88.75	JULY 5	88.72	NOV. 5	94.58
MAR. 15	88.63	JULY 10	89.10	NOV. 10	94.55
MAR. 20	88.54	JULY 15	89.45	NOV. 15	94.50
MAR. 25	88.43	JULY 20	89.82	NOV. 20	94.45
MAR. 31	88.29	JULY 25	90.16	NOV. 25	94.41
APR. 5	88.17	JULY 31	90.56	NOV. 30	94.35
APR. 10	88.06	AUG. 5	90.77	DEC. 5	94.25
APR. 15	87.95	AUG. 10	91.05	DEC. 10	94.18
APR. 20	87.85	AUG. 15	91.27	DEC. 15	94.10
APR. 25	87.54	AUG. 20	91.47	DEC. 20	94.01
APR. 30	87.63	AUG. 25	91.73	DEC. 25	93.92
MAY 5	87.52	AUG. 31	92.04	DEC. 31	93.81

+22452N1141232.1 12S 19E C2BBB1 KUNKLE & PORTER CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, REPORTED DEPTH 750 FT (228.6 M), UNCASED OPEN HOLE. LSD 4,268.27 FT (1,300.969 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. IN 1953 WELL WAS DEEPENED TO ABOUT 900 FT (274.3 M). MP NO. 1 TOP OF CONCRETE WEST SIDE OF HOLE BENEATH PUMP, 1.00 FT (0.305 M) ABOVE LSD (SINCE OCT. 17, 1951).

HIGHEST WATER LEVEL 100.98 FT (30.779 M) BELOW LSD, MAY 3, 1952.
LOWEST WATER LEVEL 411.20L FT (125.334 M) BELOW LSD, SEP. 24, 1975.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1975	301.60	SEP. 24, 1975	411.20L		

L ELECTRIC TAPE, M-SCOPE.

422434N1135702.1 12S 21E 02DAA1 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 6 IN (15 CM), REPORTED DEPTH 936.0 FT (285.3 M), CASED TO 907 FT (276.4 M), CASING SEALED AT 907 FT (276.4 M). LSD 4,361.25 FT (1,329.309 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. AUG. 1, 1972, WELL HAD FILLED IN TO A DEPTH OF 918.04 FT (279.82 M). DIGITAL RECORDER INSTALLED AUG. 1, 1972. MP NO. 1 TOP OF 6-IN (15-CM) CASING NORTHEAST SIDE, 0.47 FT (0.143 M) ABOVE LSD (SINCE FEB. 3, 1972).

HIGHEST WATER LEVEL 377.33 FT (115.010 M) BELOW LSD, APR. 23, 1974.
LOWEST WATER LEVEL 419.70 FT (127.925 M) BELOW LSD, AUG. 21, 1972, AUG. 23, 1972.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	385.16	MAY 5, 1975	377.69	SEP. 5, 1975	407.91
JAN. 10	384.48	MAY 10	377.69	SEP. 10	409.52
JAN. 15	384.34	MAY 15	377.36	SEP. 15	410.55
JAN. 20	383.84	MAY 20	377.60	SEP. 20	405.23
JAN. 25	383.41	MAY 25	377.77	SEP. 25	405.05
JAN. 31	382.94	MAY 31	377.60	SEP. 30	406.12
FEB. 5	382.72	JUNE 5	378.03	OCT. 5	405.20
FEB. 10	382.03	JUNE 10	379.61	OCT. 10	402.92
FEB. 15	381.89	JUNE 15	389.34	OCT. 15	396.68
FEB. 20	381.37	JUNE 20	391.90	OCT. 20	393.45
FEB. 25	381.30	JUNE 25	394.70	OCT. 25	391.39
FEB. 28	381.08	JUNE 30	395.85	OCT. 31	389.94
MAR. 5	380.51	JULY 5	397.49	NOV. 5	388.75
MAR. 10	380.20	JULY 10	398.95	NOV. 10	387.54
MAR. 15	380.09	JULY 15	398.61	NOV. 15	387.20
MAR. 20	379.77	JULY 20	401.20	NOV. 20	386.40
MAR. 25	379.14	JULY 25	403.45	NOV. 25	385.81
MAR. 31	379.15	JULY 31	404.77	NOV. 30	385.05
APR. 5	378.86	AUG. 5	405.64	DEC. 5	384.26
APR. 10	378.80	AUG. 10	406.84	DEC. 10	383.53
APR. 15	378.44	AUG. 15	406.52	DEC. 15	383.20
APR. 20	378.51	AUG. 20	408.00	DEC. 20	382.60
APR. 25	377.98	AUG. 25	408.07	DEC. 25	382.09
APR. 30	377.93	AUG. 31	408.66	DEC. 31	381.19

422347N1135703.1 12S 21E 11ADD1 DARRELL COOK CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 24 TO 12 IN (61 TO 30 CM), DEPTH 957.7 FT (291.9 M), 24-IN (61-CM) CASING 0-13 FT (0-4.0 M), 12-IN (30-CM) CASING 842-881 FT (256.6-268.5 M). LSD ABOUT 4,350 FT (1,326 M) ABOVE MSL DATUM OF 1929. MP NO. 3 BOTTOM EDGE OF 1 1/4-IN (3.2-CM) SLOPING PIPE NORTH SIDE, 2.77 FT (0.84 M) ABOVE LSD (SINCE JUNE 19, 1972).

HIGHEST WATER LEVEL 337.10 FT (102.748 M) BELOW LSD, MAR. 22, 1972.
LOWEST WATER LEVEL 381.75L FT (116.357 M) BELOW LSD, SEP. 18, 1969.
RECORDS AVAILABLE 1957, 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	341.41	OCT. 22, 1975	N	DEC. 2, 1975	N
SEP. 12	N				

L ELECTRIC TAPE, M-SCOPE.
N NO MEASUREMENT.

422227N1135959.1 12S 21E 16DCC1 J T ROBINSON CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 20-18-16 IN (51-46-41 CM), DEPTH 256.7 FT (78.2 M), 20-IN (51-CM) CASING 0-98.7 FT (0-30.1 M), 18-IN (46-CM) CASING 98.7-127.3 FT (30.1-38.8 M), 16-IN (41-CM) CASING 127.3-233 FT (38.8-71.0 M). LSD 4,377.99 FT (1,334.411 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF HOLE INSIDE PUMPBASE NORTH SIDE, 1.23 FT (0.375 M) ABOVE LSD (SINCE SEPT. 11, 1972).

HIGHEST WATER LEVEL 101.03 FT (30.794 M) BELOW LSD, MAR. 12, 1975.
LOWEST WATER LEVEL 110.31 FT (33.622 M) BELOW LSD, AUG. 15, 1963.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	101.03	SEP. 12, 1975	107.12		

422047N1135701.1 12S 21E 25CCC1 ORE-IDA FOODS CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 20 TO 12 IN (51 TO 30 CM), REPORTED DEPTH 1,196 FT (364.5 M), 20-IN (51-CM) CASING 0-188 FT (0-57.3 M), 12-IN (30-CM) CASING 948-1,029 FT (289.0-313.6 M). LSD 4,409.64 FT (1,344.058 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1/2-IN (1.3-CM) HOLE IN CASING COVER, 0.80 FT (0.244 M) ABOVE LSD (SINCE NOV. 7, 1962).

HIGHEST WATER LEVEL 324.16 FT (98.804 M) BELOW LSD, MAR. 27, 1974.
LOWEST WATER LEVEL 353.08G FT (107.619 M) BELOW LSD, SEP. 9, 1971.
RECORDS AVAILABLE 1962-63, 1966-67, 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	325.12	SEP. 12, 1975	333.74		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

422405N1133438.1 12S 25E 06DCC1 L CUNNINGHAM CASSIA COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 102.3 FT (31.2 M), CASED TO 120 FT (36.6 M). ORIGINAL REPORTED DEPTH 120 FT (36.6 M). LSD ABOUT 4,755 FT (1,449 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL NORTH SIDE, 1.40 FT (0.427 M) BELOW LSD (SINCE SEPT. 22, 1966).

HIGHEST WATER LEVEL 3.22 FT (0.981 M) BELOW LSD, SEP. 7, 1971.
LOWEST WATER LEVEL 26.63 FT (8.117 M) BELOW LSD, OCT. 15, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	14.76	JUNE 16, 1975	3.26	OCT. 24, 1975	11.84
MAR. 13	8.07	JULY 21	4.64	DEC. 1	7.90
MAY 6	6.41	SEP. 18	9.53		

422313N1133247.1 12S 25E 09CCD1 B F & G MAHONEY CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 10 IN (25 CM), DEPTH 378.9 FT (115.5 M), CASED TO 250 FT (76.2 M). LSD ABOUT 4,831 FT (1,472 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING WEST SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE SEPT. 21, 1966).

HIGHEST WATER LEVEL 86.08 FT (26.237 M) BELOW LSD, DEC. 1, 1975.
LOWEST WATER LEVEL 106.10 FT (32.339 M) BELOW LSD, OCT. 15, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	88.21	JUNE 16, 1975	87.08	OCT. 24, 1975	86.56
MAR. 13	87.82	JULY 21	88.05	DEC. 1	86.08
MAY 6	87.33	SEP. 18	87.14		

422310N1133508.1 12S 25E 18BBA1 ROY H DROZ CASSIA COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 IN (20 CM), DEPTH 103.8 FT (31.6 M), CASED TO 104 FT (31.7 M). LSD ABOUT 4,940 FT (1,506 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL SOUTH SIDE, 0.20 FT (0.061 M) ABOVE LSD (SINCE SEPT. 21, 1966).

HIGHEST WATER LEVEL 31.19 FT (9.507 M) BELOW LSD, SEP. 18, 1975.
LOWEST WATER LEVEL 52.27 FT (15.932 M) BELOW LSD, MAR. 4, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	35.88	JUNE 16, 1975	39.83B	OCT. 24, 1975	31.58
MAR. 13	36.39	JULY 21	33.38	DEC. 1	31.86
MAY 6	36.18	SEP. 18	31.19		

B WELL PUMPED RECENTLY.

422125N1133152.1 12S 25E 28AAA2 V E NEYMAN CASSIA COUNTY

DUG DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 12 IN (30 CM), DEPTH 32.8 FT (10.0 M), CASED TO 36 FT (11.0 M), OPEN END. LSD ABOUT 5,354 FT (1,632 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WOODEN COVER NORTHEAST SIDE, 1.20 FT (0.366 M) BELOW LSD (SINCE SEPT. 20, 1966).

HIGHEST WATER LEVEL 3.53 FT (1.076 M) BELOW LSD, MAY 8, 1974.
LOWEST WATER LEVEL 18.65 FT (5.685 M) BELOW LSD, DEC. 13, 1966.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	11.66A	JUNE 16, 1975	5.29A	OCT. 24, 1975	9.95
MAR. 13	8.31A	JULY 21	6.84A	DEC. 1	8.11
MAY 6	5.17A	SEP. 18	9.77		

A WELL BEING PUMPED.

422125N1133149.1 12S 25E 28AAA3 V E NEYMAN CASSIA COUNTY

DRILLED STOCK WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 8 IN (20 CM), DEPTH 177.2 FT (54.0 M). LSD ABOUT 5,356 FT (1,632 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL NORTHWEST SIDE, 1.70 FT (0.518 M) ABOVE LSD (SINCE SEPT. 20, 1966).

HIGHEST WATER LEVEL 69.63 FT (21.223 M) BELOW LSD, SEP. 18, 1975.
LOWEST WATER LEVEL 122.07 FT (37.207 M) BELOW LSD, JUNE 17, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1975	79.38	JUNE 16, 1975	77.34	OCT. 24, 1975	70.03
MAR. 13	81.71	JULY 21	75.84	DEC. 1	71.21
MAY 6	80.48	SEP. 18	69.63		

422438N1132304.1 12S 26E 02ACC1 GORDON HANSEN CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN RAFT FORMATION, DIAM 20 IN (51 CM), REPORTED DEPTH 197 FT (60.0 M), CASED TO 197 FT (60.0 M), OPEN BOTTOM. LSD 4,415.41 FT (1,345.817 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 3 TOP OF CONCRETE PLATFORM WEST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE MAY 19, 1967).

HIGHEST WATER LEVEL 17.69 FT (5.392 M) BELOW LSD, APR. 21, 1950.
LOWEST WATER LEVEL 107.42 FT (32.742 M) BELOW LSD, SEP. 19, 1969.
RECORDS AVAILABLE 1950, 1952, 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	70.89	SEP. 17, 1975	115.68A		

A WELL BEING PUMPED.

422113N1131032.1 12S 28E 28AAD1 GLEN KUNAU CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN RAFT FORMATION, DIAM 18 IN (46 CM), DEPTH 284.8 FT (86.8 M), CASED TO 235 FT (71.6 M). LSD ABOUT 4,860 FT (1,481 M) ABOVE MSL DATUM OF 1929. ORIGINAL DEPTH 300 FT (91.4 M). RECORDER INSTALLED FEB. 12, 1966. RECORDER REMOVED AUG. 12, 1971. MP NO. 3 TOP OF CASING NORTHEAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JUNE 22, 1966).

HIGHEST WATER LEVEL 277.60 FT (84.612 M) BELOW LSD, MAR. 1, 1966.
LOWEST WATER LEVEL 284.91 FT (86.841 M) BELOW LSD, NOV. 20, 1974.
RECORDS AVAILABLE 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	N	MAY 6, 1975	284.38F	DEC. 3, 1975	0
MAR. 10	N				

F DRY.
N NO MEASUREMENT.
O MEASUREMENTS DISCONTINUED.

421755N1140244.1 13S 21E 18B3C1 US FOREST SERV CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN LIMESTONE OF PALEZOIC AGE, DIAM 16 TO 17 IN (41 TO 43 CM), REPORTED DEPTH 850 FT (259.1 M), 16-IN (41-CM) CASING 0-20 FT (0-6.1 M), 17-IN (43-CM) CASING 20-80 FT (6.1-24.4 M), BOTTOM OF CASING SET IN CONCRETE SEAL. LSD 4,953.63 FT (1,509.866 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. JULY 17, 1968, WELL HAD FILLED IN TO A DEPTH OF 820.9 FT (250.2 M). RECORDER INSTALLED AUG. 16, 1961. RECORDER REMOVED NOV. 30, 1971. RECORDER INSTALLED MAY 3, 1972. MP NO. 4 TOP OF 1-IN (2.5-CM) PIPE FLANGE NORTHWEST SIDE, 2.07 FT (0.631 M) ABOVE LSD (SINCE AUG. 2, 1972).

HIGHEST WATER LEVEL 362.14 FT (110.380 M) BELOW LSD, APR. 19, 1961.
LOWEST WATER LEVEL 575.34H FT (175.364 M) BELOW LSD, NOV. 30, 1971.
RECORDS AVAILABLE 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	567.76	MAY 5, 1975	565.03	SEP. 10, 1975	562.40
JAN. 19	567.80	MAY 10	565.20	SEP. 12	562.48H
JAN. 20	567.46	MAY 15	564.95	SEP. 28	563.24
JAN. 25	567.30	MAY 20	564.66	SEP. 30	563.38
JAN. 31	567.26	MAY 25	564.77	OCT. 5	563.20
FEB. 5	567.54	MAY 31	564.69	OCT. 10	563.39
FEB. 10	566.94	JUNE 18	562.80	OCT. 15	563.85
FEB. 15	567.14	JUNE 20	562.96	OCT. 20	563.67
FEB. 20	566.88	JUNE 25	562.73	OCT. 25	563.80
FEB. 25	566.97	JUNE 30	562.59	OCT. 31	564.08
FEB. 28	566.90	JULY 5	562.48	NOV. 5	563.87
MAR. 5	566.45	JULY 10	562.20	NOV. 10	563.61
MAR. 10	566.43	JULY 14	562.18	NOV. 15	563.94
MAR. 15	566.61	JULY 25	561.60	NOV. 20	564.01
MAR. 20	566.47	JULY 30	561.54	NOV. 25	564.10
MAR. 25	565.93	AUG. 5	561.55	NOV. 30	564.16
MAR. 31	566.06	AUG. 10	561.55	DEC. 5	564.10
APR. 5	565.88	AUG. 15	561.55	DEC. 10	563.75
APR. 10	566.07	AUG. 20	561.67	DEC. 15	564.16
APR. 15	565.71	AUG. 25	561.81	DEC. 20	563.98
APR. 20	565.90	AUG. 31	561.93	DEC. 25	563.92
APR. 25	565.30	SEP. 5	562.36	DEC. 31	563.45
APR. 30	565.46				

H TAPE MEASUREMENT (RECORDER).

421621N1135316.1 13S 22E 21CCD1 ERNEST ADAMS CASSIA COUNTY

DUG DOMESTIC WATER-TABLE WELL IN CLAY AND GRAVEL OF QUATERNARY AGE, DIAM 36 X 60 IN (91 X 152 CM). REPORTED DEPTH 80 FT (24.4 M), CASED TO 80 FT (24.4 M). LSD 4,491.80 FT (1,369.101 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. JUNE 2, 1972, CONTINUOUS RECORDER INSTALLED AND MAINTAINED BY THE US BUREAU OF RECLAMATION. RECORDER REMOVED DEC. 17, 1974. MP NO. 2 TOP OF SOUTH 2X10-IN (5.1X25-CM) BOARD NORTH EDGE, 0.60 FT (0.183 M) ABOVE LSD (SINCE AUG. 1, 1975).

HIGHEST WATER LEVEL 4.02 FT (1.225 M) BELOW LSD, SEP. 11, 1975.
LOWEST WATER LEVEL 15.59 FT (4.752 M) BELOW LSD, APR. 24, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 2, 1972	8.44	NOV. 30, 1972	9.88	JUNE 10, 1973	7.79
JUNE 5	8.44	DEC. 5	10.02	JUNE 15	8.64
JUNE 10	7.46	DEC. 10	10.17	JUNE 20	9.05
JUNE 15	8.00	DEC. 15	10.32	JUNE 25	9.29
JUNE 20	7.88	DEC. 20	10.47	JUNE 30	8.66
JUNE 25	7.76	DEC. 25	10.62	JULY 5	7.78
JUNE 30	7.91	DEC. 30	10.75	JULY 10	6.60
JULY 5	6.64	JAN. 5, 1973	10.89	JULY 15	6.55
JULY 10	6.03	JAN. 10	11.04	JULY 20	6.87
JULY 14	4.84	JAN. 13	11.15	JULY 25	6.99
JULY 15	5.69	FEB. 1	11.74	JULY 31	7.23
JULY 20	6.42	FEB. 5	11.86	AUG. 5	7.21
JULY 25	6.28	FEB. 10	12.00	AUG. 10	7.59
JULY 31	6.28	FEB. 15	12.19	AUG. 15	7.84
AUG. 5	5.76	FEB. 20	12.36	AUG. 20	7.75
AUG. 10	6.08	FEB. 25	12.52	AUG. 25	7.15
AUG. 15	6.19	FEB. 28	12.58	AUG. 31	7.03
AUG. 20	6.76	MAR. 5	12.76	SEP. 5	7.66
AUG. 25	6.57	MAR. 10	12.94	SEP. 10	8.01
AUG. 31	6.23	MAR. 15	13.14	SEP. 15	7.63
SEP. 5	6.14	MAR. 20	13.29	SEP. 20	7.99
SEP. 10	6.60	MAR. 25	13.37	SEP. 25	8.25
SEP. 15	7.12	MAR. 31	13.57	SEP. 29	6.06
SEP. 20	7.41	APR. 5	13.74	SEP. 30	6.13
SEP. 25	7.74	APR. 10	13.89	OCT. 5	8.09
SEP. 30	7.99	APR. 15	14.01	OCT. 10	8.55
OCT. 5	8.17	APR. 20	14.14	OCT. 15	8.86
OCT. 10	8.34	APR. 21	14.18	OCT. 20	9.04
OCT. 15	8.51	APR. 25	13.94	OCT. 25	9.25
OCT. 20	8.65	APR. 30	9.87	OCT. 31	9.45
OCT. 25	8.80	MAY 5	9.47	NOV. 5	9.65
OCT. 31	8.98	MAY 10	9.35	NOV. 10	9.82
NOV. 5	9.11	MAY 15	8.29	NOV. 15	9.95
NOV. 10	9.25	MAY 20	8.95	NOV. 20	10.08
NOV. 15	9.41	MAY 25	8.22	NOV. 25	10.22
NOV. 20	9.58	MAY 31	8.42	NOV. 30	10.38
NOV. 25	9.73	JUNE 5	8.17	DEC. 5	10.57

421621N1135316.1 13S 22E 21CCD1 ERNEST ADAMS CASSIA COUNTY

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 10, 1973	10.71	APR. 24, 1974	15.59	AUG. 28, 1974	7.89
DEC. 15	10.85	APR. 25	15.48	SEP. 13	7.51
DEC. 20	10.97	APR. 30	14.64	SEP. 15	7.34
DEC. 25	11.11	MAY 5	14.37	SEP. 20	7.77
DEC. 31	11.28	MAY 10	12.18	SEP. 25	7.26
JAN. 5, 1974	11.42	MAY 15	11.26	SEP. 30	7.59
JAN. 10	11.61	MAY 20	10.07	OCT. 2	7.81
JAN. 15	11.77	MAY 25	9.65	OCT. 11	8.65
JAN. 20	11.91	MAY 31	9.48	OCT. 15	8.93
JAN. 25	12.07	JUNE 5	9.04	OCT. 20	9.20
JAN. 31	12.26	JUNE 10	9.05	OCT. 25	9.47
FEB. 5	12.50	JUNE 15	8.89	OCT. 31	9.76
FEB. 10	12.69	JUNE 20	7.65	NOV. 5	9.99
FEB. 15	12.88	JUNE 25	8.20	NOV. 10	10.21
FEB. 20	13.05	JUNE 30	8.38	NOV. 15	10.41
FEB. 25	13.23	JULY 5	7.93	NOV. 20	10.60
FEB. 28	13.31	JULY 10	7.25	NOV. 25	10.77
MAR. 5	13.55	JULY 15	6.53	NOV. 30	10.94
MAR. 10	13.77	JULY 20	6.61	DEC. 5	11.10
MAR. 15	13.94	JULY 25	5.76	DEC. 10	11.26
MAR. 20	14.13	JULY 26	5.22	DEC. 15	11.42
MAR. 25	14.31	JULY 31	6.91	DEC. 16	11.45
MAR. 31	14.57	AUG. 5	6.90	AUG. 1, 1975	6.63
APR. 5	14.78	AUG. 10	6.96	SEP. 11	4.02
APR. 10	14.94	AUG. 15	7.25	OCT. 22	6.17
APR. 15	15.17	AUG. 20	7.55	DEC. 2	7.99
APR. 20	15.39	AUG. 25	7.84		

421620N1135317.1 13S 22E 21CCD2 US BUREAU RECL CASSIA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SILTY SAND AND GRAVEL OF QUATERNARY AGE, DIAM 8 TO 6 IN (20 TO 15 CM), DEPTH 1,004.0 FT (306.0 M), 8-IN (20-CM) CASING 0-543 FT (0-165.5 M), 6-IN (15-CM) CASING 536-1,000 FT (163.4-304.8 M), PERFORATED 560-606 FT (170.7-184.7 M). LSD 4,491.80 FT (1,369.101 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. JUNE 1, 1972, CONTINUOUS RECORDER INSTALLED AND MAINTAINED BY US BUREAU OF RECLAMATION. RECORDER REMOVED DEC. 17, 1974. MP NO. 1 TOP OF 8-IN (20-CM) CASING WEST SIDE, 2.09 FT (0.637 M) ABOVE LSD (SINCE JAN. 26, 1972).

HIGHEST WATER LEVEL 15.48 FT (4.718 M) BELOW LSD, SEP. 11, 1975.
LOWEST WATER LEVEL 32.21 FT (9.818 M) BELOW LSD, MAR. 9, 1972.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1972	27.94	NOV. 15, 1972	18.75	MAY 10, 1973	20.95
MAR. 9	32.21	NOV. 20	18.97	MAY 15	20.74
JUNE 1	22.46	NOV. 25	19.11	MAY 20	22.39
JUNE 5	22.63	NOV. 30	19.18	MAY 25	22.13
JUNE 8	23.14	DEC. 5	19.35	MAY 31	22.91
JUNE 10	22.70	DEC. 10	19.54	JUNE 5	22.99
JUNE 15	22.00	DEC. 15	19.71	JUNE 10	23.12
JUNE 20	22.40	DEC. 20	19.87	JUNE 15	22.44
JUNE 25	21.46	DEC. 25	20.06	JUNE 20	20.25
JUNE 30	19.19	DEC. 30	20.19	JUNE 25	22.38
JULY 5	19.51	JAN. 5, 1973	20.31	JUNE 30	22.88
JULY 10	21.05	JAN. 10	20.51	JULY 5	22.60
JULY 15	21.00	JAN. 15	20.54	JULY 10	21.82
JULY 20	21.03	JAN. 20	20.84	JULY 15	21.85
JULY 25	20.73	JAN. 25	20.88	JULY 20	21.73
JULY 31	20.65	JAN. 31	21.08	JULY 25	21.37
AUG. 5	20.64	FEB. 5	21.40	JULY 31	21.47
AUG. 10	19.62	FEB. 10	21.45	AUG. 5	21.68
AUG. 15	18.85	FEB. 15	21.80	AUG. 10	20.76
AUG. 20	18.41	FEB. 20	21.97	AUG. 15	20.94
AUG. 25	19.54	FEB. 25	22.15	AUG. 20	21.11
AUG. 31	21.01	FEB. 28	22.06	AUG. 25	20.95
SEP. 5	20.70	MAR. 5	22.44	AUG. 31	21.19
SEP. 10	20.61	MAR. 10	22.65	SEP. 5	21.43
SEP. 15	20.65	MAR. 15	22.99	SEP. 10	21.86
SEP. 20	21.26	MAR. 20	23.05	SEP. 15	21.48
SEP. 25	20.75	MAR. 25	23.35	SEP. 20	19.17
SEP. 30	19.05	MAR. 31	23.62	SEP. 25	19.10
OCT. 5	18.70	APR. 5	23.74	SEP. 30	18.50
OCT. 10	18.71	APR. 10	23.97	OCT. 1	18.50
OCT. 15	18.11	APR. 15	24.22	OCT. 5	20.44
OCT. 20	17.95	APR. 20	24.37	OCT. 10	20.94
OCT. 25	18.14	APR. 21	24.53	OCT. 15	19.53
OCT. 31	18.42	APR. 25	24.41	OCT. 20	19.34
NOV. 5	18.52	APR. 30	23.39	OCT. 25	19.61
NOV. 10	18.61	MAY 5	21.82	OCT. 31	19.70

421620N1135317.1 13S 22E 21CCD2 US BUREAU RECL CASSIA COUNTY

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 5, 1973	19.88	MAR. 31, 1974	25.15	AUG. 20, 1974	20.72
NOV. 10	20.01	APR. 5	25.41	AUG. 25	20.94
NOV. 15	20.06	APR. 10	25.53	AUG. 31	21.93
NOV. 20	20.15	APR. 15	25.88	SEP. 5	21.20
NOV. 25	20.23	APR. 20	26.17	SEP. 10	20.79
NOV. 30	20.35	APR. 25	26.49	SEP. 15	20.74
DEC. 5	20.54	APR. 30	26.57	SEP. 20	20.67
DEC. 10	20.67	MAY 4	27.78	SEP. 25	20.83
DEC. 15	20.94	MAY 5	27.70	SEP. 30	20.32
DEC. 20	21.04	MAY 10	26.90	OCT. 5	20.03
DEC. 25	21.14	MAY 15	26.05	OCT. 10	21.24
DEC. 31	21.42	MAY 20	25.91	OCT. 15	20.53
JAN. 5, 1974	21.54	MAY 25	26.58	OCT. 20	20.36
JAN. 10	21.78	MAY 31	24.47	OCT. 25	20.54
JAN. 15	21.93	JUNE 5	23.85	OCT. 31	20.63
JAN. 20	22.12	JUNE 10	23.66	NOV. 5	20.71
JAN. 25	22.24	JUNE 15	22.18	NOV. 10	20.80
JAN. 31	22.52	JUNE 20	23.15	NOV. 15	20.94
FEB. 5	22.73	JUNE 25	23.53	NOV. 20	21.11
FEB. 9	22.95	JUNE 30	23.43	NOV. 25	21.20
FEB. 15	23.19	JULY 5	23.13	NOV. 30	21.38
FEB. 20	23.41	JULY 10	21.34	DEC. 5	21.56
FEB. 25	23.55	JULY 15	20.76	DEC. 10	21.67
FEB. 28	23.64	JULY 20	20.90	DEC. 15	21.91
MAR. 5	23.91	JULY 25	20.52	AUG. 1, 1975	19.24
MAR. 10	24.12	JULY 31	20.48	SEP. 11	15.48
MAR. 15	24.35	AUG. 5	20.14	OCT. 22	17.55
MAR. 20	24.64	AUG. 10	19.55	DEC. 2	17.21
MAR. 25	24.84	AUG. 15	20.52		

421621N1135316.2 13S 22E 21CCD3 ERNEST ADAMS CASSIA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGF, DIAM 4 IN (10 CM), REPORTED DEPTH 140 FT (42.7 M), CASED TO 140 FT (42.7 M). THIS WELL WAS DRILLED INSIDE AN EXISTING DUG WELL. LSD 4,491.80 FT (1,369.101 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. ALL MEASUREMENTS PRIOR TO AUG. 1, 1975, MADE BY USBUREAU OF RECLAMATION. MP NO. 3 TOP OF SOUTH 2X10-IN (5.1X25-CM) BOARD NORTH EDGE, 0.60 FT (0.183 M) ABOVE LSD (SINCE AUG. 1, 1975).

HIGHEST WATER LEVEL 7.73 FT (2.356 M) BELOW LSD, SEP. 11, 1975.
LOWEST WATER LEVEL 18.51G FT (5.642 M) BELOW LSD, APR. 12, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 14, 1972	14.26G	JUNE 4, 1973	15.17G	JUNE 14, 1974	13.96G
JUNE 30	11.87G	JULY 3	14.67G	JULY 12	12.16G
JULY 27	12.67G	AUG. 3	13.04G	AUG. 13	11.44G
AUG. 25	11.56G	SEP. 4	12.76G	SEP. 13	12.24G
SEP. 25	12.68G	OCT. 5	12.31G	OCT. 11	12.53G
OCT. 26	11.05G	NOV. 6	12.05G	NOV. 15	12.91G
NOV. 27	13.17G	DEC. 7	13.19G	DEC. 17	14.06G
JAN. 2, 1973	13.35G	JAN. 8, 1974	14.33G	AUG. 1, 1975	11.00
FEB. 1	14.66G	FEB. 12	15.68G	SEP. 11	7.73
MAR. 2	15.73G	MAR. 15	17.18G	OCT. 22	9.77
APR. 2	17.02G	APR. 12	18.51G	DEC. 2	10.09
MAY 4	15.07G	MAY 14	18.14G		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

421852N1132226.1 13S 26E 01CCC1 S H BARLOW CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), REPORTED DEPTH 69 FT (21.0 M), CASED TO 66 FT (20.1 M), PERFORATED 24-43 FT (7.3-13.1 M), 46-64 FT (14.0-19.5 M). IN 1959 WELL WAS DEEPENED TO A REPORTED DEPTH OF 250 FT (76.2 M). JUNE 23, 1965, WELL HAD FILLED IN TO A DEPTH OF 223.2 FT (68.0 M). LSD 4,517.63 FT (1,376.974 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 BOTTOM EDGE OF SLOPING PIPE EAST SIDE, 0.98 FT (0.299 M) ABOVE LSD (SINCE FEB. 9, 1966).

HIGHEST WATER LEVEL 21.60 FT (6.584 M) BELOW LSD, JUNE 19, 1950.
LOWEST WATER LEVEL 40.28 FT (12.277 M) BELOW LSD, SEP. 16, 1966.
RECORDS AVAILABLE 1949-50, 1952, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	29.05	SEP. 17, 1975	31.38		

421731N1131706.1 13S 27E 15CAA1 VISTA LAND CO CASSIA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAMETER 14 TO 12 IN (36 TO 30 CM), REPORTED DEPTH 947 FT (288.6 M), 14-IN (36-CM) CASING 0-348 FT (0-106.1 M), 12-IN (30-CM) CASING 348-428 FT (106.1-130.4 M), PERFORATED 320-348 FT (97.5-106.1 M), 355-428 FT (108.2-130.4 M). LSD 4,629.60 FT (1,411.102 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF HOLE INSIDE PUMPBASE EAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE OCT. 24, 1966).

HIGHEST WATER LEVEL 128.81G FT (39.261 M) BELOW LSD, APR. 20, 1964.
LOWEST WATER LEVEL 192.16 FT (58.570 M) BELOW LSD, SEP. 20, 1974.
RECORDS AVAILABLE 1963-67, 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	151.41	SEP. 17, 1975	222.63A	OCT. 30, 1975	168.68

A WELL BEING PUMPED.
G MEASURED BY OUTSIDE AGENCY OR PERSON.

421653N1132111.1 13S 27E 19BBC1 KUNAU & PICKETT CASSIA COUNTY

DUG AND DRILLED IRRIGATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 18 TO 14 IN (46 TO 36 CM), ORIGINAL DIAM 36 TO 8 IN (91 TO 20 CM), DEPTH 23.7 FT (7.2 M), REDRILLED AND DEEPENED JAN. 1956. REPORTED DEPTH 425 FT (129.5 M), 18-IN (46-CM) CASING 0-220 FT (0-67.0 M), 14-IN (36-CM) CASING 215-425 FT (65.5-129.5 M), PERFORATED 0-425 FT (0-129.5 M). LSD 4,528.08 FT (1,380.159 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO 1947 BY JOHN C. HITT. MP NO. 4 TOP OF CASING WEST SIDE FLUSH WITH CONCRETE PLATFORM, 0.40 FT (0.122 M) ABOVE LSD (SINCE JULY 12, 1956).

HIGHEST WATER LEVEL 2.07 FT (0.631 M) BELOW LSD, MAY 19, 1949.
LOWEST WATER LEVEL 45.18 FT (13.771 M) BELOW LSD, MAY 19, 1967.
RECORDS AVAILABLE 1941-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	9.74	SEP. 17, 1975	11.60		

420917N1131815.1 14S 27E 33CDD1 US BUR LAND MGT CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN COARSE GRAINED GRAVEL OF QUATERNARY AGE, DIAM 16 TO 14 IN (41 TO 36 CM), DEPTH 199.6 FT (60.8 M), 16-IN (41-CM) CASING 0-92 FT (0-28.0 M), 14-IN (36-CM) CASING 87-225 FT (26.5-68.6 M), PERFORATED 45-50 FT (13.7-15.2 M), 105-225 FT (32.0-68.6 M). ORIGINAL DEPTH 225 FT (68.6 M), CASED TO 225 FT (68.6 M). JUNE 22, 1965, WELL HAD FILLED IN TO A DEPTH OF 199.6 FT (60.8 M). LSD ABOUT 4,715 FT (1,437 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED JUNE 22, 1965. RECORDER REMOVED AUG. 12, 1971. MP NO. 1 TOP OF 16-IN (41-CM) CASING NORTHWEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE AUG. 3, 1955).

HIGHEST WATER LEVEL 34.44 FT (10.497 M) BELOW LSD, NOV. 23, 1971, MAR. 22, 1972.
LOWEST WATER LEVEL 42.40 FT (12.924 M) BELOW LSD, SEP. 20, 1974.
RECORDS AVAILABLE 1955, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	39.36	JUNE 16, 1975	41.34	OCT. 24, 1975	37.36
MAR. 10	39.30	JULY 21	40.35	DEC. 3	36.94
MAY 6	39.48	SEP. 17	38.02		

420039N1131223.1 16S 28E 20CDC1 ID DEPT TRANS CASSIA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 IN (20 CM), DEPTH 295.0 FT (89.9 M), CASED TO 200 FT (61.0 M). LSD ABOUT 5,280 FT (1,609 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN WELL SEAL WEST SIDE, 6.25 FT (1.905 M) BELOW LSD (SINCE SEPT. 20, 1968).

HIGHEST WATER LEVEL 146.14 FT (44.543 M) BELOW LSD, MAR. 10, 1975.
LOWEST WATER LEVEL 148.43 FT (45.241 M) BELOW LSD, FEB. 18, 1966.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1975	146.14	SEP. 17, 1975	147.64A		

A WELL BEING PUMPED.

+425932N1150243.1 05S 12E 16BCB1 FRANK JINKINS GOODING COUNTY

DRILLED UNUSED WATER-TABLE WELL IN GLENNS FERRY FORMATION, DIAM 12 IN (30 CM), DEPTH 256.1 FT (78.1 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,195 FT (974 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN (30-CM) CASING NORTH SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE FEB. 16, 1967).

HIGHEST WATER LEVEL 157.02 FT (47.860 M) BELOW LSD, SEP. 14, 1970.
LOWEST WATER LEVEL 165.51 FT (50.447 M) BELOW LSD, FEB. 16, 1967.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1975	161.05M	SEP. 23, 1975	161.620		

M OBSTRUCTION IN WELL ABOVE WATER SURFACE.
D MEASUREMENTS DISCONTINUED.

425634N1143826.1 05S 15E 35DBC2 TOM H GOODING GOODING COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 5 IN (13 CM), DEPTH 165.1 FT (50.3 M), CASED TO 126 FT (38.4 M). LSD 3,627.31 FT (1,105.604 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 5-IN (13-CM) CASING EAST SIDE, 1.29 FT (0.393 M) ABOVE LSD (SINCE JUNE 6, 1972).

HIGHEST WATER LEVEL 120.84 FT (36.832 M) BELOW LSD, SEP. 22, 1972.
LOWEST WATER LEVEL 139.10 FT (42.398 M) BELOW LSD, APR. 4, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	132.03	JULY 11, 1975	132.16A	SEP. 23, 1975	127.41
MAR. 15	134.60	AUG. 21	128.06	NOV. 21	128.79
MAY 18	136.19A				

A WELL BEING PUMPED.

424353N1144947.1 08S 14E 16CBB1 SAND SPRS RANCH GOODING COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 53.0 FT (16.2 M), GALVANIZED IRON CASING TO BASALT BEDROCK. SEPT. 1957 WELL WAS CASED TO 50 FT (15.2 M) WITH 5-IN (13-CM) ALUMINUM PIPE. LSD 3,175.27 FT (967.822 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 6, 1954. RECORDER REMOVED AUG. 10, 1971. MP NO. 3 TOP OF 5-IN (13-CM) ALUMINUM CASING FLANGE WEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 11, 1957).

HIGHEST WATER LEVEL 36.50 FT (11.125 M) BELOW LSD, SEP. 22, 1953.
LOWEST WATER LEVEL 40.38 FT (12.308 M) BELOW LSD, MAY 11, 1962, MAY 12, 1962.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	38.73	JULY 12, 1975	39.37	SEP. 30, 1975	38.03
MAR. 7	39.18	AUG. 16	38.75	DEC. 29	38.62
MAY 16	39.72				

424414N1143702.1 08S 16E 18AAA1 THURMAN JACKSON GOODING COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 197 FT (60.0 M), CASED TO 6 FT (1.8 M). LSD 3,516.30 FT (1,071.768 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 7/8-IN (2.2-CM) HOLE IN WELL SEAL WEST SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE SEPT. 23, 1971).

HIGHEST WATER LEVEL 149.32 FT (45.513 M) BELOW LSD, OCT. 22, 1952.
LOWEST WATER LEVEL 172.56 FT (52.596 M) BELOW LSD, MAR. 12, 1962.
RECORDS AVAILABLE 1951-54, 1956-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1975	167.11	SEP. 30, 1975	157.05L		

L ELECTRIC TAPE, M-SCOPE.

424053N1144803.1 09S 14E 03BAA1 GEORGE VAN NOY GOODING COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 99.0 FT (30.2 M), CASED TO BEDROCK. LSD 3,203.24 FT (976.348 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MAR. 24, 1972, WELL HAD FILLED IN TO A DEPTH OF 93.5 FT (28.8 M). MP NO. 2 TOP OF CASING, 0.70 FT (0.213 M) ABOVE LSD (SINCE OCT. 18, 1951).

HIGHEST WATER LEVEL 69.68 FT (21.238 M) BELOW LSD, OCT. 16, 1956.
LOWEST WATER LEVEL 74.56 FT (22.726 M) BELOW LSD, MAR. 12, 1962.
RECORDS AVAILABLE 1929, 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	72.84	JULY 12, 1975	73.63	SEP. 30, 1975	71.28
MAR. 7	73.45	AUG. 16	72.43	DEC. 29	72.64
MAY 16	74.07				

423920N1143715.1 09S 16E 07DCA1 A L ROBISON GOODING COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 128.0 FT (39.0 M), CASED TO 32 FT (9.8 M). LSD 3,447.50 FT (1,050.798 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 1/2-IN (1.3-CM) HOLE IN WELL SEAL, 4.56 FT (1.390 M) BELOW LSD (SINCE JULY 19, 1971).

HIGHEST WATER LEVEL 91.34 FT (27.840 M) BELOW LSD, SEP. 22, 1958.
LOWEST WATER LEVEL 114.38 FT (34.863 M) BELOW LSD, JAN. 8, 1952.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1975	111.59	SEP. 30, 1975	96.13		

425100N1143027.1 07S 17E 06ACA1 US BUREAU RECL JEROME COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 345.1 FT (105.2 M), CASED TO 345 FT (105.2 M), PERFORATED 322-345 FT (98.2-105.2 M), OPEN BOTTOM. LSD 3,879.61 FT (1,182.505 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED DEC. 10, 1963. RECORDER REMOVED AUG. 17, 1971. MP NO. 2 TOP OF 6-IN (15-CM) CASING NORTHEAST SIDE, 1.10 FT (0.335 M) ABOVE LSD (SINCE DEC. 10, 1963).

HIGHEST WATER LEVEL 307.77 FT (93.808 M) BELOW LSD, NOV. 27, 1972.
LOWEST WATER LEVEL 317.18 FT (96.676 M) BELOW LSD, JUNE 4, 1964.
RECORDS AVAILABLE 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	310.85	MAY 18, 1975	312.93	SEP. 23, 1975	310.33
MAR. 15	311.22	JULY 10	313.79	NOV. 21	308.66

424524N1141509.1 08S 19E 05DAB1 US BUREAU RECL JEROME COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 21 TO 16 IN (53 TO 41 CM), DEPTH 329.1 FT (100.3 M), 21-IN (53-CM) CASING 0-4 FT (0-1.2 M), 16-IN (41-CM) CASING 197-277 FT (60.0-84.4 M), CONCRETE SEAL AT 272 FT (82.9 M). LSD 4,075.54 FT (1,242.225 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED APR. 6, 1960. RECORDER REMOVED AUG. 13, 1971. MP NO. 2 TOP OF 2-IN (5.1-CM) PIPE COUPLING NORTHEAST SIDE, 1.17 FT (0.357 M) ABOVE LSD (SINCE AUG. 13, 1971).

HIGHEST WATER LEVEL 257.71 FT (78.550 M) BELOW LSD, OCT. 7, 1957.
LOWEST WATER LEVEL 275.99 FT (84.122 M) BELOW LSD, MAY 11, 1964.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	268.31	JULY 10, 1975	268.51L	NOV. 14, 1975	261.18L
MAR. 8	269.43	AUG. 17	266.90L	DEC. 30	266.89L
MAY 17	273.13L	SEP. 24	266.11L		

L ELECTRIC TAPE, M-SCOPE.

423812N1143027.1 09S 17E 19ABA1 JEROME CTRY CLB JEROME COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 131.0 FT (39.9 M), CASING DEPTH NOT AVAILABLE. LSD 3,580.33 FT (1,091.285 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. DEC. 29, 1975, WELL WAS DEEPENED TO A DEPTH OF 280.68 FT (85.55 M). MP NO. 2 TOP OF CONCRETE NW SIDE, 0.02 FT (0.006 M) ABOVE LSD (SINCE DEC. 29, 1975).

HIGHEST WATER LEVEL 74.74L FT (22.781 M) BELOW LSD, OCT. 5, 1971.
LOWEST WATER LEVEL 165.35L FT (50.399 M) BELOW LSD, DEC. 29, 1975.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1975	91.57	JULY 10, 1975	N	NOV. 14, 1975	N
MAR. 9	94.77	AUG. 17	81.40	DEC. 29	165.35L
MAY 17	95.09	SEP. 29	79.77		

L ELECTRIC TAPE, M-SCOPE.
N NO MEASUREMENT.

423538N1141919.1 09S 18E 35CCA1 MURDO MACLEOD JEROME COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 176.0 FT (53.6 M), CASED TO 44 FT (13.4 M). LSD 3,818.26 FT (1,163.806 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 BOTTOM EDGE OF NOTCH IN CASING EAST SIDE, 12.30 FT (3.749 M) BELOW LSD (SINCE JULY 14, 1965).

HIGHEST WATER LEVEL 127.34 FT (38.813 M) BELOW LSD, OCT. 22, 1952.
LOWEST WATER LEVEL 145.28 FT (44.281 M) BELOW LSD, MAR. 14, 1962.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1975	139.32	SEP. 29, 1975	134.70		

423659N1141116.1 09S 19E 25BBC1 US BUREAU RECL JEROME COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 207.6 FT (63.3 M), CASED TO 134 FT (40.8 M), PERFORATED 114-134 FT (34.7-40.8 M). LSD 3,932.37 FT (1,198.586 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED APR. 12, 1960. RECORDER REMOVED JULY 21, 1960. MP NO. 1 TOP OF 16-IN (41-CM) CASING SOUTH SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE MAY 27, 1957).

HIGHEST WATER LEVEL 101.06 FT (30.803 M) BELOW LSD, OCT. 1, 1957.
LOWEST WATER LEVEL 123.70 FT (37.704 M) BELOW LSD, APR. 20, 1964.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	116.18	JULY 10, 1975	116.32	NOV. 14, 1975	112.20
MAR. 8	117.91	AUG. 17	114.01	DEC. 30	114.22
MAY 17	118.67	SEP. 24	112.37		

423134N1140626.1 10S 20E 27BCC1 AMBROSE & DAVIS JEROME COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), DEPTH 735.0 FT (224.0 M), CASED TO 20 FT (6.1 M). LSD 4,182.13 FT (1,274.713 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 29, 1952. RECORDER REMOVED JULY 30, 1953. MP NO. 2 TOP OF 2-IN (5.1-CM) PIPE SOUTH SIDE, SET IN CONCRETE WELL COVER, 1.30 FT (0.396 M) ABOVE LSD (SINCE APR. 1, 1959).

HIGHEST WATER LEVEL 314.90 FT (95.981 M) BELOW LSD, OCT. 29, 1952.
LOWEST WATER LEVEL 348.49 FT (106.220 M) BELOW LSD, JULY 22, 1970.
RECORDS AVAILABLE 1952-61, 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	330.24	JULY 10, 1975	340.22	NOV. 14, 1975	329.63
MAR. 8	331.03	AUG. 17	340.57	DEC. 30	328.98
MAY 17	332.47	SEP. 24	336.12		

431116N1140209.1 03S 20E 02DDA1 US GEOL SURVEY LINCOLN COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 571.5 FT (174.2 M), CASED TO 571.5 FT (174.2 M), PERFORATED 536-566 FT (163.4-172.5 M). AUG. 4, 1972, WELL HAD FILLED IN TO A DEPTH OF 569.3 FT (173.5 M). LSD ABOUT 4,604 FT (1,403 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1-IN (2.5-CM) PIPE IN CASING CAP NORTHEAST SIDE, 0.86 FT (0.262 M) ABOVE LSD (SINCE AUG. 4, 1972).

HIGHEST WATER LEVEL 519.58 FT (158.368 M) BELOW LSD, NOV. 6, 1974.
LOWEST WATER LEVEL 539.86 FT (164.549 M) BELOW LSD, APR. 2, 1974.
RECORDS AVAILABLE 1972-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1975	N	MAY 18, 1975	536.76	SEP. 23, 1975	526.30
MAR. 16	532.96	JULY 10	530.40	NOV. 20	522.67

N NO MEASUREMENT.

425742N1142404.1 05S 17E 26ACA1 US BUREAU RECL LINCOLN COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 253.5 FT (77.3 M), CASED TO 201 FT (61.3 M). LSD 3,972.64 FT (1,210.861 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JULY 29, 1959. RECORDER CHANGED TO DIGITAL JULY 24, 1975. MP NO.1 TOP OF 16-IN (41-CM) CASING NORTH SIDE, 1.30 FT (0.396 M) ABOVE LSD (SINCE AUG. 5, 1957).

HIGHEST WATER LEVEL 175.81 FT (53.587 M) BELOW LSD, SEP. 28, 1975.
LOWEST WATER LEVEL 209.07 FT (63.725 M) BELOW LSD, MAY 5, 1962.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1975	189.00	APR. 20, 1975	193.32	SEP. 20, 1975	183.10
JAN. 5	188.99	APR. 25	192.83	SEP. 25	182.76
JAN. 8	188.60	MAY 18	192.95H	SEP. 28	175.81
JAN. 10	189.13	MAY 20	192.62	SEP. 30	182.96
JAN. 15	189.71	JUNE 25	189.83	OCT. 5	182.91
JAN. 20	189.82	JUNE 30	189.24	OCT. 10	182.81
JAN. 21	190.27	JULY 5	188.79	OCT. 15	182.99
JAN. 25	190.03H	JULY 10	188.17H	OCT. 20	183.11
JAN. 26	189.72	JULY 11	188.23	OCT. 25	183.23
JAN. 31	190.44	JULY 15	187.49	OCT. 31	183.76
FEB. 5	190.96	JULY 20	187.06	NOV. 5	183.85
FEB. 10	190.78	JULY 24	186.63	NOV. 10	183.85
FEB. 15	191.24	JULY 25	186.62	NOV. 15	184.56
FEB. 20	191.33	JULY 31	186.18	NOV. 20	184.98
FEB. 25	191.78	AUG. 5	185.52	NOV. 25	185.46
FEB. 28	191.89	AUG. 10	185.17	NOV. 30	185.72
MAR. 15	192.29H	AUG. 15	184.97	DEC. 5	186.06
MAR. 20	192.43	AUG. 20	184.65	DEC. 10	186.09
MAR. 22	191.99	AUG. 25	184.28	DEC. 15	186.80
MAR. 25	192.11	AUG. 31	183.93	DEC. 20	187.06
MAR. 31	192.61	SEP. 5	183.80	DEC. 25	187.41
APR. 5	192.79	SEP. 10	183.41	DEC. 28	187.78
APR. 10	193.17	SEP. 15	183.26	DEC. 31	187.44
APR. 15	193.03				

H TAPE MEASUREMENT (RECORDER).

425907N1134440.1 05S 23E 17CAA1 US BUREAU RECL LINCOLN COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 332.7 FT (101.4 M), CASED TO 333 FT (101.5 M), PERFORATED 311-331 FT (94.8-101.5 M), STEEL PLATE BOTTOM SEAL. LSD 4,374.87 FT (1,333.460 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED AUG. 21, 1957. MP NO. 1 TOP OF 6-IN (15-CM) CASING NORTHEAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 2, 1957).

HIGHEST WATER LEVEL 303.04 FT (92.367 M) BELOW LSD, JULY 2, 1957.
LOWEST WATER LEVEL 312.88 FT (95.366 M) BELOW LSD, OCT. 18, 1964.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	306.72	MAY 10, 1975	305.72	SEP. 10, 1975	307.61
JAN. 10	306.58	MAY 15	305.67	SEP. 15	307.65
JAN. 15	306.65	MAY 19	305.58	SEP. 20	307.67
JAN. 20	306.55	MAY 20	305.61	SEP. 25	307.75
JAN. 25	306.48	MAY 25	305.77	SEP. 30	307.78
JAN. 31	306.42	MAY 31	305.69	OCT. 1	307.80
FEB. 5	306.45	JUNE 5	305.68	OCT. 2	307.80
FEB. 10	306.24	JUNE 10	305.82	OCT. 5	307.78
FEB. 15	306.29	JUNE 15	305.80	OCT. 10	307.73
FEB. 20	306.18	JUNE 20	305.82	OCT. 15	307.67
FEB. 25	306.19	JUNE 25	305.98	OCT. 20	307.73
FEB. 28	306.19	JUNE 30	306.04	OCT. 25	307.63
MAR. 5	306.12	JULY 5	306.17	OCT. 31	307.54
MAR. 10	306.00	JULY 10	306.33	NOV. 5	307.51
MAR. 15	306.04	JULY 15	306.41	NOV. 10	307.16
MAR. 20	305.97	JULY 20	306.59	NOV. 15	307.25
MAR. 25	305.78	JULY 25	306.73	NOV. 20	307.16
MAR. 31	305.85	JULY 31	306.89	NOV. 25	307.04
APR. 5	305.82	AUG. 5	306.98	NOV. 30	306.89
APR. 10	305.80	AUG. 10	307.10	DEC. 5	306.83
APR. 15	305.76	AUG. 15	307.20	DEC. 10	306.70
APR. 20	305.82	AUG. 20	307.33	DEC. 15	306.68
APR. 25	305.64	AUG. 25	307.35	DEC. 20	306.67
APR. 30	305.68	AUG. 31	307.44	DEC. 25	306.58
MAY 5	305.61	SEP. 5	307.58	DEC. 31	306.37

430623N1133908.1 04S 24E 06BBC1 US BUREAU RECL MINIDOKA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 445.1 FT (135.7 M), CASED TO 444 FT (135.3 M), PERFORATED 420-444 FT (128.0-135.3 M). LSD 4,493.44 FT (1,369.600 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED AUG. 20, 1957. MP NO. 1 TOP OF 6-IN (15-CM) CASING NORTHEAST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE AUG. 1, 1957).

HIGHEST WATER LEVEL 410.98 FT (125.267 M) BELOW LSD, APR. 3, 1958.
LOWEST WATER LEVEL 420.48 FT (128.162 M) BELOW LSD, OCT. 19, 1964.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	414.65	MAY 10, 1975	413.70	SEP. 10, 1975	414.87
JAN. 10	414.45	MAY 15	413.55	SEP. 15	414.96
JAN. 15	414.60	MAY 19	413.40	SEP. 20	415.07
JAN. 20	414.48	MAY 20	413.45	SEP. 25	415.05
JAN. 25	414.39	MAY 25	413.65	SEP. 30	415.13
JAN. 31	414.37	MAY 31	413.59	OCT. 5	415.10
FEB. 5	414.44	JUNE 5	413.59	OCT. 10	415.07
FEB. 10	414.13	JUNE 10	413.70	OCT. 14	415.16
FEB. 15	414.24	JUNE 15	413.64	OCT. 15	415.15
FEB. 20	414.09	JUNE 20	413.66	OCT. 20	415.10
FEB. 25	414.26	JUNE 25	413.79	OCT. 25	415.02
FEB. 28	414.20	JUNE 30	413.81	OCT. 31	414.99
MAR. 5	413.99	JULY 5	413.93	NOV. 5	414.88
MAR. 10	413.95	JULY 10	414.02	NOV. 10	414.65
MAR. 15	414.01	JULY 15	413.98	NOV. 15	414.74
MAR. 20	413.95	JULY 20	414.17	NOV. 20	414.73
MAR. 25	413.66	JULY 25	414.30	NOV. 25	414.70
MAR. 31	413.79	JULY 31	414.43	NOV. 30	414.52
APR. 5	413.74	AUG. 5	414.43	DEC. 5	414.49
APR. 10	413.84	AUG. 10	414.54	DEC. 10	414.34
APR. 15	413.68	AUG. 15	414.64	DEC. 15	414.43
APR. 20	413.85	AUG. 20	414.69	DEC. 20	414.40
APR. 25	413.58	AUG. 25	414.73	DEC. 25	414.33
APR. 30	413.71	AUG. 31	414.78	DEC. 31	414.06
MAY 5	413.54	SEP. 5	414.94		

425812N1132714.1 05S 25E 22DAD1 US GEOL SURVEY MINIDOKA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 581.3 FT (177.2 M), CASED TO 581.3 FT (177.2 M), PERFORATED 525-538 FT (160.0-164.0 M), 555-560 FT (169.2-170.7 M), 575-578 FT (175.3-176.2 M). LSD 4,583.37 FT (1,397.011 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 3 TOP OF 2-IN (5.1-CM) PIPE NIPPLE NORTHEAST SIDE, 2.34 FT (0.713 M) ABOVE LSD (SINCE MAY 4, 1972).

HIGHEST WATER LEVEL 491.53 FT (149.818 M) BELOW LSD, APR. 27, 1973.
LOWEST WATER LEVEL 494.59 FT (150.751 M) BELOW LSD, SEP. 24, 1971.
RECORDS AVAILABLE 1971-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30, 1975	491.91	SEP. 9, 1975	493.76	DEC. 22, 1975	493.15
JULY 24	493.14	OCT. 21	493.59		

425037N1133632.1 07S 24E C2ADD1 US BUREAU RECL MINIDOKA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 5 IN (13 CM), DEPTH 252.0 FT (76.8 M), CASED TO 252 FT (76.8 M), PERFORATED 222-252 FT (67.7-76.8 M). LSD 4,285.88 FT (1,306.336 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED NOV. 3, 1953. RECORDER REMOVED AUG. 9, 1972. MP NO. 1 TOP OF CASING, 0.90 FT (0.274 M) ABOVE LSD (SINCE OCT. 29, 1953).

HIGHEST WATER LEVEL 200.95 FT (61.250 M) BELOW LSD, JAN. 17, 1954.
LOWEST WATER LEVEL 217.00 FT (66.142 M) BELOW LSD, AUG. 21, 1964, AUG. 22, 1964, AUG. 29, 1964.
RECORDS AVAILABLE 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1975	209.44	JUNE 17, 1975	210.42	OCT. 17, 1975	211.07
MAR. 11	208.81	JULY 23	212.60	DEC. 5	209.74
MAY 8	208.70	SEP. 10	212.53		

424201N1134527.1 08S 23E 27BDC1 US BUREAU RECL MINIDOKA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), REPORTED DEPTH 260 FT (79.2 M), CASED TO 21 FT (6.4 M). LSD 4,234.52 FT (1,290.682 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER MEASUREMENTS FROM JUNE 10, 1949, THROUGH DEC. 20, 1949, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED MAY 20, 1949. RECORDER REMOVED DEC. 20, 1949. MP NO. 3 LOWER LIP OF 1-IN (2.5-CM) PIPE NORTH SIDE OF PUMP, 0.54 FT (0.165 M) ABOVE LSD (SINCE MAR. 27, 1963).

HIGHEST WATER LEVEL 176.75 FT (53.873 M) BELOW LSD, DEC. 1, 1953.
LOWEST WATER LEVEL 188.95 FT (57.592 M) BELOW LSD, SEP. 19, 1961.
RECORDS AVAILABLE 1948-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	182.01	SEP. 10, 1975	190.58A	OCT. 22, 1975	185.25

A WELL BEING PUMPED.

424053N1134128.1 08S 24E 31DAC1 US BUREAU RECL MINIDOKA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), REPORTED DEPTH 194 FT (59.1 M), 8-IN (20-CM) CASING 0-85 FT (0-25.9 M), 6-IN (15-CM) CASING 85-188 FT (25.9-57.3 M), PERFORATED 158-188 FT (48.2-57.3 M). LSD 4,226.54 FT (1,288.249 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO JULY 18, 1972, MADE BY US BUREAU OF RECLAMATION. PERIODIC MEASUREMENTS AFTER AND INCLUDING JULY 18, 1972, MADE BY US GEOL SURVEY. SEPT. 20, 1950, CONTINUOUS RECORDER INSTALLED, MAINTAINED AND ITS RECORD FURNISHED BY USBR. MP NO. 1 TOP OF CASING, 1.80 FT (0.549 M) ABOVE LSD (SINCE SEPT. 6, 1950).

HIGHEST WATER LEVEL 140.5 FT (42.824 M) BELOW LSD, OCT. 18, 1953, OCT. 24, 1953, NOV. 5, 1953.
LOWEST WATER LEVEL 156.88 FT (47.817 M) BELOW LSD, JULY 25, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1975	149.04	MAY 9, 1975	149.53H	AUG. 25, 1975	151.87
JAN. 27	149.35H	MAY 10	149.56	AUG. 28	151.86H
JAN. 31	149.28	MAY 13	149.56	AUG. 31	151.61
FEB. 5	149.48	MAY 22	149.60	SEP. 5	151.54
FEB. 10	149.15	MAY 25	149.83	SEP. 10	151.56H
FEB. 15	148.87	MAY 30	150.11	SEP. 13	151.40
FEB. 20	149.02H	JUNE 5	150.79	SEP. 26	151.18H
FEB. 25	149.34	JUNE 10	151.40	SEP. 30	151.08
FEB. 28	149.35	JUNE 15	151.68	OCT. 22	149.48H
MAR. 2	148.96	JUNE 17	151.64H	OCT. 25	149.49
MAR. 12	149.09H	JUNE 20	151.76	OCT. 31	149.49
MAR. 14	149.06	JUNE 25	151.94	NOV. 5	149.24
MAR. 21	148.81	JUNE 30	152.08	NOV. 10	149.15
MAR. 25	148.90	JULY 5	152.47	NOV. 15	149.20
MAR. 27	149.27H	JULY 10	152.89	NOV. 20	149.30
MAR. 31	149.10H	JULY 15	153.00	NOV. 25	149.40
APR. 5	149.14	JULY 20	153.41	DEC. 1	149.30H
APR. 10	149.37	JULY 23	153.54H	DEC. 5	149.31H
APR. 15	149.27	JULY 31	153.57	DEC. 10	149.11
APR. 20	149.56	AUG. 5	152.71	DEC. 15	149.38
APR. 25	149.27	AUG. 10	152.51	DEC. 20	149.40
APR. 30	149.50	AUG. 15	152.10	DEC. 25	149.44
MAY 5	149.39	AUG. 20	152.03	DEC. 31	149.32

H TAPE MEASUREMENT (RECORDER).

424334N1133202.1 08S 25E 16DAC1 RUBY MICKELSEN MINIDOKA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), REPORTED DEPTH 230 FT (70.1 M), CASING DEPTH NOT AVAILABLE. LSD 4,243.40 FT (1,293.388 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF SLOPING PIPE NORTHEAST SIDE, 1.25 FT (0.381 M) ABOVE LSD (SINCE AUG. 4, 1953).

HIGHEST WATER LEVEL 148.37 FT (45.223 M) BELOW LSD, DEC. 1, 1953.
LOWEST WATER LEVEL 162.71 FT (49.594 M) BELOW LSD, SEP. 17, 1964.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL		DATE	WATER LEVEL
MAR. 11, 1975	156.17	SEP. 10, 1975		A	OCT. 17, 1975	157.62

A WELL BEING PUMPED.

424102N1132821.1 08S 25E 36DAA1 US BUREAU RECL MINIDOKA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 TO 10 IN (30 TO 25 CM), REPORTED DEPTH 207 FT (63.1 M), 12-IN (30-CM) CASING 0-56 FT (0-17.1 M), 10-IN (25-CM) CASING 0-111 FT (0-33.8 M), PERFORATED, INTERVAL NOT AVAILABLE. LSD 4,209.00 FT (1,282.903 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO MAR. 21, 1972, MADE BY US BUREAU OF RECLAMATION. RECORDER INSTALLED APR. 14, 1952. RECORDER REMOVED SEPT. 12, 1962. MP NO. 1 TOP OF 10-IN (25-CM) CASING, 0.63 FT (0.192 M) ABOVE LSD (SINCE MAR. 12, 1952).

HIGHEST WATER LEVEL 97.04 FT (29.578 M) BELOW LSD, SEP. 10, 1952.
LOWEST WATER LEVEL 108.98 FT (33.217 M) BELOW LSD, MAR. 23, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	106.64	SEP. 10, 1975	104.81		

423817N1135302.1 09S 22E 16CDB1 A MCCLELLAN MINIDOKA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 21 IN (53 CM), DEPTH 297.0 FT (90.5 M), CASED TO 16 FT (4.9 M). LSD ABOUT 4,201 FT (1,280 M) ABOVE MSL DATUM OF 1929. MAY 17, 1961, WELL WAS DEEPENED TO A REPORTED DEPTH OF 380 FT (115.8 M), DIAM 20 IN (51 CM), CASED TO 20 FT (6.1 M). APR. 25, 1966, WELL WAS REAMED AND DEEPENED TO A REPORTED DEPTH OF 495 FT (150.9 M), 10-IN (25-CM) CASING 322-384 FT (98.1-117.0 M), 10-IN (25-CM) BORE 384-473 FT (117.0-144.2 M), 8-IN (20-CM) BORE 473-495 FT (144.2-150.9 M). MP NO. 1 TOP OF 1-IN (2.5-CM) TAP HOLE INSIDE PUMP HOUSE, EAST SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE MAY 18, 1966).

HIGHEST WATER LEVEL 235.52 FT (71.786 M) BELOW LSD, MAR. 23, 1954.
LOWEST WATER LEVEL 257.78 FT (78.571 M) BELOW LSD, SEP. 17, 1964.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	244.10	SEP. 10, 1975	253.30		

423604N1135224.1 09S 22E 33ADA1 BARBARA DESSEL MINIDOKA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 IN (30 CM), DEPTH 252.5 FT (77.0 M), CASED TO 90 FT (27.4 M). LSD 4,190.42 FT (1,277.240 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED JAN. 10, 1950. RECORDER REMOVED OCT. 16, 1950. MP NO. 5 TOP OF HOLE IN WELL SEAL NORTH SIDE, 2.80 FT (0.853 M) ABOVE LSD (SINCE SEPT. 16, 1965).

HIGHEST WATER LEVEL 226.07 FT (68.906 M) BELOW LSD, MAR. 23, 1954.
LOWEST WATER LEVEL 240.39 FT (73.271 M) BELOW LSD, SEP. 17, 1964.
RECORDS AVAILABLE 1947-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1975	233.14	SEP. 10, 1975	236.20		

424243N1150024.1 08S 12E 24CCC1 NORMAN STANDAL TWIN FALLS COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN BANBURY FORMATION, DIAM 12 IN (30 CM), REPORTED DEPTH 500 FT (152.4 M), CASED TO 46 FT (14.0 M). LSD ABOUT 3,470 FT (1,058 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE INSIDE PUMPBASE SOUTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE JUNE 3, 1968).

HIGHEST WATER LEVEL 200.84 FT (61.216 M) BELOW LSD, APR. 25, 1967.
LOWEST WATER LEVEL 294.64G FT (89.806 M) BELOW LSD, OCT. 21, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	N	JULY 11, 1975	N	NOV. 12, 1975	265.34
MAR. 6	245.20	AUG. 18	261.55	DEC. 29	256.75
MAY 19	241.16	SEP. 28	N		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
N NO MEASUREMENT.

424242N1145416.1 08S 13E 23CCD1 M ECKERT & SONS TWIN FALLS COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN BANBURY FORMATION, DIAM 6 IN (15 CM), REPORTED DEPTH 100 FT (30.5 M), CASED TO 50 FT (15.2 M). LSD ABOUT 3,390 FT (1,033 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 6-IN (15-CM) CASING, 0.80 FT (0.244 M) ABOVE LSD (SINCE FEB. 16, 1967).

HIGHEST WATER LEVEL 65.27 FT (19.894 M) BELOW LSD, NOV. 12, 1975.
LOWEST WATER LEVEL 73.34 FT (22.354 M) BELOW LSD, AUG. 12, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	68.05	JULY 11, 1975	70.56	NOV. 12, 1975	65.27
MAR. 6	69.46	AUG. 18	68.77	DEC. 26	67.43
MAY 19	71.53A	SEP. 20	66.21		

A WELL BEING PUMPED.

423724N1145721.1 09S 13E 20CCD1 CHET MCCLAIN TWIN FALLS COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 20 IN (51 CM), REPORTED DEPTH 920 FT (280.4 M), CASED TO 165 FT (50.3 M). LSD ABOUT 3,805 FT (1,160 M) ABOVE MSL DATUM OF 1929. JUNE 17, 1968, WELL HAD FILLED IN TO A DEPTH OF 790.4 FT (240.9 M). RECORDER INSTALLED JUNE 4, 1969. RECORDER REMOVED AUG. 10, 1971. MP NO. 1 TOP OF 20-IN (51-CM) CASING EAST SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE FEB. 16, 1967).

HIGHEST WATER LEVEL 440.80 FT (134.356 M) BELOW LSD, SEP. 23, 1967.
LOWEST WATER LEVEL 454.44 FT (138.513 M) BELOW LSD, NOV. 12, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	452.69	JULY 11, 1975	452.89	NOV. 12, 1975	454.44
MAR. 6	451.53	AUG. 18	453.82	DEC. 29	453.41
MAY 19	451.15	SEP. 28	454.42		

423406N1150034.1 10S 12E 11DBD1 RICHARD KERBS TWIN FALLS COUNTY

DRILLED UNUSED IRRIGATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 24 IN (61 CM), DEPTH 687.9 FT (209.7 M), CASED TO 6 FT (1.8 M). LSD 3,750 FT (1,143 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING NORTHEAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE AUG. 2, 1962).

HIGHEST WATER LEVEL 326.32 FT (99.462 M) BELOW LSD, AUG. 2, 1962.
LOWEST WATER LEVEL 407.74 FT (124.279 M) BELOW LSD, SEP. 28, 1975.
RECORDS AVAILABLE 1962, 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	365.55	JULY 11, 1975	384.50	NOV. 12, 1975	386.30
MAR. 6	359.12	AUG. 18	400.66	DEC. 29	374.35
MAY 19	353.82	SEP. 28	407.74		

423207N1142153.1 10S 18E 20DDD1 KIMBERLY CITY TWIN FALLS COUNTY

DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 6 IN (20 TO 15 CM), REPORTED DEPTH 1,200 FT (365.8 M), 8-IN (20-CM) CASING 0-735 FT (0-224.0 M), 6-IN (15-CM) CASING 735-1,110 FT (224.0-338.3 M), PERFORATED 300-1,110 FT (91.4-338.3 M). LSD ABOUT 3,919 FT (1,194 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED AUG. 13, 1951. RECORDER REMOVED FEB. 12, 1952. MP NO. 4 TOP OF CASING WEST SIDE, 4.70 FT (1.433 M) ABOVE LSD (SINCE JAN. 16, 1973).

HIGHEST WATER LEVEL 164.70 FT (50.201 M) BELOW LSD, SEP. 14, 1972.
LOWEST WATER LEVEL 178.47 FT (54.398 M) BELOW LSD, MAY 19, 1955.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	172.36	JULY 10, 1975	177.94	NOV. 12, 1975	171.58
MAR. 8	173.62	AUG. 17	175.52	DEC. 27	172.14
MAY 18	176.24	SEP. 24	172.90		

422913N1144426.1 11S 15E 07ACB1 US BUREAU RECL TWIN FALLS COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN BANBURY FORMATION, DIAM 6 IN (15 CM), DEPTH 347.0 FT (105.8 M), CASED TO 275 FT (83.8 M), PERFORATED 225-275 FT (68.6-83.8 M). LSD 4,108.14 FT (1,252.161 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP EDGE OF CASING CAP WEST SIDE, 1.05 FT (0.320 M) ABOVE LSD (SINCE NOV. 15, 1960).

HIGHEST WATER LEVEL 220.80 FT (67.300 M) BELOW LSD, SEP. 13, 1974.
LOWEST WATER LEVEL 237.89 FT (72.509 M) BELOW LSD, MAY 22, 1962.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1975	230.31	SEP. 28, 1975	222.12		

422600N1142409.1 11S 17E 25DDD2 US BUREAU RECL TWIN FALLS COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 351.6 FT (107.2 M), CASED TO 175 FT (53.3 M), PERFORATED 145-175 FT (44.2-53.3 M). LSD 4,138.54 FT (1,261.427 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). RECORDER INSTALLED OCT. 27, 1960. RECORDER REMOVED AUG. 11, 1971. MP NO. 3 TOP OF CASING NORTH SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE AUG. 21, 1961).

HIGHEST WATER LEVEL 77.23 FT (23.540 M) BELOW LSD, AUG. 24, 1965.
LOWEST WATER LEVEL 97.23 FT (29.636 M) BELOW LSD, APR. 6, 1962.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1975	91.28	SEP. 28, 1975	81.29		

422829N1141508.1 11S 19E 17AAB1 H H BUTLER JR TWIN FALLS COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 14 IN (36 CM), REPORTED DEPTH 860 FT (262.1 M), CASED TO 16 FT (4.9 M). LSD ABOUT 4,229 FT (1,289 M) ABOVE MSL DATUM OF 1929. JULY 17, 1968, WELL HAD FILLED IN TO A DEPTH OF 834.0 FT (254.2 M). RECORDER INSTALLED AUG. 17, 1961. MP NO. 4 TOP OF CASING NORTHEAST SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 315.93 FT (96.295 M) BELOW LSD, JUNE 16, 1974.
LOWEST WATER LEVEL 328.50 FT (100.127 M) BELOW LSD, NOV. 18, 1969.
RECORDS AVAILABLE 1959, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	321.45	MAR. 28, 1975	320.17	AUG. 31, 1975	319.06
JAN. 8	320.97	MAR. 31	319.50	SEP. 5	319.58
JAN. 10	321.29	APR. 5	319.42	SEP. 10	319.63
JAN. 12	321.96	APR. 10	319.61	SEP. 15	320.07
JAN. 15	321.43	APR. 15	319.24	SEP. 20	320.40
JAN. 20	321.20	APR. 17	319.12	SEP. 21	320.54
JAN. 21	321.51	MAY 18	318.46H	SEP. 25	320.41
JAN. 25	321.03	MAY 20	318.15	SEP. 30	320.82
JAN. 31	320.95	MAY 22	318.40	OCT. 5	320.91
FEB. 5	321.18	JUNE 28	317.44	OCT. 10	321.10
FEB. 10	320.55	JUNE 30	317.43	OCT. 15	321.48
FEB. 15	320.84	JULY 2	317.38	OCT. 20	321.51
FEB. 20	320.47	JULY 5	317.56	OCT. 25	321.58
FEB. 25	320.54	JULY 10	317.56	OCT. 31	321.88
FEB. 28	320.43	JULY 14	317.37	NOV. 5	321.72
MAR. 5	319.90	AUG. 17	318.38H	NOV. 10	321.44
MAR. 10	320.03	AUG. 17	318.35	NOV. 13	322.32
MAR. 15	320.13	AUG. 18	318.35	NOV. 14	321.88
MAR. 20	319.98	AUG. 20	318.71	DEC. 29	321.66
MAR. 25	319.43	AUG. 25	318.86	DEC. 31	321.56

H TAPE MEASUREMENT (RECORDER).

422529N1141607.1 11S 19E 31ADD1 GARNET KIDD TWIN FALLS COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 350 FT (106.7 M), CASED TO 140 FT (42.7 M). LSD 4,197.70 FT (1,279.459 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF HOLE IN WELL SEAL NORTH SIDE, 4.50 FT (1.372 M) BELOW LSD (SINCE MAY 18, 1967).

HIGHEST WATER LEVEL 118.75 FT (36.195 M) BELOW LSD, MAY 3, 1952.
LOWEST WATER LEVEL 159.68 FT (48.670 M) BELOW LSD, NOV. 12, 1961.
RECORDS AVAILABLE 1951-52, 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	136.26B	JULY 10, 1975	141.19A	NOV. 14, 1975	146.97
MAR. 9	134.67	AUG. 17	139.72	DEC. 29	136.29
MAY 18	134.31	SEP. 24	141.80		

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.

422835N1140552.1 11S 20E 10DCC1 GLEN BRIGGS TWIN FALLS COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 250 FT (76.2 M), CASED TO 28 FT (8.5 M). LSD 4,174.82 FT (1,272.485 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MAR. 31, 1971, WELL HAD FILLED IN TO A DEPTH OF 219.4 FT (66.9 M). MP NO. 1 TAP HOLE INSIDE PUMPBASE NORTHWEST SIDE, 5.00 FT (1.524 M) BELOW LSD (SINCE JULY 24, 1959).

HIGHEST WATER LEVEL 125.35 FT (38.207 M) BELOW LSD, OCT. 25, 1956.
LOWEST WATER LEVEL 170.62 FT (52.005 M) BELOW LSD, SEP. 12, 1963.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	148.15	SEP. 24, 1975	158.13		

422518N1140627.1 11S 20E 33DAD1 T STURGILL TWIN FALLS COUNTY

DRILLED UNUSED WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 14-8-6 IN (36-20-15 CM), REPORTED DEPTH 680 FT (207.3 M), 14-IN (36-CM) CASING 0-40 FT (0-12.2 M), PERFORATED 8-IN (20-CM) CASING 312-509 FT (95.1-155.1 M), PERFORATED 6-IN (15-CM) CASING 501-638 FT (152.7-194.5 M). LSD 4,245.03 FT (1,293.885 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. OCT. 14, 1968, WELL HAD FILLED IN TO A DEPTH OF 386.0 FT (117.6 M). MP NO. 3 TOP OF HOLE IN 55-GAL (208-L) DRUM WEST SIDE, 1.95 FT ABOVE LSD (SINCE SEPT. 16, 1969).

HIGHEST WATER LEVEL 37.82 FT (11.528 M) BELOW LSD, DEC. 11, 1951.
LOWEST WATER LEVEL 211.57 FT (64.487 M) BELOW LSD, AUG. 10, 1964.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1975	171.34	JULY 10, 1975	169.30	NOV. 19, 1975	172.44
MAR. 9	167.27	AUG. 17	173.22	DEC. 29	169.45
MAY 15	163.07	SEP. 24	178.53		

421057N1144211.1 14S 15E 28BAD2 US BUREAU RECL TWIN FALLS COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN IDAVADA VOLCANICS, DIAM 6 IN (15 CM), DEPTH 455 FT (138.7 M), CASED TO 341 FT (103.9 M), PERFORATED 231-341 FT (70.4-103.9 M). LSD 4,976.12 FT (1,516.721 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. AUG. 11, 1971, WELL HAD FILLED IN TO A DEPTH OF 420.4 FT (128.1 M). RECORDER INSTALLED APR. 19, 1961. RECORDER REMOVED AUG. 11, 1971. MP NO. 2 TOP OF CASING WEST SIDE, 2.10 FT (0.640 M) ABOVE LSD (SINCE APR. 19, 1961).

HIGHEST WATER LEVEL 90.76 FT (27.664 M) BELOW LSD, NOV. 17, 1965.
LOWEST WATER LEVEL 111.89 FT (34.104 M) BELOW LSD, OCT. 16, 1974.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1975	106.33	JULY 9, 1975	115.35C	NOV. 11, 1975	105.87
MAR. 4	105.01	AUG. 15	118.27C	DEC. 27	103.58
MAY 15	103.58	OCT. 1	109.49		

C NEARBY WELL BEING PUMPED.

Area 7

FIGURE 16.--Index map of area 7, southeast Idaho.



425818N1123052.2 05S 34E 20CBB2 MARGARET NEVADA BANNOCK COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 154.7 FT (47.2 M), CASED TO 155 FT (47 M), OPEN END. LSD ABOUT 4,455 FT (1,358 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF VENT HOLE IN WELL SEAL WEST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE SEPT. 15, 1964).

HIGHEST WATER LEVEL 50.01 FT (15.243 M) BELOW LSD, SEP. 24, 1973.
LOWEST WATER LEVEL 52.65 FT (16.048 M) BELOW LSD, MAY 20, 1967.
RECORDS AVAILABLE 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1975	51.90	SEP. 22, 1975	50.87		

424753N1122249.1 07S 35E 20ADD2 D CRAIG LLOYD BANNOCK COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 110 FT (33.5 M), CASED TO 110 FT (33.5 M), PERFORATED 93-105 FT (28.4-32.0 M). LSD ABOUT 4,519 FT (1,377 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE IN WELL SEAL NORTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 21, 1973).

HIGHEST WATER LEVEL 34.32 FT (10.461 M) BELOW LSD, JUNE 22, 1975.
LOWEST WATER LEVEL 51.42 FT (15.673 M) BELOW LSD, MAR. 18, 1974.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 4, 1975	46.73	JUNE 22, 1975	34.32	OCT. 28, 1975	39.98
MAR. 17	48.04A	AUG. 5	37.65	DEC. 11	41.75
MAY 13	47.08	SEP. 16	39.73		

A WELL BEING PUMPED.

424748N1121955.1 07S 35E 23CAA1 ART LISH BANNOCK COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 86 FT (26 M). LSD ABOUT 4,504 FT (1,373 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL SOUTH SIDE, 0.43 FT (0.131 M) ABOVE LSD (SINCE NOV. 16, 1968).

HIGHEST WATER LEVEL 14.54 FT (4.432 M) BELOW LSD, MAY 16, 1972.
LOWEST WATER LEVEL 45.01 FT (13.719 M) BELOW LSD, MAR. 17, 1969.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 4, 1975	33.23	JUNE 22, 1975	16.75	OCT. 28, 1975	25.36
MAR. 17	34.61	AUG. 5	22.20	DEC. 11	27.32
MAY 13	32.48	SEP. 16	24.62		

423347N1121610.1 10S 36E 08DDD1 WAYNE WHEATLEY BANNOCK COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 16 IN (41 CM), REPORTED DEPTH 216 FT (66 M), CASED TO 216 FT (66 M), PERFORATED 115-120 FT (35-37 M), 128-132 FT (39-40 M), 138-140 FT (42-43 M), 170-212 FT (52-65 M). LSD ABOUT 5,020 FT (1,530 M) ABOVE MSL DATUM OF 1929. MP NO. 2 HOLE IN CASING COVER SOUTHEAST SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE DEC. 14, 1972).

HIGHEST WATER LEVEL 62.78 FT (19.135 M) BELOW LSD, JULY 18, 1972.
LOWEST WATER LEVEL 68.29 FT (20.815 M) BELOW LSD, FEB. 24, 1971.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 5, 1975	65.54	JUNE 22, 1975	65.09	OCT. 29, 1975	64.47
MAR. 17	65.76	AUG. 5	64.17	DEC. 10	65.08
MAY 13	65.74	SEP. 16	63.76		

422821N1120857.1 11S 37E 16BBB1 R D CHRISTENSEN BANNOCK COUNTY

DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 64.6 FT (19.7 M). LSD ABOUT 4,842 FT (1,476 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING WEST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE OCT. 24, 1968).

HIGHEST WATER LEVEL 10.12 FT (3.085 M) BELOW LSD, AUG. 10, 1971.
LOWEST WATER LEVEL 14.82 FT (4.517 M) BELOW LSD, MAY 20, 1970.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 5, 1975	13.80	JUNE 22, 1975	13.64	OCT. 29, 1975	12.02
MAR. 17	12.71	AUG. 5	12.06	DEC. 10	12.99
MAY 13	14.17	SEP. 16	11.55		

421433N1112354.1 13S 43E 35CCD1 DAIRY CO-OP BEAR LAKE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 10 IN (25 CM), REPORTED DEPTH 500 FT (152 M). LSD ABOUT 5,950 FT (1,814 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 10-IN (25-CM) CASING WEST SIDE, 5.40 FT (1.646 M) BELOW LSD (SINCE SEPT. 18, 1967).

HIGHEST WATER LEVEL 12.78 FT (3.895 M) BELOW LSD, AUG. 15, 1968.
LOWEST WATER LEVEL 19.04 FT (5.803 M) BELOW LSD, MAR. 19, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	19.04	SEP. 18, 1975	16.59		

421606N1111642.1 13S 44E 26BAD1 OLEAN PARKER BEAR LAKE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 14 IN (36 CM), REPORTED DEPTH 170 FT (52 M), CASED TO 170 FT (52 M), PERFORATED 20-170 FT (6-52 M). LSD ABOUT 5,970 FT (1,820 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN PUMPBASE SOUTHEAST SIDE, 0.40 FT (0.123 M) ABOVE LSD (SINCE SEPT. 20, 1967).

HIGHEST WATER LEVEL 15.54 FT (4.737 M) BELOW LSD, SEP. 24, 1969.
LOWEST WATER LEVEL 24.45 FT (7.452 M) BELOW LSD, APR. 8, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	23.26	SEP. 18, 1975	15.60		

433509N1123848.1 03N 32E 13DCA1 US ERDA BINGHAM COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 790 FT (241 M), CASED TO 790 FT (241 M), PERFORATED 680-730 FT (207-222 M) AND 737-787 FT (225-240 M), GRAVEL PACKED, CEMENTED BOTTOM. LSD 5,165.51 FT (1,574.447 M) ABOVE MSL DATUM OF 1929, BASED ON ELEVATION OF 1947 (PRELIMINARY). MP NO. 3 TOP OF 10-IN (25-CM) CASING SOUTHWEST SIDE, 0.16 FT (0.049 M) ABOVE LSD (SINCE AUG. 17, 1960).

HIGHEST WATER LEVEL 672.06 FT (204.844 M) BELOW LSD, MAR. 14, 1973.
LOWEST WATER LEVEL 677.41 FT (206.475 M) BELOW LSD, AUG. 22, 1968.
RECORDS AVAILABLE 1958-62, 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	672.43	JULY 17, 1975	673.88	OCT. 22, 1975	674.26
APR. 21	672.75	AUG. 27	674.77	DEC. 18	673.68
MAY 23	673.04				

432701N1124711.1 02N 31E 35DCC1 US GEOL SURVEY BINGHAM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 636 FT (194 M), 6-IN (15-CM) CASING 0-433 FT (0-132 M), 5-IN (13-CM) CASING 423-636 FT (129-194 M), PERFORATED 600-630 FT (183-192 M). LSD 5,023.68 FT (1,531.218 M) ABOVE MSL DATUM OF 1929, BASED ON ELEVATION OF 1947 (PRELIMINARY). RECORDER INSTALLED JAN. 3, 1950. RECORDER REMOVED JULY 25, 1956. RECORDER INSTALLED MAR. 11, 1965. RECORDER REMOVED MAR. 25, 1974. MP NO. 1 TOP OF CASING, 1.49 FT (0.454 M) ABOVE LSD (SINCE DEC. 25, 1949).

HIGHEST WATER LEVEL 582.1 FT (177.424 M) BELOW LSD, NOV. 12, 1951.
LOWEST WATER LEVEL 586.65 FT (178.811 M) BELOW LSD, MAY 25, 1964.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	583.61	MAY 23, 1975	583.71	SEP. 26, 1975	584.11
FEB. 26	583.71	JUNE 25	583.98	OCT. 22	583.61
MAR. 27	583.66	JULY 17	583.97	NOV. 26	583.36
APR. 21	583.66	AUG. 26	584.22	DEC. 20	583.85

432620N1125613.1 01N 30E 10BBB1 US BUR LAND MGT BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 563.8 FT (171.8 M). LSD 4,979.39 FT (1,517.718 M) ABOVE MSL DATUM OF 1929. ORIGINAL DEPTH 569 FT (173 M) FROM WSP 775. MP NO. 3 TOP OF PUMP COLUMN LINER NORTHEAST SIDE, 1.81 FT (0.552 M) ABOVE LSD (SINCE MAY 7, 1950).

HIGHEST WATER LEVEL 527.36 FT (160.739 M) BELOW LSD, APR. 20, 1950.
LOWEST WATER LEVEL 552.17 FT (168.301 M) BELOW LSD, JUNE 21, 1968.
RECORDS AVAILABLE 1922, 1949-53, 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1975	549.43	JULY 17, 1975	549.82	OCT. 10, 1975	549.76
APR. 21	549.19	AUG. 26	549.79	DEC. 20	549.59
MAY 28	549.51				

432019N1125651.1 01S 30E 15BCA1 US GEOL SURVEY BINGHAM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 751.5 FT (229.0 M), 6-IN (15-CM) CASING 0-570 FT (0-174 M), 5-IN (13-CM) CASING 560-752 FT (171-229 M), LEAD SEAL AT 550 FT (168 M). LSD 5,133.08 FT (1,564.563 M) ABOVE MSL DATUM OF 1929, BASED ON ELEVATIONS OF 1949 (PRELIMINARY). RECORDER INSTALLED DEC. 14, 1951. RECORDER REMOVED AUG. 18, 1960. MP NO. 2 TOP OF 6 1/4-IN (16-CM) THREADED CASING, 1.36 FT (0.414 M) ABOVE LSD (SINCE JUNE 27, 1951).

HIGHEST WATER LEVEL 709.80 FT (216.347 M) BELOW LSD, OCT. 24, 1951, NOV. 14, 1952.
LOWEST WATER LEVEL 714.53 FT (217.789 M) BELOW LSD, MAY 22, 1963.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1975	712.37	JULY 17, 1975	712.56	OCT. 10, 1975	712.29
MAY 1	712.27	AUG. 26	712.69	DEC. 20	712.09
MAY 28	712.32				

432042N1121932.1 01S 35E 11CAD1 PARKS BROTHERS BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 18 IN (46 CM), REPORTED DEPTH 297 FT (90 M), CASED TO 15 FT (5 M). LSD ABOUT 4,662 FT (1,421 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN PUMPBASE EAST SIDE, 0.30 FT (0.091 M) ABOVE LSD (SINCE JUNE 20, 1957).

HIGHEST WATER LEVEL 169.95 FT (51.801 M) BELOW LSD, SEP. 25, 1972.
LOWEST WATER LEVEL 175.19 FT (53.398 M) BELOW LSD, JUNE 19, 1968.
RECORDS AVAILABLE 1957, 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1975	170.51	SEP. 19, 1975	171.36		

431840N1120712.1 01S 37E 28AAA1 UTAH PWR&LT CO BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 62.2 FT (19.0 M), CASED TO 62 FT (19.0 M). LSD ABOUT 4,600 FT (1,402 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING NORTH SIDE, 1.50 FT (0.457 M) BELOW LSD (SINCE SEPT. 18, 1957).

HIGHEST WATER LEVEL 20.39 FT (6.215 M) BELOW LSD, SEP. 23, 1970.
LOWEST WATER LEVEL 55.58 FT (16.941 M) BELOW LSD, APR. 23, 1964.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1975	48.19	SEP. 25, 1975	23.30		

431705N1120413.1 01S 37E 36CDA1 ARVEL FIELDING BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 16 IN (41 CM), DEPTH 414.9 FT (126.5 M), CASED 0-350 FT (0-107 M), OPEN HOLE. LSD ABOUT 4,804 FT (1,464 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 16-IN (41-CM) CASING SOUTHWEST SIDE FLUSH WITH CONCRETE PLATFORM, AT LSD (SINCE MAR. 28, 1958).

HIGHEST WATER LEVEL 230.00 FT (70.104 M) BELOW LSD, SEP. 25, 1972.
LOWEST WATER LEVEL 262.68 FT (80.065 M) BELOW LSD, SEP. 17, 1968.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1975	242.70	SEP. 25, 1975	233.65		

431422N1124119.1 02S 32E 23BBB1 US BUR LAND MGT BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 194.0 FT (59.1 M), CASED 0-172 FT (0-52 M), OPEN HOLE. LSD 4,583.32 FT (1,396.996 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). NOV. 2, 1971, WELL HAD FILLED IN TO A DEPTH OF 182.2 FT (55.5 M). RECORDER INSTALLED APR. 7, 1960. RECORDER REMOVED SEPT. 22, 1960. MP NO. 3 TOP OF CASING WEST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE APR. 4, 1960).

HIGHEST WATER LEVEL 162.75 FT (49.606 M) BELOW LSD, OCT. 19, 1951.
LOWEST WATER LEVEL 167.91 FT (51.179 M) BELOW LSD, AUG. 13, 1968.
RECORDS AVAILABLE 1951-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	165.90	JULY 2, 1975	166.32	OCT. 31, 1975	165.23
MAR. 25	165.70	SEP. 19	165.71	DEC. 10	165.48
MAY 9	166.18				

431242N1122928.1 02S 34E 33BBA1 CLARENCE COPE BINGHAM COUNTY

DRILLED STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 40 FT (12 M), CASED TO 5 FT (1.5 M). LSD 4,456.89 FT (1,358.460 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY ADJ.). MP NO. 1 1/4-IN (3.2-CM) TAP HOLE IN NORTHWEST SIDE OF PUMPBASE, 1.50 FT (0.457 M) ABOVE LSD (SINCE MAY 23, 1952).

HIGHEST WATER LEVEL 23.80 FT (7.254 M) BELOW LSD, AUG. 30, 1952.
LOWEST WATER LEVEL 32.87 FT (10.019 M) BELOW LSD, APR. 23, 1964.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1975	30.42	SEP. 19, 1975	26.21		

431148N1121118.1 02S 36E 36CDD1 US BUR IND AFRS BINGHAM COUNTY

DRILLED STOCK WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 6 IN (15 CM), DEPTH 98.0 FT (29.9 M), CASED TO 97 FT (29.5 M). LSD ABOUT 4,636 FT (1,413 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING SOUTH SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE APR. 7, 1951).

HIGHEST WATER LEVEL 74.57 FT (22.729 M) BELOW LSD, OCT. 25, 1959.
LOWEST WATER LEVEL 77.45 FT (23.607 M) BELOW LSD, JUNE 14, 1961.
RECORDS AVAILABLE 1955, 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1975	76.15	SEP. 19, 1975	75.87		

431028N1123941.1 03S 32E 12CDD1 R V WILLIAMS BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 94.5 FT (28.80 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 4,497 FT (1,370.7 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE IN CASING WEST SIDE, AT LSD (SINCE OCT. 4, 1974).

HIGHEST WATER LEVEL 71.48 FT (21.787 M) BELOW LSD, NOV. 21, 1974.
LOWEST WATER LEVEL 72.68 FT (22.153 M) BELOW LSD, MAY 9, 1975.
RECORDS AVAILABLE 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	72.13	JULY 21, 1975	N	OCT. 31, 1975	N
MAY 9	72.68	SEP. 19	N		

N NO MEASUREMENT.

431006N1123409.1 03S 33E 14BBA1 FRANCIS J WEBB BINGHAM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 44 FT (13 M), CASED TO 3 FT (1 M). LSD 4,461.55 FT (1,359.880 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY ADJ.). MP NO. 1 LOWER EDGE OF HOLE IN PUMP STAND NORTH SIDE, 1.60 FT (0.488 M) ABOVE LSD (SINCE MAY 23, 1952).

HIGHEST WATER LEVEL 34.89 FT (10.634 M) BELOW LSD, AUG. 30, 1952.
LOWEST WATER LEVEL 44.13 FT (13.451 M) BELOW LSD, APR. 27, 1960.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	39.62	SEP. 19, 1975	38.30		

430216N1124640.1 04S 31E 36ABA1 US GEOL SURVEY BINGHAM COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN AMERICAN FALLS LAKE BEDS, DIAM 1 1/4 IN (3.2 CM), DEPTH 17.1 FT (5.2 M), CASED TO 17 FT (5 M), WELL POINT 15.9-18.4 FT (4.80-5.61 M). LSD 4,401.78 FT (1,341.662 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). MP NO. 1 TOP OF 1 1/4-IN (3.2-CM) CASING NORTH SIDE, 1.50 FT (0.457 M) ABOVE LSD (SINCE JULY 26, 1959).

HIGHEST WATER LEVEL 0.26 FT (0.079 M) ABOVE LSD, SEP. 19, 1973.
LOWEST WATER LEVEL 6.80 FT (2.073 M) BELOW LSD, FEB. 14, 1962.
RECORDS AVAILABLE 1959-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	5.38	SEP. 17, 1975	0.20		

420425N1124011.1 04S 32E 13CBB1 RAYMOND RUFF BINGHAM COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 60 FT (18.3 M), CASED TO 60 FT (18.3 M). LSD 4,410.86 FT (1,344.430 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 2 BOTTOM EDGE OF 1/2-IN (1.3-CM) HOLE IN WELL SEAL NORTHWEST SIDE, 5.01 FT (1.527 M) BELOW LSD (SINCE DEC. 12, 1974).

HIGHEST WATER LEVEL 11.49 FT (3.502 M) BELOW LSD, AUG. 11, 1965.
LOWEST WATER LEVEL 17.83 FT (5.435 M) BELOW LSD, APR. 24, 1963, MAR. 24, 1964.
RECORDS AVAILABLE 1961-69, 1972, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	16.80	SEP. 19, 1975	13.64		

430955N1123650.1 03S 33E 17AAD1 CHRIS POLATIS BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 18 IN (46 CM), DEPTH 185 FT (56.4 M). LSD 4,512.75 FT (1,375.486 M) ABOVE MSL DATUM OF 1929, (PRELIMINARY ADJ). MP NO. 3 TOP OF 3/4-IN (1.9-CM) HOLE INSIDE PUMPBASE EAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 17, 1964).

HIGHEST WATER LEVEL 89.57 FT (27.301 M) BELOW LSD, OCT. 2, 1952.
LOWEST WATER LEVEL 95.79 FT (29.197 M) BELOW LSD, APR. 23, 1964.
RECORDS AVAILABLE 1951-53, 1956, 1958-69, 1972, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	93.09	SEP. 19, 1975	92.65		

430402N1125203.1 04S 31E 20BBB1 W T PRUDHOMME BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), REPORTED DEPTH 201 FT (61 M), CASED TO 5 FT (1.5 M). LSD 4,523.34 FT (1,378.714 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1-IN (2.5-CM) PLUG HOLE OUTSIDE PUMPBASE NORTH SIDE, 0.35 FT (0.107 M) ABOVE LSD (SINCE JULY 17, 1953).

HIGHEST WATER LEVEL 115.09 FT (35.079 M) BELOW LSD, OCT. 2, 1953.
LOWEST WATER LEVEL 119.98 FT (36.570 M) BELOW LSD, SEP. 16, 1963.
RECORDS AVAILABLE 1953, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	117.44	SEP. 19, 1975	118.09		

430610N1123533.1 04S 33E 03CBB2 R F CAMMACK BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 53.3 FT (16.2 M), CASED TO 12 FT (3.6 M). LSD 4,447.94 FT (1,355.732 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED JULY 23, 1959. RECORDER REMOVED MAY 25, 1969. MP NO. 1 TOP OF CASING SOUTH SIDE, 1.10 FT (0.335 M) ABOVE LSD (SINCE MAR. 25, 1959).

HIGHEST WATER LEVEL 31.37 FT (9.562 M) BELOW LSD, AUG. 19, 1969.
LOWEST WATER LEVEL 39.65 FT (12.085 M) BELOW LSD, APR. 29, 1963, APR. 30, 1963, MAR. 30, 1964.
RECORDS AVAILABLE 1959-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	37.63	JULY 2, 1975	34.62	DEC. 10, 1975	37.19
MAY 9	38.18	SEP. 19	33.73		

430547N1123041.1 04S 34E 05CCD1 US GEOL SURVEY BINGHAM COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 31.0 FT (9.45 M), CASED TO 31 FT (9.45 M). LSD 4,405.19 FT (1,342.702 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING COUPLING, 2.20 FT (0.67 M) ABOVE LSD (SINCE MAR. 22, 1955).

HIGHEST WATER LEVEL 2.77 FT (0.844 M) BELOW LSD, MAY 21, 1957.
LOWEST WATER LEVEL 5.28 FT (1.609 M) BELOW LSD, JULY 21, 1959.
RECORDS AVAILABLE 1955-71, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	4.03	SEP. 18, 1975	4.63		

430030N1125413.1 05S 30E 12BBA1 B & W FARMS BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 200 FT (61 M), CASED TO 6 FT (2 M). LSD 4,501.51 FT (1,372.060 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 3 BOTTOM EDGE OF PUMPBASE NORTHWEST SIDE, 0.43 FT (0.131 M) ABOVE LSD (SINCE MAY 24, 1968).

HIGHEST WATER LEVEL 104.22 FT (31.766 M) BELOW LSD, AUG. 29, 1951.
LOWEST WATER LEVEL 110.20 FT (33.589 M) BELOW LSD, APR. 23, 1959.
RECORDS AVAILABLE 1951-53, 1956, 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL		DATE	WATER LEVEL
MAR. 25, 1975	107.51	JULY 21, 1975		A	SEP. 17, 1975	108.84
MAY 9	107.93					

A WELL BEING PUMPED.

425803N1125213.1 05S 31E 19DDC1 DON DANCLIFF BINGHAM COUNTY

DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 61.3 FT (18.7 M), CASED TO 70 FT (21 M). LSD 4,427.04 FT (1,349.361 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY ADJ.). MEASUREMENTS PRIOR TO 1952 MADE BY ABERDEEN-SPRINGFIELD CANAL CO. MP NO. 4 TOP OF 3/8-IN (0.32-CM) PIPE COUPLING IN WOODEN COVER NORTH SIDE, 0.30 FT (0.091 M) ABOVE LSD (SINCE AUG. 22, 1964).

HIGHEST WATER LEVEL 37.4 G FT (11.400 M) BELOW LSD, SEP. 9, 1947.
LOWEST WATER LEVEL 44.42 FT (13.539 M) BELOW LSD, APR. 11, 1962.
RECORDS AVAILABLE 1944-47, 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	41.97	SEP. 17, 1975	42.85		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

425757N1124852.1 05S 31E 27ABA1 W YOUNGSTROM BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 TO 12 IN (41 TO 30 CM), DEPTH 48.9 FT (14.9 M), CASED TO 16 FT (5 M). LSD 4,399.83 FT (1,341.068 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY ADJ.). MEASUREMENTS PRIOR TO 1952 MADE BY ABERDEEN-SPRINGFIELD CANAL CO. RECORDER INSTALLED JULY 16, 1952. RECORDER CHANGED TO DIGITAL MAY 30, 1973. MP NO. 2 TOP INSIDE EDGE OF CASING, 0.50 FT (0.152 M) ABOVE LSD (SINCE MAY 24, 1952).

HIGHEST WATER LEVEL 9.97 FT (3.039 M) BELOW LSD, AUG. 16, 1968.
LOWEST WATER LEVEL 25.84 FT (7.876 M) BELOW LSD, APR. 28, 1961.
RECORDS AVAILABLE 1945-49, 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	20.50	MAY 10, 1975	23.23	SEP. 5, 1975	13.60
JAN. 10	20.82	MAY 15	23.09	SEP. 10	13.98
JAN. 15	20.92	MAY 20	23.06	SEP. 15	13.69
JAN. 20	21.10	MAY 25	23.27	SEP. 20	13.21
JAN. 25	21.52	MAY 31	22.04	SEP. 25	13.21
FEB. 7	21.33	JUNE 5	20.54	SEP. 30	13.61
FEB. 10	21.39	JUNE 10	19.74	OCT. 5	13.75
FEB. 15	21.70	JUNE 15	18.42	OCT. 10	14.06
FEB. 20	21.37	JUNE 20	17.30	OCT. 15	14.51
FEB. 25	21.84	JUNE 25	16.96	OCT. 20	14.76
FEB. 28	21.96	JUNE 30	17.56	OCT. 25	15.01
MAR. 5	21.73	JULY 5	17.68	OCT. 31	15.61
MAR. 10	21.80	JULY 10	16.92	NOV. 5	15.87
MAR. 15	22.02	JULY 15	15.38	NOV. 10	16.06
MAR. 20	22.08	JULY 20	14.80	NOV. 15	16.75
MAR. 25	21.92	JULY 25	13.42	NOV. 20	17.20
MAR. 31	22.22	JULY 31	13.14	NOV. 25	17.66
APR. 5	22.39	AUG. 5	13.42	NOV. 30	17.95
APR. 10	22.63	AUG. 10	13.51	DEC. 5	18.31
APR. 15	22.61	AUG. 15	14.00	DEC. 10	18.43
APR. 20	22.89	AUG. 20	12.29	DEC. 15	18.94
APR. 25	22.71	AUG. 21	11.67	DEC. 20	19.25
APR. 30	22.99	AUG. 25	12.31	DEC. 25	19.54
MAY 5	22.92	AUG. 31	12.65	DEC. 31	19.66

425940N1124613.2 05S 32E 07CCC2 US GEOL SURVEY BINGHAM COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF AMERICAN FALLS LAKE BEDS, DIAM 1 1/4 IN (3.2 CM), DEPTH 15 FT (4.57 M), CASED TO 15 FT (4.57 M). LSD 4,374.68 FT (1,333.402 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 1 1/4-IN (3.2-CM) PIPE WEST SIDE, 3.00 FT (0.914 M) ABOVE LSD (SINCE JULY 21, 1959).

HIGHEST WATER LEVEL 1.37 FT (0.418 M) BELOW LSD, APR. 23, 1964.
LOWEST WATER LEVEL 7.62 FT (2.323 M) BELOW LSD, JULY 22, 1959.
RECORDS AVAILABLE 1959-69, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	1.60	SEP. 17, 1975	2.55		

425849N1124548.1 05S 32E 18CDC1 ROY CORNFURTH BINGHAM COUNTY

DRILLED DOMESTIC AND STOCK ARTESIAN WELL IN GRAVEL OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 240 FT (73 M), CASED TO 240 FT (73 M). LSD 4,373.82 FT (1,333.140 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). MP NO. 1 TOP OF 6-IN (15-CM) COUPLING ON DISCHARGE PIPE 22.00 FT (6.706 M) EAST OF WELL, 3.00 FT (0.914 M) ABOVE LSD (SINCE OCT. 15, 1961).

HIGHEST WATER LEVEL 16.11 FT (4.910 M) ABOVE LSD, MAR. 23, 1972.
LOWEST WATER LEVEL 5.81 FT (1.771 M) ABOVE LSD, JULY 21, 1975.
RECORDS AVAILABLE 1961-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975 +	14.58	JULY 21, 1975 +	5.81	DEC. 10, 1975 +	9.98
MAY 16 +	14.51	SEP. 22 +	6.68		

425427N1125038.1 06S 31E 16BAA1 JOHN W PALMER BINGHAM COUNTY

DRILLED IRRIGATION WATER-TABLE WELL, IN UNKNOWN AQUIFER, DIAM 12 IN (30 CM), DEPTH 134 FT (40.8 M), CASING DEPTH NOT AVAILABLE. LSD 4,392.21 FT (1,338.746 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). MEASUREMENTS PRIOR TO 1952 MADE BY ABERDEEN-SPRINGFIELD CANAL CO. RECORDER INSTALLED OCT. 4, 1952. RECORDER REMOVED MAY 18, 1955. MP NO. 3 TOP OF 7/8-IN (2.2-CM) HOLE IN NORTHWEST CORNER OF STEEL PUMPBASE, 0.25 FT (.076 M) ABOVE LSD (SINCE JUNE 24, 1958).

HIGHEST WATER LEVEL 3.9 G FT (1.189 M) BELOW LSD, AUG. 28, 1944, SEP. 21, 1944.
LOWEST WATER LEVEL 16.53 FT (5.038 M) BELOW LSD, APR. 21, 1961.
RECORDS AVAILABLE 1944-49, 1952-72, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL		DATE	WATER LEVEL
MAR. 14, 1975	16.32	SEP. 17, 1975		A	SEP. 22, 1975	15.77B

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.
G MEASURED BY OUTSIDE AGENCY OR PERSON.

425205N1125211.1 06S 31E 30DAD1 BARTHOLOMA BROS BINGHAM COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 7 IN (18 CM), DEPTH 78 FT (23.8 M), CASING DEPTH NOT AVAILABLE. LSD 4,415.01 FT (1,345.695 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 BOTTOM OF 7/16-IN (1.11-CM) TAP HOLE IN PUMPBASE, 0.50 FT (0.152 M) ABOVE LSD (SINCE MAY 26, 1952).

HIGHEST WATER LEVEL 40.39 FT (12.311 M) BELOW LSD, AUG. 22, 1960.
LOWEST WATER LEVEL 53.13 FT (16.194 M) BELOW LSD, APR. 19, 1967.
RECORDS AVAILABLE 1952-69, 1972, 1974-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL		DATE	WATER LEVEL
MAR. 14, 1975	51.84	MAY 9, 1975		P		

P WELL DESTROYED.

433307N1123000.1 03N 34E 32BBC1 US ERDA BONNEVILLE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 786.0 FT (239.6 M), CASED TO 786 FT (239.6 M), PERFORATED 741-786 FT (226-240 M), GRAVEL PACKED BACKFILL AROUND CASING. LSD 5,216.55 FT (1,590.004 M) ABOVE MSL DATUM OF 1929. JULY 26, 1957, WELL HAD FILLED IN TO A DEPTH OF 720.6 FT (219.6 M). MAY 27, 1964, WELL WAS CLEANED TO A DEPTH OF 786.0 FT (239.6 M). MP NO. 3 TOP OF 8-IN (20 CM) CASING NORTHEAST SIDE, 1.46 FT (0.445 M) ABOVE LSD (SINCE MAY 27, 1964).

HIGHEST WATER LEVEL 716.67 FT (218.441 M) BELOW LSD, JAN. 17, 1973.
LOWEST WATER LEVEL 723.31 FT (220.465 M) BELOW LSD, JULY 25, 1964.
RECORDS AVAILABLE 1950-57, 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	717.05	JULY 17, 1975	719.57	OCT. 22, 1975	718.89
APR. 21	717.79	AUG. 27	720.24	DEC. 18	718.03
MAY 23	718.24				

433656N1120439.1 03N 37E 02CBD1 PARLEY RIGBY BONNEVILLE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 TO 18 IN (51 TO 46 CM), REPORTED DEPTH 508 FT (155 M), 20-IN (51-CM) CASING 0-18 FT (0-5.5 M), 18-IN (46-CM) CASING 217-270 FT (66-82 M), OPEN HOLE. LSD 4,815.97 FT (1,467.907 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING, 0.50 FT (0.152 M) ABOVE LSD (SINCE MAY 20, 1957).

HIGHEST WATER LEVEL 145.47L FT (44.339 M) BELOW LSD, SEP. 17, 1973.
LOWEST WATER LEVEL 176.90 FT (53.919 M) BELOW LSD, MAY 20, 1957.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	170.39	SEP. 15, 1975	147.40		

L ELECTRIC TAPE, M-SCOPE.

433457N1115837.1 03N 38E 22BAB1 BRENT BRADSHAW BONNEVILLE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 155 FT (47.2 M), CASED TO 66 FT (20.1 M). LSD ABOUT 4,790 FT (1,459.992 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE IN WELL SEAL SOUTH SIDE, 1.90 FT (0.579 M) ABOVE LSD (SINCE SEPT. 19, 1973).

HIGHEST WATER LEVEL 89.52 FT (27.286 M) BELOW LSD, SEP. 19, 1973.
LOWEST WATER LEVEL 126.48 FT (38.551 M) BELOW LSD, JUNE 6, 1975.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1975	117.43	JUNE 6, 1975	126.48	OCT. 17, 1975	90.50
MAR. 11	120.49	JULY 30	100.72	NOV. 21	100.85
APR. 23	124.36	SEP. 16	90.16		

433638N1114629.1 03N 40E C8BAA1 EARL HUNTER BONNEVILLE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 18 TO 8 IN (46 TO 20 CM), DEPTH 425.0 FT (129.5 M), 18-IN (16-CM) CASING 0-380 FT (0-116 M), 8-IN (20-CM) CASING 380-435 FT (116-133 M). LSD 5,042.60 FT (1,536.984 M) ABOVE MSL DATUM OF 1929 (ADJUSTED). MP NO. 3 TOP OF 3/4-IN (1.9-CM) HOLE IN WELL SEAL SOUTH SIDE OF CAP, 2.53 FT (0.771 M) ABOVE LSD (SINCE OCT. 27, 1969).

HIGHEST WATER LEVEL 125.12 FT (38.137 M) BELOW LSD, OCT. 8, 1974.
LOWEST WATER LEVEL 184.29 FT (56.172 M) BELOW LSD, APR. 27, 1960.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1975	159.61	JULY 4, 1975	157.39	OCT. 15, 1975	126.93
MAR. 28	170.54	AUG. 10	133.67	NOV. 21	134.31
MAY 15	178.28	SEP. 16	128.82		

433218N1121916.1 02N 35E 02BBC1 US ERDA BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 682.5 FT (208.0 M), CASED TO 108 FT (33 M), OPEN BOTTOM. LSD 5,089.83 FT (1,551.380 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. JULY 1969 WELL WAS DEEPENED TO A DEPTH OF 1,302.0 FT (396.8 M), CONCRETE SEAL 800-883 FT (244-269 M), GRAVEL PACKED 651-800 FT (198-244 M), 3/4-IN (1.9-CM) PIEZOMETER 0-651 FT (0-198 M), PERFORATED 643.5-648.5 FT (196.1-197.7 M). MP NO. 2 TOP OF 10-IN (25-CM) CASING NORTHWEST SIDE, 1.18 FT (0.360 M) ABOVE LSD (SINCE JULY 26, 1957).

HIGHEST WATER LEVEL 573.29 FT (174.739 M) BELOW LSD, JAN. 17, 1973.
LOWEST WATER LEVEL 582.11 FT (177.427 M) BELOW LSD, JULY 17, 1968.
RECORDS AVAILABLE 1950-60, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	573.95	JULY 17, 1975	579.26	OCT. 22, 1975	575.87
APR. 21	575.59	AUG. 27	579.36	DEC. 18	574.45
MAY 23	576.35				

433218N1121916.2 02N 35E 02BBC2 US ERDA BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 982 FT (299 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-982 FT (0-299 M), PERFORATED 909.5-914.5 FT (277.2-278.7 M), GRAVEL PACKED, CONCRETE SEAL. LSD 5,089.83 FT (1,551.380 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 10-IN (25-CM) CASING NORTHWEST SIDE, 1.18 FT (0.360 M) ABOVE LSD (SINCE JULY 23, 1969).

HIGHEST WATER LEVEL 573.26 FT (174.730 M) BELOW LSD, NOV. 24, 1973.
LOWEST WATER LEVEL 580.55 FT (176.952 M) BELOW LSD, JULY 23, 1969.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	574.17	JULY 17, 1975	578.52	OCT. 22, 1975	575.35
APR. 21	575.79	AUG. 27	578.27	DEC. 18	574.34
MAY 23	576.59				

433218N1121916.3 02N 35E 02BBC3 US ERDA BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 1,147 FT (350 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-1,147 FT (0-350 M), PERFORATED 1,117.5-1,122.5 FT (340.6-342.1 M), GRAVEL PACKED, CONCRETE SEAL. LSD 5,089.83 FT (1,551.380 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 10-IN (25-CM) CASING NORTHWEST SIDE, 1.18 FT (0.360 M) ABOVE LSD (SINCE JULY 23, 1969).

HIGHEST WATER LEVEL 573.51 FT (174.806 M) BELOW LSD, JAN. 17, 1973.
LOWEST WATER LEVEL 580.57 FT (176.958 M) BELOW LSD, JULY 23, 1969.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1975	574.32	JULY 17, 1975	578.65	OCT. 22, 1975	575.51
APR. 21	576.00	AUG. 27	578.40	DEC. 18	574.55
MAY 23	576.70				

433029N1115902.1 02N 38E 16ADD1 AL KNAPP BONNEVILLE COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 225.0 FT (68.6 M), 6-IN (15-CM) CASING 0-36 FT (0-11 M), 4-IN (10-CM) CASING 0-185 FT (0-56 M). LSD ABOUT 4,738 FT (1,444 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING NORTH SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE FEB. 9, 1970).

HIGHEST WATER LEVEL 96.23 FT (29.331 M) BELOW LSD, SEP. 19, 1974.
LOWEST WATER LEVEL 125.83 FT (38.353 M) BELOW LSD, JUNE 8, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 10, 1975	111.60	JUNE 6, 1975	122.26	OCT. 15, 1975	99.27
MAR. 12	115.24	JULY 30	99.71	NOV. 21	104.46
MAY 9	121.59	SEP. 16	97.23		

432633N1121053.1 01N 36E 01CCB1 US BUREAU RECL BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 217.0 FT (66.1 M), CASED TO 185 FT (56 M), OPEN END, PERFORATED 150-182 FT (46-55 M). LSD 4,674.05 FT (1,424.650 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 6, 1960. RECORDER REMOVED NOV. 11, 1971. MP NO. 4 TOP OF 16-IN (41-CM) CASING NORTHEAST SIDE, 1.40 FT (0.427 M) ABOVE LSD (SINCE JUNE 15, 1964).

HIGHEST WATER LEVEL 142.95 FT (43.571 M) BELOW LSD, OCT. 16, 1971.
LOWEST WATER LEVEL 157.28 FT (47.939 M) BELOW LSD, MAY 18, 1962, MAY 30, 1964.
RECORDS AVAILABLE 1958, 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	149.80	JULY 30, 1975	150.16	OCT. 14, 1975	144.69
MAY 8	151.80	SEP. 16	146.33	NOV. 19	144.83
JUNE 17	152.34				

432528N1120557.1 01N 37E 15BBA1 US BUREAU RECL BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 140 FT (42.7 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-118 FT (0-36.0 M), PERFORATED 111-116 FT (33.8-35.4 M), GRAVEL PACKED 0-140 FT (0-42.7 M), CONCRETE SEAL 140-167 FT (42.7-50.9 M). LSD 4,645.70 FT (1,416.009 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE NORTH SIDE, 0.88 FT (0.268 M) ABOVE LSD (SINCE SEPT. 20, 1973).

HIGHEST WATER LEVEL 83.15 FT (25.344 M) BELOW LSD, SEP. 20, 1973.
LOWEST WATER LEVEL 103.86 FT (31.657 M) BELOW LSD, APR. 26, 1974.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 11, 1975	96.99	JUNE 17, 1975	101.64	OCT. 14, 1975	85.54
MAR. 21	100.57	JULY 30	92.60	NOV. 21	88.98
MAY 8	103.68	SEP. 16	86.31		

432528N1120557.2 01N 37E 15BBA2 US BUREAU RECL BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 255 FT (77.7 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-187.8 FT (0-57.2 M), PERFORATED 180.8-185.8 FT (55.1-56.6 M), GRAVEL PACKED 167-255 FT (50.9-77.7 M), CONCRETE SEAL 140-167 FT (42.7-50.9 M), 255-280 FT (77.7-85.3 M). LSD 4,645.70 FT (1,416.009 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE NORTH SIDE, 0.65 FT (0.198 M) ABOVE LSD (SINCE SEPT. 20, 1973).

HIGHEST WATER LEVEL 83.04 FT (25.311 M) BELOW LSD, SEP. 20, 1973.
LOWEST WATER LEVEL 103.67 FT (31.599 M) BELOW LSD, APR. 26, 1974.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 11, 1975	96.57	JUNE 17, 1975	101.86	OCT. 14, 1975	85.11
MAR. 21	100.30	JULY 30	92.66	NOV. 21	88.60
MAY 8	103.41	SEP. 16	86.20		

432528N1120557.3 01N 37E 15BBA3 US BUREAU RECL BONNEVILLE COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 356 FT (108.5 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-318.0 FT (0-96.9 M), SAND POINT 315.5-318.0 FT (96.2-96.9 M), GRAVEL PACKED 280-356 FT (85.3-108.5 M), CONCRETE SEAL 255-280 FT (77.7-85.3 M). LSD 4,645.70 FT (1,416.009 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE NORTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE SEPT. 20, 1973).

HIGHEST WATER LEVEL 78.29 FT (23.863 M) BELOW LSD, SEP. 20, 1973.
LOWEST WATER LEVEL 102.81 FT (31.336 M) BELOW LSD, APR. 26, 1974.
RECORDS AVAILABLE 1973-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 11, 1975	94.83	JUNE 17, 1975	102.57	OCT. 14, 1975	80.74
MAR. 21	98.78	JULY 30	88.93	NOV. 21	85.36
MAY 8	102.34	SEP. 16	81.69		

424927N1115418.1 07S 39E 09DCC1 LAFE HOLBROOK CARIBOU COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN BASALT OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 130 FT (39.6 M), CASED TO 35 FT (10.7 M). LSD 5,336.64 FT (1,626.608 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 HOLE INSIDE PUMPBASE WEST SIDE, 0.35 FT (0.107 M) ABOVE LSD (SINCE SEPT. 25, 1968).

HIGHEST WATER LEVEL 19.22 FT (5.858 M) BELOW LSD, MAY 4, 1971.
LOWEST WATER LEVEL 29.35 FT (8.946 M) BELOW LSD, AUG. 1, 1973.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 4, 1975	22.95	JUNE 23, 1975	21.82	OCT. 28, 1975	22.98
MAR. 18	22.39	AUG. 5	22.92	DEC. 9	22.99
MAY 14	21.27	SEP. 17	22.88		

424926N1115326.1 07S 39E 10CCD1 L E HOLBROOK CARIBOU COUNTY

DRILLED UNUSED WATER-TABLE WELL IN BASALT OF QUATERNARY AGE, DIAM 15 IN (38 CM), DEPTH 68.2 FT (20.8 M), CASED TO 6 FT (1.8 M). LSD 5,353.71 FT (1,631.812 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED OCT. 20, 1968. RECORDER REMOVED SEPT. 1, 1971. MP NO. 1 TOP OF CASING NORTHEAST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE OCT. 3, 1968).

HIGHEST WATER LEVEL 10.52 FT (3.206 M) BELOW LSD, MAY 8, 1971.
LOWEST WATER LEVEL 37.67 FT (11.482 M) BELOW LSD, SEP. 18, 1970.
RECORDS AVAILABLE 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 4, 1975	31.31	JUNE 23, 1975	27.95	OCT. 28, 1975	33.24
MAR. 18	30.83	AUG. 5	28.03	DEC. 9	29.88
MAY 14	27.95	SEP. 17	33.02		

424340N1113441.1 08S 42E 17CAB1 R TORGESON CARIBOU COUNTY

DRILLED UNUSED WATER-TABLE WELL IN FRACTURED BASALT OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 119.4 FT (36.4 M), CASED TO 16 FT (4.9 M). LSD 6,095.6 FT (1,857.94 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED NOV. 5, 1967. MP NO. 1 TOP OF 6-IN (15-CM) CASING, 0.40 FT (0.122 M) ABOVE LSD (SINCE AUG. 9, 1967).

HIGHEST WATER LEVEL 94.45 FT (28.788 M) BELOW LSD, MAY 19, 1972.
LOWEST WATER LEVEL 102.91 FT (31.367 M) BELOW LSD, SEP. 5, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 5, 1975	99.60H	MAY 25, 1975	96.63	OCT. 10, 1975	99.69
FEB. 10	99.56	MAY 31	96.50	OCT. 15	99.88
FEB. 15	99.61	JUNE 5	96.34	OCT. 20	100.04
FEB. 20	99.73	JUNE 10	96.30	OCT. 25	100.09
FEB. 25	100.03	JUNE 15	96.28	OCT. 31	100.27
FEB. 28	100.07	JUNE 18	96.03	NOV. 5	100.32
MAR. 5	100.08	JUNE 20	96.05	NOV. 10	100.16
MAR. 10	100.06	JUNE 23	96.14H	NOV. 15	100.33
MAR. 15	100.06	AUG. 6	97.62H	NOV. 20	100.33
MAR. 20	100.05	AUG. 10	97.85	NOV. 25	100.33
MAR. 25	99.90	AUG. 31	98.88	NOV. 28	100.10
MAR. 31	100.07	SEP. 5	98.94	NOV. 30	100.30
APR. 5	100.17	SEP. 10	99.06	DEC. 5	100.43
APR. 10	100.34	SEP. 15	99.19	DEC. 10	100.45
APR. 15	100.34	SEP. 20	99.21	DEC. 15	100.48
APR. 20	100.10	SEP. 25	99.38	DEC. 20	100.41
MAY 14	97.40H	SEP. 30	99.49	DEC. 25	100.35
MAY 15	97.31	OCT. 5	99.60	DEC. 31	100.24
MAY 20	96.75				

H TAPE MEASUREMENT (RECORDER).

423956N1115158.1 09S 39E 02CBC1 DON RIGBY CARIBOU COUNTY

DRILLED UNUSED WATER-TABLE WELL IN FRACTURED BASALT OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 96.2 FT (29.3 M), CASING DEPTH NOT AVAILABLE. LSD 5,480.28 FT (1,670.389 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED NOV. 5, 1967. RECORDER REMOVED SEPT. 2, 1971. MP NO. 1 TOP OF 6-IN (15-CM) CASING, 0.70 FT (0.213 M) ABOVE LSD (SINCE AUG. 29, 1967).

HIGHEST WATER LEVEL 67.69 FT (20.632 M) BELOW LSD, APR. 2, 1969.
LOWEST WATER LEVEL 87.43 FT (26.649 M) BELOW LSD, AUG. 10, 1968, AUG. 12, 1968, AUG. 15, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 4, 1975	78.44	JUNE 23, 1975	80.70	OCT. 28, 1975	80.72
MAR. 18	79.10	AUG. 6	84.17	DEC. 9	79.96
MAY 14	69.80	SEP. 17	82.73		

423843N1114339.1 09S 40E 13ACB1 ED KESSLER CARIBOU COUNTY

DRILLED UNUSED WATER-TABLE WELL IN FRACTURED BASALT OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 303 FT (92.4 M), CASING DEPTH NOT AVAILABLE. LSD 5,710.89 FT (1,740.679 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 HOLE IN CASING COVER SOUTHWEST SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE AUG. 29, 1967).

HIGHEST WATER LEVEL 264.79 FT (80.708 M) BELOW LSD, SEP. 24, 1970.
LOWEST WATER LEVEL 269.83 FT (82.244 M) BELOW LSD, OCT. 7, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1975	268.53	SEP. 17, 1975	265.38		

423433N1114847.1 10S 40E 08BBA1 MARVIN SMITH CARIBOU COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN INTERBEDDED BASALT OF QUATERNARY AGE, DIAM 16 TO 14 IN (41 TO 36 CM), REPORTED DEPTH 300 FT (91.4 M), 16-IN (41-CM) CASING 0-205 FT (0-62.5 M), 14-IN (36-CM) CASING 190-280 FT (57.9-85.3 M), PERFORATED 70-83 FT (21.3-25.3 M), 270-280 FT (82.3-85.3 M). LSD 5,477.15 FT (1,669.435 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF HOLE INSIDE PUMPBASE SOUTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 24, 1969).

HIGHEST WATER LEVEL 46.15 FT (14.067 M) BELOW LSD, SEP. 27, 1972.
LOWEST WATER LEVEL 53.58 FT (16.331 M) BELOW LSD, APR. 9, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1975	51.50	SEP. 17, 1975	77.00A	DEC. 9, 1975	49.15

A WELL BEING PUMPED.

423045N1114500.1 10S 40E 35BDD1 GRANT MATTHEWS CARIBOU COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN FRACTURED BASALT OF QUATERNARY AGE, DIAM 18 IN (46 CM), REPORTED DEPTH 90 FT (27.4 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,390 FT (1,643 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN PUMPBASE WEST SIDE, 1.30 FT (0.396 M) ABOVE LSD (SINCE AUG. 16, 1967).

HIGHEST WATER LEVEL 61.93 FT (18.876 M) BELOW LSD, SEP. 14, 1971.
LOWEST WATER LEVEL 66.02 FT (20.123 M) BELOW LSD, APR. 9, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1975	64.98	SEP. 17, 1975	62.89		

442808N1113913.1 13N 41E 08BCA1 M C RANCH CLARK COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 85 FT (25.9 M), CASED TO 56 FT (17.1 M). LSD ABOUT 6,504 FT (1,982 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL SOUTH SIDE, 1.25 FT (0.381 M) ABOVE LSD (SINCE SEPT. 24, 1970).

HIGHEST WATER LEVEL 22.83 FT (6.959 M) BELOW LSD, JUNE 20, 1974.
LOWEST WATER LEVEL 50.23 FT (15.310 M) BELOW LSD, DEC. 3, 1974.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 3, 1975	49.33	JULY 10, 1975	25.03	SEP. 10, 1975	35.85
JUNE 12	33.38	AUG. 6	28.24	OCT. 22	42.19

441258N1122222.1 10N 35E 08BBB1 H R WEBSTER CLARK COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 360 FT (109.7 M), CASING DEPTH NOT AVAILABLE. LSD 5,253.91 FT (1,601.392 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1/4-IN (0.64-CM) HOLE IN WELL SEAL, 6.50 FT (1.981 M) BELOW LSD (SINCE APR. 2, 1968).

HIGHEST WATER LEVEL 235.26 FT (71.707 M) BELOW LSD, SEP. 12, 1975.
LOWEST WATER LEVEL 256.36 FT (78.138 M) BELOW LSD, JUNE 8, 1970.
RECORDS AVAILABLE 1957-59, 1966, 1968-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	244.39	SEP. 12, 1975	235.26		

440725N1122453.1 09N 34E 11ADD1 TERTELING CONST CLARK COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 192.6 FT (58.7 M), CASED TO 208 FT (63.4 M). ORIGINAL DRILLED DEPTH 208 FT (63.4 M). LSD ABOUT 4,955 FT (1,510 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED OCT. 7, 1959. RECORDER REMOVED MAY 9, 1972. MP NO. 2 TOP OF CASING NORTH SIDE, 2.32 FT (0.707 M) ABOVE LSD (SINCE JULY 18, 1975).

HIGHEST WATER LEVEL 151.78 FT (46.263 M) BELOW LSD, MAY 9, 1972.
LOWEST WATER LEVEL 156.94 FT (47.835 M) BELOW LSD, OCT. 20, 1961, OCT. 21, 1961.
RECORDS AVAILABLE 1957-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 3, 1975	153.39	JUNE 13, 1975	154.76	OCT. 22, 1975	152.74
MAR. 19	153.13	JULY 18	152.03	DEC. 9	152.43
MAY 6	165.45B	SEP. 12	152.50		

B WELL PUMPED RECENTLY.

440353N1121357.1 09N 36E 33CBB1 RAY MUNNS CLARK COUNTY

DRILLED INDUSTRIAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 155 FT (47.2 M), CASED TO 12 FT (3.7 M). LSD ABOUT 4,865 FT (1,483 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING WEST SIDE, 0.30 FT (0.091 M) ABOVE LSD (SINCE OCT. 19, 1967).

HIGHEST WATER LEVEL 74.59 FT (22.735 M) BELOW LSD, MAR. 15, 1972.
LOWEST WATER LEVEL 78.46 FT (23.915 M) BELOW LSD, SEP. 19, 1963.
RECORDS AVAILABLE 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	75.27	SEP. 4, 1975	75.92		

421155N1120028.1 14S 38E 15CDC1 LAVON PORTER FRANKLIN COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNCONSOLIDATED ALLUVIUM OF QUATERNARY AGE, DIAM 12 IN (30 CM), REPORTED DEPTH 200 FT (61.0 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 4,795 FT (1,462 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN PUMPBASE WEST SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE JULY 20, 1967).

HIGHEST WATER LEVEL 17.61 FT (5.368 M) BELOW LSD, APR. 25, 1969.
LOWEST WATER LEVEL 40.20 FT (12.253 M) BELOW LSD, SEP. 23, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	23.84	SEP. 19, 1975	37.15		

420639N1115231.1 15S 39E 23BBB1 TAYLOR FRANKLIN COUNTY

DUG IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 42 IN (107 CM), DEPTH 11.0 FT (3.4 M), CASING DEPTH NOT AVAILABLE. LSD 4,725.40 FT (1,440.302 M) ABOVE MSL DATUM OF 1929. MP NO. 1 HASH MARK ON BENT LIP OF CASING NORTHWEST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE JULY 19, 1967).

HIGHEST WATER LEVEL 0.74 FT (0.226 M) BELOW LSD, MAR. 28, 1973.
LOWEST WATER LEVEL 5.02 FT (1.530 M) BELOW LSD, SEP. 23, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	1.28	SEP. 19, 1975	3.85		

420152N1115648.1 16S 39E 18CDA1 OWEN MAUGHN FRANKLIN COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNCONSOLIDATED ALLUVIUM OF QUATERNARY AGE, DIAM 14 IN (36 CM), REPORTED DEPTH 462 FT (140.8 M), CASED TO 462 FT (140.8 M), PERFORATED 204-212 FT (62.2-64.6 M), 238-242 FT (72.5-73.8 M), 252-265 FT (76.8-80.8 M), 271-273 FT (82.6-83.2 M). LSD 4,542.7 FT (1,384.62 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 14-IN (36-CM) CASING NORTH SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE JULY 11, 1967).

HIGHEST WATER LEVEL 17.71 FT (5.398 M) BELOW LSD, JULY 3, 1969.
LOWEST WATER LEVEL 51.69 FT (15.755 M) BELOW LSD, SEP. 23, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	32.91	SEP. 19, 1975	42.30		

420014N1114900.1 16S 40E 29CCB1 FRANKLIN CEMTRY FRANKLIN COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNCONSOLIDATED ALLUVIUM OF QUATERNARY AGE, DIAM 10 IN (25 CM), DEPTH 81.5 FT (24.8 M), CASING DEPTH NOT AVAILABLE. LSD 4,504.9 FT (1,373.09 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED NOV. 3, 1967. RECORDER REMOVED AUG. 31, 1971. MP NO. 1 TOP OF 10-IN (25-CM) CASING EAST SIDE, 1.90 FT (0.579 M) ABOVE LSD (SINCE JULY 10, 1967).

HIGHEST WATER LEVEL 1.97 FT (0.600 M) BELOW LSD, JUNE 27, 1971.
LOWEST WATER LEVEL 23.42 FT (7.138 M) BELOW LSD, FEB. 20, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	10.49	SEP. 19, 1975	8.50		

443419N1112024.1 14N 43E 02AAC1 C BOLLSCHWEILER FREMONT COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN LAVA CREEK TUFF, DIAM 6 IN (15 CM), REPORTED DEPTH 125 FT (38.1 M), CASED TO 19 FT (5.8 M). LSD ABOUT 6,516 FT (1,986 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL SOUTH SIDE, 4.40 FT (1.341 M) BELOW LSD (SINCE JULY 25, 1969).

HIGHEST WATER LEVEL 83.18 FT (25.353 M) BELOW LSD, MAY 17, 1972.
LOWEST WATER LEVEL 86.54 FT (26.377 M) BELOW LSD, SEP. 12, 1973.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 6, 1975	84.68	JULY 10, 1975	85.99	SEP. 11, 1975	86.43
JUNE 10	85.24	AUG. 5	86.05		

440332N1112832.1 09N 42E 34DDA1 BEE W HEDRICK FREMONT COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), REPORTED DEPTH 110 FT (33.5 M), CASED TO 7 FT (2.1 M). LSD ABOUT 5,228 FT (1,594 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN PUMPBASE SOUTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE JULY 25, 1969).

HIGHEST WATER LEVEL 8.30 FT (2.530 M) BELOW LSD, MAR. 20, 1972.
LOWEST WATER LEVEL 13.79 FT (4.203 M) BELOW LSD, APR. 8, 1975.
RECORDS AVAILABLE 1962, 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1975	11.37	JUNE 11, 1975	9.97	SEP. 2, 1975	10.17
MAR. 6	11.93	JULY 31	10.09	SEP. 12	10.23
APR. 8	13.79	AUG. 6	9.80	NOV. 6	10.09
MAY 22	8.94				

435811N1114259.1 07N 40E 02BBB1 STATE OF IDAHO FREMONT COUNTY

DRILLED INSTITUTIONAL WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10 IN (25 CM), DEPTH 224.0 FT (68.3 M), CASED TO 40 FT (12.2 M). LSD 4,948.54 FT (1,508.315 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF PIPE COUPLING IN CASING COVER, 0.70 FT (0.213 M) ABOVE LSD (SINCE FEB. 22, 1961).

HIGHEST WATER LEVEL 111.48 FT (33.979 M) BELOW LSD, SEP. 14, 1972.
LOWEST WATER LEVEL 122.93 FT (37.469 M) BELOW LSD, APR. 15, 1962.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1975	117.50	SEP. 3, 1975	112.77		

435736N1114602.1 07N 40E 05DBC1 US BUREAU RECL FREMONT COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 39.3 FT (12.0 M), CASED TO 39.3 FT (12.0 M), SAND POINT 37.3-39.3 FT (11.4-12.0 M). LSD 4,919.86 FT (1,499.57 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF COLLAR, 0.70 FT (0.213 M) ABOVE LSD (SINCE NOV. 8, 1966).

HIGHEST WATER LEVEL 2.84 FT (0.866 M) BELOW LSD, AUG. 2, 1974.
LOWEST WATER LEVEL 13.33 FT (4.063 M) BELOW LSD, MAR. 19, 1973.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1975	12.08	JUNE 4, 1975	8.02	OCT. 8, 1975	5.20
MAR. 6	12.70	JULY 16	3.00	NOV. 17	7.60
APR. 22	13.09	SEP. 3	3.78		

435457N1114300.1 07N 40E 23CCB1 US BUREAU RECL FREMONT COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 50.2 FT (15.3 M), CASED TO 50.2 FT (15.3 M), SAND POINT 48.2-50.2 FT (14.7-15.3 M). LSD 4,923.83 FT (1,500.783 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). APR. 23, 1973, WELL HAD FILLED IN TO A DEPTH OF 19.01 FT (5.79 M). MP NO. 1 TOP OF COLLAR, 1.20 FT (0.366 M) ABOVE LSD (SINCE NOV. 8, 1966).

HIGHEST WATER LEVEL 10.75 FT (3.277 M) BELOW LSD, AUG. 15, 1968.
LOWEST WATER LEVEL 50.20F FT (15.301 M) BELOW LSD, MAR. 20, 1967, APR. 24, 1967, MAY 29, 1967, MAR. 8, 1968, MAR. 29, 1968, MAY 1, 1968, MAR. 21, 1969, APR. 25, 1969, MAY 23, 1969, MAR. 24, 1970, APR. 29, 1970, JUNE 1, 1970, MAR. 23, 1971, APR. 30, 1971, JUNE 3, 1971, MAR. 20, 1972, MAR. 8, 1974, MAY 24, 1974, APR. 21, 1975, JUNE 4, 1975.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1975	37.08	JUNE 4, 1975	50.20F	OCT. 8, 1975	14.60
MAR. 6	45.10	JULY 16	27.34	NOV. 26	24.98
APR. 21	50.20F	SEP. 3	13.70		

F DRY.

435727N1113219.1 07N 42E 06DDA1 KENT REMINGTON FREMONT COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SILICIC VOLCANIC ROCK OF TERTIARY AGE, DIAM 20 IN (51 CM), REPORTED DEPTH 910 FT (277.4 M), CASED TO 125 FT (38.1 M). LSD 5,264.46 FT (1,604.61 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. SOME MEASUREMENTS AFTER APR. 21, 1975, MADE BY US BUREAU OF RECLAMATION. MP NO. 1 TOP OF CASING SOUTH SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE JUNE 16, 1966).

HIGHEST WATER LEVEL 212.89L FT (64.889 M) BELOW LSD, MAY 21, 1975.
LOWEST WATER LEVEL 288.83 FT (88.035 M) BELOW LSD, AUG. 13, 1969.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	267.39	SEP. 18, 1975	253.59	NOV. 11, 1975	255.29
APR. 21	271.40	OCT. 7	252.28	NOV. 18	256.16
MAY 21	212.89L	OCT. 16	252.40	NOV. 25	257.14
JUNE 4	271.62	OCT. 24	252.58L	DEC. 8	258.80
JULY 16	A	OCT. 29	253.62	DEC. 18	260.07
SEP. 2	257.21	NOV. 5	254.40	DEC. 23	260.45
SEP. 9	257.58L				

A WELL BEING PUMPED.
L ELECTRIC TAPE, M-SCOPE.

435653N1113143.1 07N 42E 08CAA1 D SCHWENDIMAN FREMONT COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SILICIC VOLCANIC ROCKS OF TERTIARY AGE, DIAM 16 IN (41 CM), REPORTED DEPTH 802 FT (244.4 M), CASED TO 255 FT (77.7 M). LSD 5,341.87 FT (1,628.202 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. SOME MEASUREMENTS AFTER MAR. 5, 1975, MADE BY US BUREAU OF RECLAMATION. OCT. 3, 1975, TETON RESERVOIR BEGAN FILLING. WATER LEVELS ARE RISING WITH THE FILLING OF THE POOL. MP NO. 2 TOP OF 7/8-IN (2.2-CM) HOLE INSIDE PUMP BASE SOUTHWEST SIDE, 1.30 FT (0.396 M) ABOVE LSD (SINCE JUNE 17, 1965).

HIGHEST WATER LEVEL 332.16 FT (101.242 M) BELOW LSD, NOV. 18, 1962.
LOWEST WATER LEVEL 377.79 FT (115.150 M) BELOW LSD, AUG. 15, 1968.
RECORDS AVAILABLE 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1975	340.97	OCT. 16, 1975	359.88	NOV. 18, 1975	341.31
SEP. 2	376.56	OCT. 24	345.42	NOV. 25	343.12
SEP. 9	363.13L	OCT. 28	350.30	DEC. 8	339.67
SEP. 18	355.28	NOV. 5	346.91	DEC. 18	339.06
SEP. 24	352.01	NOV. 11	342.34	DEC. 23	338.56

L ELECTRIC TAPE, M-SCOPE.

435808N1111311.1 07N 44E 02AAA1 PRESTON ATCHLEY FREMONT COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), DEPTH AND CASING NOT AVAILABLE. LSD ABOUT 6,040 FT (1,841 M) ABOVE MSL DATUM OF 1929. MP NO. 1 BOTTOM EDGE OF HOLE IN CASING EAST SIDE, 1.80 FT (0.549 M) ABOVE LSD (SINCE JULY 26, 1969).

HIGHEST WATER LEVEL 101.52L FT (30.943 M) BELOW LSD, NOV. 18, 1975.
LOWEST WATER LEVEL 124.19L FT (37.853 M) BELOW LSD, MAR. 23, 1971.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	115.50L	NOV. 18, 1975	101.52L		

L ELECTRIC TAPE, M-SCOPE.

440058N1122936.1 08N 34E 17CCC3 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 440 FT (134.1 M), CASED TO 510 FT (155.4 M), PERFORATED 340-350 FT (103.6-106.7 M), PLUGGED BACK WITH CONCRETE SEAL 440-462 FT (134.1-140.8 M). LSD 4,808.92 FT (1,465.759 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE EAST SIDE, 3.76 FT (1.146 M) ABOVE LSD (SINCE FEB. 10, 1970).

HIGHEST WATER LEVEL 39.04 FT (11.899 M) BELOW LSD, APR. 24, 1973.
LOWEST WATER LEVEL 60.27 FT (18.370 M) BELOW LSD, AUG. 5, 1974.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	41.11	JUNE 11, 1975	43.93	OCT. 30, 1975	46.62
MAR. 12	40.35	JULY 22	52.01	DEC. 10	42.26
APR. 28	39.94	SEP. 10	53.20		

440058N1122936.2 08N 34E 17CCC4 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 545 FT (166.1 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-519 FT (0-158.2 M), PERFORATED 511.5-516.5 FT (155.9-157.4 M), 6-IN (15-CM) CASING 0-510 FT (0-155.4 M), GRAVEL PACKED 462-545 FT (140.8-166.1 M), CONCRETE SEAL 440-462 FT (134.1-140.8 M), 545-562 FT (166.1-171.3 M). LSD 4,808.92 FT (1,465.759 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE EAST SIDE, 3.43 FT (1.045 M) ABOVE LSD (SINCE FEB. 10, 1970).

HIGHEST WATER LEVEL 39.60 FT (12.070 M) BELOW LSD, APR. 24, 1973.
LOWEST WATER LEVEL 56.03 FT (17.078 M) BELOW LSD, SEP. 25, 1974.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	44.32	JUNE 11, 1975	41.33	OCT. 30, 1975	49.03
MAR. 12	42.81	JULY 22	46.63	DEC. 10	45.93
APR. 28	41.58	SEP. 10	49.91		

440058N1122936.3 08N 34E 17CCC5 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DEPTH 888 FT (270.7 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-610 FT (0-185.9 M), PERFORATED 602.5-607.5 FT (183.6-185.2 M), GRAVEL PACKED 562-888 FT (171.3-270.7 M), CONCRETE SEAL 545-562 FT (166.1-171.3 M), 888-914 FT (270.7-278.6 M). LSD 4,808.92 FT (1,465.759 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE EAST SIDE, 3.27 FT (0.997 M) ABOVE LSD (SINCE FEB. 10, 1970).

HIGHEST WATER LEVEL 163.60 FT (49.865 M) BELOW LSD, MAR. 18, 1974.
LOWEST WATER LEVEL 170.77 FT (52.051 M) BELOW LSD, AUG. 5, 1974.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	164.28	JUNE 11, 1975	168.27	OCT. 30, 1975	165.47
MAR. 12	163.91	JULY 22	169.89	DEC. 10	164.61
APR. 28	163.71	SEP. 10	168.73		

440058N1122936.4 08N 34E 17CCC6 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DEPTH 1,006.5 FT (306.8 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-930 FT (0-283.5 M), PERFORATED 922.5-927.5 FT (281.2-282.7 M), GRAVEL PACKED 914-1,006.5 FT (278.6-306.8 M), CONCRETE SEAL 888-914 FT (270.7-278.6 M). LSD 4,808.92 FT (1,465.759 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE EAST SIDE, 2.97 FT (0.905 M) ABOVE LSD (SINCE FEB. 10, 1970).

HIGHEST WATER LEVEL 220.17 FT (67.108 M) BELOW LSD, MAY 15, 1974.
LOWEST WATER LEVEL 224.00 FT (68.275 M) BELOW LSD, SEP. 25, 1970.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	221.16	JUNE 11, 1975	220.83	OCT. 30, 1975	221.97
MAR. 12	220.81	JULY 22	221.87	DEC. 10	221.61
APR. 28	220.61	SEP. 10	222.52		

440058N1122936.5 08N 34E 17CCC7 PARK BELL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 47.6 FT (14.5 M), CASED TO 47.5 FT (14.5 M), PERFORATED 40-47 FT (12.2-14.3 M). LSD 4,808.92 FT (1,465.759 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 6-IN (15-CM) CASING EAST SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE JUNE 24, 1970).

HIGHEST WATER LEVEL 21.36 FT (6.511 M) BELOW LSD, APR. 25, 1972.
LOWEST WATER LEVEL 40.29 FT (12.280 M) BELOW LSD, SEP. 23, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	25.36	JUNE 11, 1975	25.37	OCT. 30, 1975	30.08
MAR. 12	24.08	JULY 22	29.75B	DEC. 10	26.75
APR. 28	22.62	SEP. 10	29.79		

B WELL PUMPED RECENTLY.

435336N1123302.1 07N 33E 35BBC1 US GEOL SURVEY JEFFERSON COUNTY

BORED OBSERVATION WATER-TABLE WELL IN SANDY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 54.5 FT (16.6 M), CASED TO 54.5 FT (16.6 M), SANDPOINT 52.4-54.5 FT (16.0-16.6 M). LSD ABOUT 4,784 FT (1,458 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1 1/4 IN (3.2-CM) PIPE WEST SIDE, 1.80 FT (0.549 M) ABOVE LSD (SINCE MAY 26, 1967).

HIGHEST WATER LEVEL 15.62 FT (4.761 M) BELOW LSD, SEP. 16, 1969, SEP. 22, 1972.
LOWEST WATER LEVEL 30.72 FT (9.363 M) BELOW LSD, MAY 15, 1974.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	26.30	JUNE 11, 1975	30.59	OCT. 30, 1975	16.12
MAR. 12	28.15	JULY 22	22.70	DEC. 10	19.68
APR. 28	30.37	SEP. 10	16.70		

435728N1122811.1 07N 34E 04CDC1 US BUR LAND MGT JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 57.3 FT (17.5 M), CASED TO 41 FT (12.5 M). LSD 4,791.76 FT (1,460.528 M) ABOVE MSL DATUM OF 1929. OCT 4, 1972, WELL HAD FILLED IN TO A DEPTH OF 51.2 FT (15.6 M). RECORDER INSTALLED FEB. 13, 1957. RECORDER REMOVED AUG. 19, 1971. MP NO. 1 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, AT LSD (SINCE MAR. 12, 1956).

HIGHEST WATER LEVEL 2.55 FT (0.777 M) BELOW LSD, MAY 2, 1956.
LOWEST WATER LEVEL 30.50 FT (9.296 M) BELOW LSD, AUG. 13, 1961.
RECORDS AVAILABLE 1956-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	7.89	JUNE 12, 1975	11.05	OCT. 30, 1975	14.15
MAR. 17	6.43	JULY 18	16.78	DEC. 10	9.43
MAY 1	4.60	SEP. 10	17.65		

435504N1122223.1 07N 35E 20CBD1 IDAHO FISH GAME JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), DEPTH 58.1 FT (17.7 M), CASED TO 45 FT (13.7 M). LSD 4,818.15 FT (1,468.572 M) ABOVE MSL DATUM OF 1929. MAY 15, 1967, WELL DEEPENED AND RECASED, DIAM 12 IN (30 CM), DEPTH 65.9 FT (20.1 M), CASED TO 66 FT (20.1 M), PERFORATED 55-65 FT (16.8-19.8 M). RECORDER INSTALLED SEPT. 5, 1955. RECORDER CHANGED TO DIGITAL APR. 2, 1973. MP NO. 4 TOP OF 12-IN (30-CM) CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE MAY 16, 1967).

HIGHEST WATER LEVEL 30.87 FT (9.409 M) BELOW LSD, MAY 4, 1972.
LOWEST WATER LEVEL 57.95F FT (17.663 M) BELOW LSD, SEP. 9, 1961, SEP. 10, 1961, SEP. 11, 1961, SEP. 12, 1961, SEP. 13, 1961, SEP. 14, 1961, SEP. 15, 1961, SEP. 16, 1961, SEP. 17, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	39.16	MAY 31, 1975	32.11	SEP. 15, 1975	43.05
JAN. 10	38.69	JUNE 5	32.21	SEP. 20	42.68
JAN. 15	38.37	JUNE 10	32.46	SEP. 25	42.37
JAN. 20	37.90	JUNE 15	32.59	SEP. 30	42.20
JAN. 25	37.52	JUNE 20	32.97	OCT. 5	42.85
JAN. 31	37.12	JUNE 25	33.35	OCT. 10	43.65
FEB. 5	36.84	JUNE 30	33.75	OCT. 15	44.28
FEB. 10	36.35	JULY 5	34.19	OCT. 20	44.54
FEB. 15	36.13	JULY 10	34.63	OCT. 25	44.24
FEB. 20	35.76	JULY 15	35.00	OCT. 31	43.13
FEB. 25	35.60	JULY 20	35.90	NOV. 5	42.35
FEB. 28	35.42	JULY 25	37.38	NOV. 10	41.55
MAR. 5	35.07	JULY 31	38.96	NOV. 15	41.02
MAR. 10	34.79	AUG. 5	40.33	NOV. 20	40.46
MAR. 15	34.59	AUG. 10	41.55	NOV. 25	39.95
MAR. 18	34.42	AUG. 15	42.76	NOV. 30	39.43
MAY 2	32.74	AUG. 20	43.72	DEC. 5	38.97
MAY 5	32.60	AUG. 25	44.33	DEC. 10	38.45
MAY 10	32.53	AUG. 31	44.92	DEC. 15	38.08
MAY 15	32.32	SEP. 2	45.03	DEC. 20	37.69
MAY 20	32.18	SEP. 5	44.42	DEC. 25	37.29
MAY 24	32.04	SEP. 10	43.54	DEC. 31	36.76
MAY 25	32.24				

F DRY.

435528N1121212.1 07N 36E 22ABD4 CHARLES H HALL JEFFERSON COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 24.5 FT (7.5 M), CASED TO 18 FT (5.5 M). LSD 4,791.73 FT (1,460.519 M) ABOVE MSL DATUM OF 1929. RECORDER INSTALLED FEB. 12, 1957. RECORDER REMOVED AUG. 19, 1971. MP NO. 2 TOP OF CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE JULY 22, 1965).

HIGHEST WATER LEVEL 4.14 FT (1.262 M) BELOW LSD, MAR. 21, 1972.
LOWEST WATER LEVEL 8.70 FT (2.652 M) BELOW LSD, JULY 27, 1961.
RECORDS AVAILABLE 1955-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1975	4.92	JUNE 12, 1975	4.43	OCT. 29, 1975	4.81
MAR. 17	4.86	JULY 31	5.52	DEC. 10	4.20
MAY 1	4.71	SEP. 13	5.26		

435402N1120650.1 07N 37E 28CCD1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 135.0 FT (41.2 M), CASED TO 103 FT (31.4 M). LSD 4,848.92 FT (1,477.951 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1 1/4-IN (3.2-CM) PIPE COUPLING IN WELL SEAL, 0.70 FT (0.213 M) ABOVE LSD (SINCE MAY 24, 1965).

HIGHEST WATER LEVEL 61.28 FT (18.678 M) BELOW LSD, APR. 24, 1973.
LOWEST WATER LEVEL 65.09 FT (19.839 M) BELOW LSD, SEP. 22, 1961.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 17, 1975	62.39	JULY 31, 1975	62.68	OCT. 29, 1975	62.16
MAY 1	62.50	SEP. 13	62.56	DEC. 10	61.60
JUNE 12	62.29				

435215N1123942.1 06N 32E 11ABA1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 266.5 FT (81.2 M), CASED TO 266 FT (81.1 M), PERFORATED 232-266 FT (70.7-81.1 M), CEMENTED BOTTOM. LSD 4,789.79 FT (1,459.928 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED NOV. 22, 1952. RECORDER REMOVED OCT. 13, 1954. MP NO. 2 TOP NORTHEAST SIDE 6 1/4-IN (16-CM) CASING AT PAINTED SPOT, 1.87 FT (0.570 M) ABOVE LSD (SINCE NOV. 10, 1952).

HIGHEST WATER LEVEL 204.30 FT (62.271 M) BELOW LSD, APR. 23, 1974.
LOWEST WATER LEVEL 209.09 FT (63.731 M) BELOW LSD, OCT. 19, 1966.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	205.43	JULY 15, 1975	205.31	OCT. 21, 1975	206.40
APR. 22	204.91	AUG. 22	206.23	DEC. 19	206.16
MAY 22	204.73				

434856N1124000.1 06N 32E 26CDB1 US ERDA JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 321.8 FT (98.1 M), CASED TO 321.8 FT (98.1 M), PERFORATED 237-314 FT (72.2-95.7 M), GRAVEL PACKED, CEMENTED BOTTOM. LSD 4,787.92 FT (1,459.358 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF THREADED 8-IN (20-CM) CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE AUG. 1, 1956).

HIGHEST WATER LEVEL 21 .75 FT (64.237 M) BELOW LSD, JAN. 13, 1973.
LOWEST WATER LEVEL 222.70 FT (67.879 M) BELOW LSD, JULY 11, 1956.
RECORDS AVAILABLE 1956-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1975	218.30	MAY 22, 1975	217.52	OCT. 21, 1975	218.75
MAR. 28	217.93	JULY 15	217.65	NOV. 24	218.99
APR. 22	217.62	AUG. 22	218.35	DEC. 19	218.82

434820N1123730.1 06N 32E 36ADD1 US ERDA JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 TO 4 IN (20 TO 10 CM), DEPTH 291.6 FT (88.9 M), 8-IN (20-CM) CAST IRON CASING 0-3 FT (0-0.91 M), 4-IN (10-CM) CASING 3 FT (0.91 M) TO UNKNOWN DEPTH. LSD 4,785.58 FT (1,458.645 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). OCT. 20, 1950, WELL WAS DEEPENED TO A DEPTH OF 307.8 FT (93.8 M). RECORDER INSTALLED JULY 25, 1951. RECORDER REMOVED DEC. 14, 1951. RECORDER INSTALLED SEPT. 8, 1952. RECORDER REMOVED OCT. 20, 1953. MP NO. 2 TOP OF 8-IN (20-CM) CAST IRON CASING NORTH SIDE, 2.07 FT (0.631 M) ABOVE LSD (SINCE JUNE 20, 1950).

HIGHEST WATER LEVEL 219.29 FT (66.840 M) BELOW LSD, JULY 15, 1975.
LOWEST WATER LEVEL 223.02 FT (67.976 M) BELOW LSD, OCT. 9, 1957.
RECORDS AVAILABLE 1949-60, 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1975	219.29				

434854N1123221.1 06N 33E 26DDB1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 312 FT (95.1 M), CASED TO 312 FT (95.1 M), PERFORATED 250-260 FT (76.2-79.2 M), 298-308 FT (90.8-93.9 M), CEMENTED BOTTOM. LSD 4,784.32 FT (1,458.261 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JUNE 13, 1953. RECORDER REMOVED APR. 23, 1956. MP NO. 2 TOP OF THREADED 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 2.00 FT (0.610 M) ABOVE LSD (SINCE FEB. 2, 1953).

HIGHEST WATER LEVEL 220.85 FT (67.315 M) BELOW LSD, APR. 11, 1973.
LOWEST WATER LEVEL 224.47 FT (68.418 M) BELOW LSD, OCT. 22, 1958.
RECORDS AVAILABLE 1952-60, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1975	221.11				

435028N1122026.1 06N 35E 21AAB1 BOTT-LINDERMAN JEFFERSON COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN SNAKE RIVER GROUP, DIAM 16 TO 14 IN (41 TO 36 CM), DEPTH 275.5 FT (84.0 M), 16-IN (41-CM) CASING 0-95 FT (0-29.0 M), 14-IN (36-CM) CASING 135-205 FT (41.2-62.5 M). LSD 4,784.50 FT (1,458.316 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MAY 15, 1967, WELL WAS RECONDITIONED. MP NO. 5 TOP OF HOLE INSIDE PUMPBASE NORTH SIDE, 1.73 FT (0.527 M) ABOVE LSD (SINCE JULY 14, 1967).

HIGHEST WATER LEVEL 92.42 FT (28.170 M) BELOW LSD, NOV. 1, 1974.
LOWEST WATER LEVEL 113.83 FT (34.695 M) BELOW LSD, JULY 23, 1973.
RECORDS AVAILABLE 1949-51, 1953-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	97.67	JUNE 12, 1975	118.07A	OCT. 29, 1975	92.74
MAR. 12	98.62	JULY 31	113.89B	DEC. 10	93.94
MAY 1	99.95	SEP. 9	100.53		

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.

434857N1121858.1 06N 35E 27DDA1 ROY ARCHER JEFFERSON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), REPORTED DEPTH 260 FT (79.2 M), CASED TO 8 FT (2.4 M). LSD 4,798.23 FT (1,462.500 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 4 TOP OF 1-IN (2.5-CM) AIRLINE HOLE IN PUMPBASE WEST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 16, 1963).

HIGHEST WATER LEVEL 230.13 FT (70.144 M) BELOW LSD, MAR. 21, 1973.
LOWEST WATER LEVEL 237.78 FT (72.475 M) BELOW LSD, AUG. 25, 1962.
RECORDS AVAILABLE 1957-62, 1964-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1975	230.64	SEP. 10, 1975	235.41C		

C NEARBY WELL BEING PUMPED.

434933N1121227.1 06N 36E 27BAA1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 227.5 FT (69.3 M), CASED TO 8 FT (2.4 M). LSD 4,884.31 FT (1,488.738 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 8-IN (20-CM) CASING NORTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 26, 1960).

HIGHEST WATER LEVEL 180.95 FT (55.154 M) BELOW LSD, MAR. 18, 1974.
LOWEST WATER LEVEL 184.39 FT (56.202 M) BELOW LSD, JUNE 14, 1961.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	182.08	SEP. 13, 1975	182.34		

434924N1120138.1 06N 38E 30BAD2 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), REPORTED DEPTH 308 FT (93.9 M), CASED TO 308 FT (93.9 M), PERFORATED 260-270 FT (79.2-82.3 M), CONCRETE SEAL 308-355 FT (93.9-108.2 M). LSD 4,874.35 FT (1,485.702 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 0.98 FT (0.299 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 89.09 FT (27.155 M) BELOW LSD, DEC. 21, 1972.
LOWEST WATER LEVEL 91.02G FT (27.743 M) BELOW LSD, SEP. 5, 1967, SEP. 9, 1968.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	89.62	JUNE 6, 1975	89.64	OCT. 10, 1975	89.40
MAR. 11	89.78	AUG. 4	89.38	NOV. 17	89.22
APR. 21	89.89	SEP. 3	89.47		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434924N1120138.2 06N 38E 30BAD3 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 543.5 FT (165.7 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-450 FT (0-137.2 M), PERFORATED 442.5-447.5 FT (134.9-136.4 M), GRAVEL PACKED 430-543.5 FT (131.1-165.7 M), CONCRETE SEAL 392-430 FT (119.5-131.1 M), 543.5-575 FT (165.7-175.3 M). LSD 4,874.35 FT (1,485.702 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 1.76 FT (0.536 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 82.82G FT (25.244 M) BELOW LSD, MAY 19, 1969.
LOWEST WATER LEVEL 86.49G FT (26.362 M) BELOW LSD, APR. 4, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	84.51	JUNE 6, 1975	84.84	OCT. 10, 1975	83.79
MAR. 11	84.82	AUG. 4	84.29	NOV. 17	83.05
APR. 21	85.10	SEP. 3	84.32		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434924N1120138.3 06N 38E 30BAD4 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 638 FT (194.5 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-595 FT (0-181.4 M), PERFORATED 587.5-592.5 FT (179.1-180.6 M), GRAVEL PACKED 575-600 FT (175.3-182.9 M), SAND 600-638 FT (182.9-194.5 M), CONCRETE SEAL 543.5-575 FT (165.7-175.3 M). LSD 4,874.35 FT (1,485.702 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1968. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 1.44 FT (0.439 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 65.71G FT (20.028 M) BELOW LSD, AUG. 28, 1967.
LOWEST WATER LEVEL 87.26 FT (26.597 M) BELOW LSD, NOV. 17, 1975.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	87.14	JUNE 6, 1975	87.23	OCT. 10, 1975	87.25
MAR. 11	87.15	AUG. 4	86.20	NOV. 17	87.26
APR. 21	87.20	SEP. 3	86.99		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434311N1123830.1 05N 32E 36ADD1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 405.5 FT (123.6 M), 6-IN (15-CM) CASING 0-357 FT (0-108.8 M), 5-IN (13-CM) CASING 351-405 FT (107.0-123.4 M), PERFORATED 360-400 FT (109.7-121.9 M), OPEN BOTTOM. LSD 4,839.44 FT (1,475.061 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED NOV. 15, 1952. RECORDER REMOVED OCT. 14, 1954. RECORDER INSTALLED MAY 10, 1962. MP NO. 2 TOP OF 6 1/4-IN (16-CM) CASING NORTHEAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JAN. 26, 1961).

HIGHEST WATER LEVEL 324.56 FT (98.926 M) BELOW LSD, MAR. 2, 1974.
LOWEST WATER LEVEL 331.92 FT (101.169 M) BELOW LSD, OCT. 4, 1964, OCT. 19, 1964.
RECORDS AVAILABLE 1952-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	326.34	APR. 30, 1975	325.60	SEP. 15, 1975	328.15
JAN. 10	325.95	MAY 5	325.29	SEP. 20	328.31
JAN. 15	326.34	MAY 10	325.86	SEP. 21	328.44
JAN. 20	326.00	MAY 15	325.54	SEP. 25	328.23
JAN. 25	325.79	MAY 20	325.37	SEP. 30	328.39
JAN. 31	325.80	JUNE 13	326.03	OCT. 5	328.25
FEB. 5	325.88	JUNE 15	325.85	OCT. 10	328.09
FEB. 10	325.15	JUNE 20	326.04	OCT. 15	328.34
FEB. 15	325.60	JUNE 25	326.18	OCT. 20	328.18
FEB. 20	325.11	JUNE 30	326.32	OCT. 25	328.08
FEB. 25	325.70	JULY 5	326.51	OCT. 31	328.15
FEB. 28	325.59	JULY 10	326.63	NOV. 5	328.05
MAR. 5	325.16	JULY 15	326.41	NOV. 10	327.34
MAR. 10	325.10	JULY 20	326.75	NOV. 15	327.77
MAR. 15	325.36	JULY 25	326.93	NOV. 20	327.85
MAR. 20	325.20	JULY 31	327.12	NOV. 25	327.80
MAR. 22	324.67	AUG. 5	327.05	NOV. 30	327.62
MAR. 28	325.66H	AUG. 10	327.24	DEC. 5	327.47
MAR. 31	325.13	AUG. 22	327.56H	DEC. 10	327.13
APR. 5	325.20	AUG. 25	327.64	DEC. 15	327.35
APR. 10	325.55	AUG. 31	327.67	DEC. 20	327.38
APR. 15	325.30	SEP. 5	328.13	DEC. 25	327.18
APR. 20	325.67	SEP. 10	327.95	DEC. 31	326.56
APR. 25	325.04				

H TAPE MEASUREMENT (RECORDER).

434605N1123421.1 05N 33E 10CDC1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 428 FT (130.4 M), CASED TO 306 FT (93.3 M), PERFORATED 285-305 FT (86.9-93.0 M). LSD 4,786.19 FT (1,458.831 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 2 TOP OF 8-IN (20-CM) THREADED CASING NORTHEAST SIDE, 1.47 FT (0.448 M) ABOVE LSD (SINCE JUNE 24, 1953).

HIGHEST WATER LEVEL 250.13 FT (76.240 M) BELOW LSD, JAN. 14, 1954.
LOWEST WATER LEVEL 254.47 FT (77.562 M) BELOW LSD, JULY 15, 1968.
RECORDS AVAILABLE 1953-59, 1963, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1975	251.73				

434604N1123157.1 05N 33E 13BDC1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), DEPTH 359.4 FT (109.5 M), CASED TO 360 FT (109.7 M), PERFORATED 276-290 FT (84.1-88.4 M), 300-317 FT (91.4-96.6 M). LSD 4,794.58 FT (1,458.950 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MAY 1953 WELL WAS DEEPENED TO A DEPTH OF 405 FT (123.4 M). DEC. 5, 1969, WELL WAS PLUGGED BACK WITH CONCRETE SEAL TO 326.0 FT (99.4 M). MP NO. 3 TOP OF 8-IN (20-CM) THREADED CASING, 1.80 FT (0.549 M) ABOVE LSD (SINCE MAY 14, 1953).

HIGHEST WATER LEVEL 260.82 FT (79.498 M) BELOW LSD, FEB. 19, 1974.
LOWEST WATER LEVEL 267.57 FT (81.555 M) BELOW LSD, SEP. 15, 1965.
RECORDS AVAILABLE 1953-60, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	261.20	JULY 14, 1975	263.72	OCT. 21, 1975	264.95
APR. 12	261.58	AUG. 22	265.72	DEC. 19	263.02
MAY 21	262.18				

434604N1123157.2 05N 33E 13BDC2 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 493 FT (150.3 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-400.0 FT (0-121.9 M), PERFORATED 392.5-397.5 FT (119.6-121.2 M), GRAVEL PACKED 370-493 FT (112.8-150.3 M), CONCRETE SEAL 326-353 FT (99.4-107.6 M), 493-540 FT (150.3-164.6 M). LSD 4,794.58 FT (1,458.950 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 1 TOP OF 8-IN (20-CM) CASING, 1.80 FT (0.549 M) ABOVE LSD (SINCE DEC. 5, 1969).

HIGHEST WATER LEVEL 258.77 FT (78.873 M) BELOW LSD, FEB. 19, 1974.
LOWEST WATER LEVEL 264.90 FT (80.741 M) BELOW LSD, AUG. 25, 1970.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	259.18	JULY 14, 1975	261.89	OCT. 21, 1975	262.83
APR. 12	259.59	AUG. 22	263.82	DEC. 19	260.92
MAY 21	260.18				

434604N1123157.3 05N 33E 13BDC3 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DEPTH 1,006.5 FT (306.8 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-725.0 FT (0-221.0 M), PERFORATED 717.5-722.5 FT (218.7-220.2 M), GRAVEL PACKED 750-1,006.5 FT (228.6-306.8 M), CONCRETE SEAL 493-540 FT (150.3-164.6 M). LSD 4,794.58 FT (1,458.950 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 1 TOP OF 8-IN (20-CM) CASING, 1.80 FT (0.549 M) ABOVE LSD (SINCE DEC. 5, 1969).

HIGHEST WATER LEVEL 250.92 FT (76.480 M) BELOW LSD, FEB. 19, 1974.
LOWEST WATER LEVEL 256.71 FT (78.245 M) BELOW LSD, AUG. 24, 1970.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1975	251.28	JULY 14, 1975	253.01	OCT. 21, 1975	253.94
APR. 12	251.55	AUG. 22	254.61	DEC. 19	252.59
MAY 21	251.80				

434600N1123601.1 05N 33E 17ADD1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 334 FT (101.8 M), 6-IN (15-CM) CASING 0-287 FT (0-87.5 M), 5-IN (13-CM) CASING 287-334 FT (87.5-101.8 M), PERFORATED 254-274 FT (77.4-83.5 M), CEMENTED BOTTOM. LSD 4,771.61 FT (1,454.387 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 1 TOP NORTHEAST EDGE OF 6 1/4-IN (16-CM) THREADED CASING, 2.00 FT (0.610 M) ABOVE LSD (SINCE MAR. 18, 1953).

HIGHEST WATER LEVEL 225.53 FT (68.742 M) BELOW LSD, JULY 14, 1975.
LOWEST WATER LEVEL 235.78 FT (71.866 M) BELOW LSD, OCT. 22, 1958.
RECORDS AVAILABLE 1953-60, 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1975	225.53				

434444N1123226.1 05N 33E 23DDA1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 392 FT (119.5 M), CASED TO 324 FT (98.8 M), PERFORATED 306-323 FT (93.3-98.4 M). LSD 4,812.38 FT (1,466.813 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 2 TOP NORTHEAST EDGE OF 6 1/4-IN (16-CM) THREADED CASING, 1.58 FT (0.482 M) ABOVE LSD (SINCE JULY 13, 1953).

HIGHEST WATER LEVEL 282.61 FT (86.139 M) BELOW LSD, JAN. 14, 1954.
LOWEST WATER LEVEL 288.21 FT (87.846 M) BELOW LSD, SEP. 19, 1962.
RECORDS AVAILABLE 1953-60, 1962, 1965-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1975	283.99				

434657N1122822.1 05N 34E 05BDA1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 320 FT (97.5 M), CASED TO 320 FT (97.5 M), PERFORATED 285-315 FT (86.9-96.0 M). LSD 4,791.28 FT (1,460.382 M) FT ABOVE MSL DATUM OF 1929 (PRELIMINARY). DEC. 9, 1952, WELL WAS DEEPENED TO A DEPTH OF 553 FT (168.6 M), DIAM 4 IN (10 CM), OPEN HOLE 320-553 FT (97.5-168.6 M). AUG. 11, 1961, WELL HAD FILLED IN TO A DEPTH OF 436 FT (132.9 M), JAN. 12, 1962, TO 434 FT (132.3 M). WATER LEVELS AFFECTED BY BAROMETRIC PRESSURE. RECORDER INSTALLED MAY 13, 1950. RECORDER REMOVED OCT. 18, 1952. RECORDER INSTALLED APR. 8, 1953. RECORDER REMOVED MAY 11, 1961. RECORDER INSTALLED APR. 22, 1965. RECORDER REMOVED OCT. 30, 1965. RECORDER INSTALLED JAN. 12, 1966. RECORDER REMOVED DEC. 20, 1966. RECORDER INSTALLED MAY 30, 1967. MP NO. 1 PAINTED X IN TOP OF 6-IN (15-CM) CASING NORTHWEST SIDE, 1.76 FT (0.536 M) ABOVE LSD (SINCE APR. 26, 1950).

HIGHEST WATER LEVEL 252.00 FT (76.810 M) BELOW LSD, FEB. 11, 1973, FEB. 12, 1973.
LOWEST WATER LEVEL 260.62 FT (79.437 M) BELOW LSD, SEP. 2, 1964.
RECORDS AVAILABLE 1950-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	253.08	MAY 10, 1975	253.72	SEP. 5, 1975	257.90
JAN. 10	252.82	MAY 15	253.63	SEP. 10	257.68
JAN. 15	252.99	MAY 20	253.65	SEP. 15	257.65
JAN. 20	252.78	MAY 25	254.05	SEP. 20	257.61
JAN. 25	252.66	MAY 31	254.11	SEP. 25	257.45
JAN. 31	252.65	JUNE 5	254.24	SEP. 30	257.38
FEB. 5	252.73	JUNE 10	254.52	OCT. 5	257.15
FEB. 10	252.32	JUNE 15	254.52	OCT. 10	256.84
FEB. 15	252.54	JUNE 20	254.77	OCT. 15	256.70
FEB. 20	252.21	JUNE 25	254.94	OCT. 20	256.45
FEB. 25	252.68	JUNE 30	255.20	OCT. 25	256.14
FEB. 28	252.67	JULY 5	255.65	OCT. 31	255.95
MAR. 5	252.47	JULY 10	256.01	NOV. 5	255.70
MAR. 10	252.48	JULY 15	256.14	NOV. 10	255.13
MAR. 15	252.67	JULY 20	256.63	NOV. 15	255.17
MAR. 20	252.63	JULY 25	256.86	NOV. 20	255.05
MAR. 25	252.45	JULY 31	257.31	NOV. 25	254.93
MAR. 31	252.70	AUG. 5	257.35	NOV. 30	254.59
APR. 5	252.82	AUG. 10	257.65	DEC. 5	254.41
APR. 10	253.06	AUG. 15	257.86	DEC. 10	254.10
APR. 15	253.01	AUG. 20	257.83	DEC. 15	254.05
APR. 20	253.32	AUG. 25	257.85	DEC. 20	254.05
APR. 25	253.02	AUG. 31	257.82	DEC. 25	253.90
APR. 30	253.40	SEP. 2	257.93	DEC. 31	253.49
MAY 5	253.34				

434407N1122851.1 05N 34E 29DAA1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 TO 5 IN (15 TO 13 CM), DEPTH 425.5 FT (129.7 M), 6-IN (15-CM) CASING 0-328 FT (0-100.0 M), 5-IN (13-CM) CASING 328-398 FT (100.0-121.3 M), PERFORATED 363-398 FT (110.6-121.3 M). LSD 4,877.52 FT (1,486.668 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). MP NO. 1 TOP OF 6 1/4-IN (16-CM) THREADED CASING, 2.30 FT (0.701 M) ABOVE LSD (SINCE MAY 14, 1953).

HIGHEST WATER LEVEL 346.98 FT (105.759 M) BELOW LSD, JAN. 14, 1954.
LOWEST WATER LEVEL 353.13 FT (107.634 M) BELOW LSD, SEP. 30, 1964.
RECORDS AVAILABLE 1953-60, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1975	348.99				

434748N1121136.1 05N 36E 02BDA1 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), REPORTED DEPTH 405 FT (123.4 M), CASED TO 18 FT (5.5 M). LSD 4,763.57 FT (1,451.936 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 16-IN (41-CM) CASING COVER, 1.00 FT (0.305 M) ABOVE LSD (SINCE AUG. 30, 1968).

HIGHEST WATER LEVEL 41.32 FT (12.594 M) BELOW LSD, JAN. 23, 1974.
LOWEST WATER LEVEL 44.91 FT (13.689 M) BELOW LSD, SEP. 15, 1975.
RECORDS AVAILABLE 1968, 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	43.74	JUNE 11, 1975	44.24	OCT. 30, 1975	43.86
MAR. 25	43.53L	JULY 31	44.35	DEC. 10	43.84
APR. 17	43.87	SEP. 15	44.91		

L ELECTRIC TAPE, M-SCOPE.

434748N1121136.2 05N 36E 02BDA2 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DIAM 12 IN (30 CM), REPORTED DEPTH 923 FT (281.3 M), CASED TO 838 FT (255.4 M). LSD 4,763.57 FT (1,451.936 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 12-IN (30-CM) CASING NORTHEAST SIDE, 1.09 FT (0.332 M) ABOVE LSD (SINCE AUG. 30, 1968).

HIGHEST WATER LEVEL 10.40 FT (3.170 M) ABOVE LSD, OCT. 24, 1972.
LOWEST WATER LEVEL 0.42 FT (0.128 M) ABOVE LSD, JUNE 11, 1975.
RECORDS AVAILABLE 1968, 1970-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	+ 0.56	JUNE 11, 1975	+ 0.42	OCT. 30, 1975	+ 1.31
MAR. 25	+ 0.71	JULY 31	+ 0.69	DEC. 10	+ 0.44
APR. 17	+ 0.78	SEP. 15	+ 0.61		

434748N1121136.3 05N 36E 02BDA3 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, DIAM 8 IN (20 CM), REPORTED DEPTH 995 FT (303.3 M), CASED TO 985 FT (300.2 M). LSD 4,763.57 FT (1,451.936 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3-IN (7.6-CM) REDUCER NORTHEAST SIDE, 3.26 FT (0.994 M) ABOVE LSD (SINCE AUG. 30, 1968).

HIGHEST WATER LEVEL 2.88 FT (0.878 M) ABOVE LSD, DEC. 12, 1975.
LOWEST WATER LEVEL 16.14 FT (4.919 M) BELOW LSD, AUG. 30, 1968.
RECORDS AVAILABLE 1968, 1970-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1975	+ 2.63	JUNE 11, 1975	+ 2.62	OCT. 30, 1975	+ 2.75
MAR. 25	+ 2.62	JULY 31	+ 2.62	DEC. 12	+ 2.88
APR. 17	+ 2.64	SEP. 15	+ 2.61		

434447N1121334.1 05N 36E 21DAC1 US GEOL SURVEY JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 299.5 FT (91.3 M), CASED TO 103 FT (31.4 M). LSD 4,800.94 FT (1,463.326 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING, 1.00 FT (0.305 M) ABOVE LSD (SINCE AUG. 24, 1960).

HIGHEST WATER LEVEL 252.25 FT (76.886 M) BELOW LSD, DEC. 20, 1974.
LOWEST WATER LEVEL 263.05 FT (80.178 M) BELOW LSD, JUNE 22, 1962.
RECORDS AVAILABLE 1960-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1975	253.72L	JUNE 11, 1975	255.45	SEP. 15, 1975	261.45L
MAY 8	256.39L	JULY 31	256.22	OCT. 29	255.62L

L ELECTRIC TAPE, M-SCOPE.

434102N1121807.1 04N 35E 14AAA1 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 1,000.0 FT (304.8 M), CASED TO 430 FT (131 M). LSD 4,939.32 FT (1,505.50 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1958. RECORDER INSTALLED NOV. 5, 1969. RECORDER MAINTAINED, AND ITS RECORD FURNISHED BY US BUREAU OF RECLAMATION. PERIODIC MEASUREMENTS MADE BY US GEOL SURVEY. MP NO. 1 TOP OF 6-IN (15-CM) CASING EAST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE NOV. 5, 1969).

HIGHEST WATER LEVEL 402.48 FT (122.676 M) BELOW LSD, JAN. 5, 1974.
LOWEST WATER LEVEL 410.93 FT (125.251 M) BELOW LSD, AUG. 15, 1970.
RECORDS AVAILABLE 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	402.88	MAY 5, 1975	405.13	AUG. 25, 1975	409.96
JAN. 8	402.62	MAY 10	405.50	AUG. 31	409.80
JAN. 10	402.74	MAY 15	405.49	SEP. 5	409.69
JAN. 15	402.98	MAY 20	405.53	SEP. 10	409.34
JAN. 20	402.88	MAY 25	405.95	SEP. 13	408.96H
JAN. 25	402.78	MAY 31	406.10	SEP. 15	409.04
JAN. 31	402.95	JUNE 5	406.36	SEP. 20	408.84
FEB. 5	403.15	JUNE 10	406.85	SEP. 25	408.57
FEB. 10	403.00	JUNE 15	407.12	SEP. 30	408.30
FEB. 15	403.00	JUNE 20	407.58	OCT. 5	407.91
FEB. 20	403.15	JUNE 25	407.89	OCT. 10	407.45
MAR. 11	403.54H	JUNE 30	408.15	OCT. 15	407.21
MAR. 15	403.75	JULY 5	408.56	OCT. 20	406.84
MAR. 20	403.84	JULY 10	408.94	OCT. 25	406.40
MAR. 25	403.69	JULY 15	409.02	OCT. 31	406.07
MAR. 31	404.10	JULY 20	409.52	NOV. 4	405.91
APR. 5	404.28	JULY 25	409.76	NOV. 15	405.21
APR. 10	404.54	JULY 31	409.83	NOV. 20	405.01
APR. 15	404.57	AUG. 5	410.01	NOV. 25	404.84
APR. 17	404.60H	AUG. 9	410.24	NOV. 30	404.55
APR. 20	404.89	AUG. 10	410.20	DEC. 5	405.35
APR. 25	404.77	AUG. 14	410.19	DEC. 10	404.03H
APR. 30	405.10	AUG. 20	410.14		

H TAPE MEASUREMENT (RECORDER).

434153N1115632.1 04N 38E 12BBB1 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10-8-6 IN (25-20-15 CM), DEPTH 420.0 FT (128.0 M), 10-IN (25-CM) CASING 0-291.8 FT (88.9 M), 8-IN (20-CM) CASING 280-381.6 FT (85.3-116.3 M), 6-IN (15-CM) CASING 364-510 FT (110.9-155.4 M), PERFORATED 190-200 FT (57.9-61.0 M), 225-235 FT (68.6-71.6 M), 265-275 FT (80.8-83.8 M), CONCRETE SEAL 420-450 FT (128.0-137.2 M). LSD 4,829.55 FT (1,472.047 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE SOUTH SIDE, 1.42 FT (0.433 M) ABOVE LSD (SINCE JAN. 19, 1970).

HIGHEST WATER LEVEL 2.31G FT (0.704 M) BELOW LSD, AUG. 25, 1970.
LOWEST WATER LEVEL 25.79G FT (7.861 M) BELOW LSD, APR. 23, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	14.68	MAY 21, 1975	24.00	OCT. 1, 1975	2.52
FEB. 26	19.39	JUNE 6	21.77	OCT. 15	3.32
MAR. 11	20.89	AUG. 4	2.55		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434153N1115632.2 04N 38E 12BBB2 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 10-8-6 IN (25-20-15 CM), DEPTH 528.0 FT (160.9 M), 10-IN (25-CM) CASING 0-291.8 FT (88.9 M), 8-IN (20-CM) CASING 280-381.6 FT (85.3-116.3 M), 6-IN (15-CM) CASING 364-510 FT (110.9-155.4 M), 10-IN (25-CM) CASING PERFORATED 190-200 FT (57.9-61.0 M), 225-235 FT (68.6-71.6 M), 265-275 FT (80.8-83.8 M), 6-IN (15-CM) CASING 364-510 FT (110.9-155.4 M), PERFORATED 475-490 FT (144.8-149.4 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-480.0 FT (0-146.3 M), PERFORATED 472.5-477.5 FT (144.0-145.5 M), GRAVEL PACKED 450-528 FT (137.2-160.9 M), CONCRETE SEAL 420-450 FT (128.0-137.2 M), 528-538 FT (160.9-164.0 M). LSD 4,829.55 FT (1,472.046 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE SOUTH SIDE, 1.25 FT (0.381 M) ABOVE LSD (SINCE JAN. 19, 1970).

HIGHEST WATER LEVEL 26.77 FT (8.159 M) BELOW LSD, SEP. 10, 1974.
LOWEST WATER LEVEL 46.45G FT (14.158 M) BELOW LSD, APR. 23, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	37.30	MAY 21, 1975	45.64	OCT. 1, 1975	27.27
FEB. 26	41.43	JUNE 6	44.92	OCT. 15	27.38
MAR. 11	42.42	AUG. 4	30.59		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434153N1115632.3 04N 38E 12BBB3 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 705.0 FT (214.9 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-550.0 FT (0-167.6 M), PERFORATED 542.5-547.5 FT (165.4-166.9 M), GRAVEL PACKED 538-705 FT (164.0-214.9 M), CONCRETE SEAL 528-538 FT (160.9-164.0 M), 705-726 FT (214.9-221.3 M). LSD 4,829.55 FT (1,472.046 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE SOUTH SIDE, 1.05 FT (0.320 M) ABOVE LSD (SINCE JAN. 19, 1970).

HIGHEST WATER LEVEL 27.03 FT (8.239 M) BELOW LSD, OCT. 1, 1975.
LOWEST WATER LEVEL 46.12G FT (14.057 M) BELOW LSD, APR. 23, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	36.95	MAY 21, 1975	45.21	OCT. 1, 1975	27.03
FEB. 26	41.10	JUNE 6	44.52	OCT. 15	27.15
MAR. 11	42.03	AUG. 4	30.37		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434153N1115632.4 04N 38E 12BBB4 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 842.0 FT (256.6 M), 3-4-IN (1.9-CM) PIEZOMETER TUBE 0-760.0 FT (0-231.6 M) PERFORATED 752.5-757.5 FT (229.4-230.9 M), GRAVEL PACKED 726-842 FT (221.3-256.6 M), CONCRETE SEAL 705-726 FT (214.9-221.3 M), 842-850 FT (256.6-259.1 M). LSD 4,829.55 FT (1,472.046 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE SOUTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JAN. 19, 1970).

HIGHEST WATER LEVEL 27.38 FT (8.345 M) BELOW LSD, SEP. 10, 1974.
LOWEST WATER LEVEL 47.61 FT (14.512 M) BELOW LSD, APR. 25, 1974.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	38.05	MAY 21, 1975	46.66	OCT. 1, 1975	28.50
FEB. 26	42.30	JUNE 6	46.02	OCT. 15	28.60
MAR. 11	43.27	AUG. 4	31.79		

434153N1115632.5 04N 38E 12BBB5 US BUREAU RECL JEFFERSON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DEPTH 1,026.0 FT (312.7 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-918.0 FT (0-279.8 M), PERFORATED 910.5-915.5 (277.5-279.0 M) GRAVEL PACKED 850-1,026.0 FT (259.1-312.7 M), CONCRETE SEAL 842-850 FT (256.6-259.1 M). LSD 4,829.55 FT (1,472.046 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE SOUTH SIDE, 0.81 FT (0.247 M) ABOVE LSD (SINCE JAN. 19, 1970).

HIGHEST WATER LEVEL 79.14 FT (24.122 M) BELOW LSD, SEP. 10, 1974.
LOWEST WATER LEVEL 108.32G FT (33.016 M) BELOW LSD, MAY 27, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	94.31	MAY 21, 1975	107.54	OCT. 1, 1975	80.07
FEB. 26	N	JUNE 6	107.27	OCT. 15	80.03
MAR. 11	101.67	AUG. 4	87.23		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
N NO MEASUREMENT.

434028N1115150.1 04N 39E 16DAD1 LAVERE EVANS JEFFERSON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 77.6 FT (23.7 M), CASING DEPTH NOT AVAILABLE. LSD ABOUT 4,885 FT (1,489 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO SEPT. 19, 1973, MADE BY UNIVERSITY OF IDAHO, WATER RESEARCH INSTITUTE. MP NO. 1 TOP OF CASING, 5.80 FT (1.768 M) BELOW LSD (SINCE SEPT. 19, 1973).

HIGHEST WATER LEVEL 10.19 FT (3.106 M) BELOW LSD, SEP. 16, 1975.
LOWEST WATER LEVEL 64.00 FT (19.507 M) BELOW LSD, APR. 17, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1975	45.96	APR. 29, 1975	61.58	SEP. 16, 1975	10.19
FEB. 13	51.74	JUNE 6	55.32	OCT. 17	13.49
MAR. 11	56.29	AUG. 4	13.90	NOV. 21	26.78

433835N1114843.1 04N 39E 25DBB1 LAMAR L ROCK JEFFERSON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNCONSOLIDATED ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 90 FT (27.4 M), CASED TO 90 FT (27.4 M). LSD ABOUT 4,932 FT (1,503.3 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN (15-CM) CASING SOUTHEAST SIDE, 0.60 FT (0.183 M) ABOVE LSD (SINCE JULY 31, 1975).

HIGHEST WATER LEVEL 16.42 FT (5.005 M) BELOW LSD, SEP. 16, 1975.
LOWEST WATER LEVEL 33.10 FT (10.089 M) BELOW LSD, NOV. 21, 1975.
RECORDS AVAILABLE 1975-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 31, 1975	17.73	OCT. 17, 1975	19.92	NOV. 21, 1975	33.10
SEP. 16	16.42				

433849N1114926.1 04N 39E 26DAA1 AUSTIN ANDERSON JEFFERSON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 107.8 FT (32.86 M), CASED TO 108 FT (32.92 M). LSD ABOUT 4,922 FT (1,500.2 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO SEPT. 16, 1975, MADE BY WATER RESOURCES RESEARCH INSTITUTE. MP NO. 2 TOP OF 1 1/2-IN (3.8 CM) PIPE, 1.02 FT (0.311 M) ABOVE LSD (SINCE SEPT. 16, 1975).

HIGHEST WATER LEVEL 19.55 FT (5.959 M) BELOW LSD, SEP. 16, 1975.
LOWEST WATER LEVEL 82.30G FT (25.085 M) BELOW LSD, APR. 17, 1972.
RECORDS AVAILABLE 1970-72, 1975-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 31, 1975	24.51	OCT. 17, 1975	22.69	NOV. 21, 1975	36.83
SEP. 16	19.55				

G MEASURED BY OUTSIDE AGENCY OR PERSON.

433849N1114926.1 04N 39E 26DAA1 AUSTIN ANDERSON JEFFERSON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 107.8 FT (32.86 M), CASED TO 108 FT (32.92 M). LSD ABOUT 4,922 FT (1,500.2 M) ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO SEPT. 16, 1975, MADE BY WATER RESOURCES RESEARCH INSTITUTE. MP NO. 2 TOP OF 1 1/2-IN (3.8 CM) PIPE, 1.02 FT (0.311 M) ABOVE LSD (SINCE SEPT. 16, 1975).

HIGHEST WATER LEVEL 19.55 FT (5.959 M) BELOW LSD, SEP. 16, 1975.
LOWEST WATER LEVEL 82.30G FT (25.085 M) BELOW LSD, APR. 17, 1972.
RECORDS AVAILABLE 1970-72, 1975-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 16, 1970	82.17G	FEB. 21, 1971	71.00G	APR. 17, 1972	82.30G
MAY 20	81.75G	FEB. 27	72.00G	MAY 10	82.20G
MAY 29	80.33G	MAR. 7	73.50G	MAY 17	77.30G
JUNE 6	76.25G	MAR. 14	74.92G	MAY 24	69.60G
JUNE 11	72.08G	MAR. 21	76.00G	MAY 31	62.30G
JUNE 17	64.58G	MAR. 28	77.17G	JUNE 7	53.50G
JUNE 22	60.25G	APR. 7	78.83G	JUNE 14	46.70G
JUNE 30	50.58G	APR. 13	80.00G	JUNE 21	48.50G
JULY 3	48.60G	APR. 20	80.75G	JUNE 28	43.30G
JULY 10	43.00G	APR. 27	81.67G	JULY 5	41.80G
JULY 15	40.00G	MAY 5	81.33G	JULY 12	35.50G
JULY 21	34.67G	MAY 13	80.83G	JULY 19	30.80G
JULY 29	28.58G	MAY 20	79.00G	JULY 26	26.30G
AUG. 1	27.00G	MAY 27	75.58G	AUG. 2	25.10G
AUG. 6	24.92G	JUNE 16	53.83G	AUG. 9	23.70G
AUG. 17	21.83G	JUNE 23	46.30G	AUG. 16	21.90G
AUG. 21	19.58G	JUNE 30	42.40G	AUG. 19	22.20G
AUG. 30	20.33G	JULY 8	39.00G	AUG. 26	23.70G
SEP. 22	28.67G	JULY 21	29.20G	SEP. 2	24.30G
OCT. 17	30.08G	JULY 30	23.70G	SEP. 11	25.30G
NOV. 15	38.75G	AUG. 4	22.20G	SEP. 18	26.60G
NOV. 26	41.25G	AUG. 11	21.00G	SEP. 25	26.50G
DEC. 13	47.00G	AUG. 18	20.60G	OCT. 11	26.60G
DEC. 20	51.00G	OCT. 21	35.20G	OCT. 25	33.60G
DEC. 28	54.33G	NOV. 4	39.30G	JULY 31, 1975	24.51
JAN. 24, 1971	63.00G	NOV. 17	48.20G	SEP. 16	19.55
JAN. 30	65.25G	DEC. 21	56.00G	OCT. 17	22.69
FEB. 8	67.50G	MAR. 14, 1972	77.80G	NOV. 21	36.83
FEB. 14	69.00G				

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435506N1115631.1 07N 38E 23DBA1 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), DEPTH 236.0 FT (71.9 M), CASED TO 177 FT (53.9 M). LSD 4,852.35 FT (1,478.996 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 9, 1960. RECORDER CHANGED TO DIGITAL MAR. 12, 1973. MP NO. 1 TOP OF 16-IN (41-CM) CASING NORTHEAST SIDE, 1.95 FT (0.594 M) ABOVE LSD (SINCE JULY 23, 1965).

HIGHEST WATER LEVEL 37.47 FT (11.421 M) BELOW LSD, OCT. 20, 1974.
LOWEST WATER LEVEL 45.27 FT (13.798 M) BELOW LSD, APR. 22, 1962.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	39.66	APR. 23, 1975	42.27	SEP. 20, 1975	37.83
JAN. 10	39.74	JUNE 5	41.60	SEP. 25	37.71
JAN. 15	40.07	JUNE 10	41.42	SEP. 30	37.81
JAN. 20	40.13	JUNE 15	41.03	OCT. 5	37.79
JAN. 25	40.31	JUNE 20	40.78	OCT. 7	37.55
JAN. 31	40.59	JUNE 25	40.52	OCT. 10	37.72
FEB. 5	40.84	JUNE 30	40.21	OCT. 15	37.79
FEB. 10	40.74	JULY 5	39.95	OCT. 20	37.79
FEB. 15	41.05	JULY 10	39.71	OCT. 25	37.82
FEB. 20	41.04	JULY 15	39.35	OCT. 31	38.03
FEB. 25	41.40	JULY 20	39.22	NOV. 5	38.11
FEB. 28	41.49	JULY 25	39.04	NOV. 10	38.02
MAR. 5	41.48	JULY 31	38.85	NOV. 15	38.40
MAR. 10	41.61	AUG. 5	38.64	NOV. 20	38.55
MAR. 15	41.84	AUG. 10	38.53	NOV. 25	38.74
MAR. 20	41.91	AUG. 15	38.46	NOV. 30	38.83
MAR. 25	41.82	AUG. 20	38.36	DEC. 5	38.95
MAR. 31	42.05	AUG. 25	38.23	DEC. 10	38.92
APR. 5	42.16	AUG. 31	38.07	DEC. 15	39.14
APR. 10	42.31	SEP. 5	38.13	DEC. 20	39.31
APR. 15	42.26	SEP. 10	37.91	DEC. 25	39.41
APR. 20	42.41	SEP. 15	37.88	DEC. 31	39.31

435506N1115631.2 07N 38E 23DBA2 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 8 IN (20 CM), REPORTED DEPTH 152 FT (46.3 M), CASED TO 154 FT (46.9 M), PERFORATED 65-140 FT (19.8-42.7 M). AUG. 28, 1958, WELL HAD FILLED WITH SAND THROUGH PERFORATIONS TO A DEPTH OF 84 FT (25.6 M). LSD 4,852.38 FT (1,479.005 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 9, 1960. RECORDER CHANGED TO DIGITAL MAR. 12, 1975. MP NO. 1 TOP OF CASING COUPLING NORTH SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE AUG. 9, 1960).

HIGHEST WATER LEVEL 33.80 FT (10.302 M) BELOW LSD, OCT. 6, 1975, OCT. 7, 1975.
LOWEST WATER LEVEL 42.38 FT (12.917 M) BELOW LSD, APR. 28, 1975.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1975	35.66	MAY 5, 1975	42.22	SEP. 10, 1975	34.13
JAN. 10	35.74	MAY 10	42.34	SEP. 15	34.05
JAN. 15	35.89	MAY 15	42.15	SEP. 20	33.99
JAN. 20	35.94	MAY 20	41.99	SEP. 25	33.91
JAN. 25	36.07	MAY 25	42.06	SEP. 30	33.93
JAN. 31	36.16	MAY 31	41.81	OCT. 5	33.92
FEB. 5	36.31	JUNE 5	37.85	OCT. 6	33.80
FEB. 10	36.36	JUNE 10	37.74	OCT. 7	33.80
FEB. 15	36.51	JUNE 15	37.56	OCT. 10	33.93
FEB. 20	36.61	JUNE 20	37.42	OCT. 15	34.04
FEB. 25	36.77	JUNE 25	37.27	OCT. 20	34.12
FEB. 28	36.84	JUNE 30	37.07	OCT. 25	34.19
MAR. 5	36.93	JULY 5	36.86	OCT. 31	34.38
MAR. 10	37.05	JULY 10	36.65	NOV. 5	34.45
MAR. 15	37.28	JULY 15	36.37	NOV. 10	34.46
MAR. 20	37.40	JULY 20	36.11	NOV. 15	34.70
MAR. 25	37.45	JULY 25	35.85	NOV. 20	34.84
MAR. 31	37.64	JULY 31	35.54	NOV. 25	35.01
APR. 5	37.76	AUG. 5	35.29	NOV. 30	35.10
APR. 10	37.88	AUG. 10	35.09	DEC. 5	35.23
APR. 15	37.96	AUG. 15	34.89	DEC. 10	35.25
APR. 20	38.06	AUG. 20	34.71	DEC. 15	35.37
APR. 25	42.21	AUG. 25	34.54	DEC. 20	35.48
APR. 28	42.38	AUG. 31	34.37	DEC. 25	35.57
APR. 30	42.34	SEP. 5	34.30	DEC. 31	35.65

435252N1115200.1 06N 39E 04ABC1 ESTIL I FISHER MADISON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 18 IN (46 CM), REPORTED DEPTH 199 FT (60.6 M), CASED TO 159 FT (48.5 M). LSD 4,827.64 FT (1,471.465 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING NORTH SIDE, 1.10 FT (0.335 M) ABOVE LSD (SINCE MAY 27, 1962).

HIGHEST WATER LEVEL 9.00 FT (2.743 M) BELOW LSD, SEP. 18, 1974.
LOWEST WATER LEVEL 16.89 FT (5.148 M) BELOW LSD, APR. 24, 1964.
RECORDS AVAILABLE 1959, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	12.24	JUNE 4, 1975	14.50	OCT. 8, 1975	9.16
MAR. 11	13.56	JULY 21	10.52	NOV. 18	10.08
APR. 23	14.28	SEP. 3	9.36		

435209N1115121.1 06N 39E 10BBB1 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 260.0 FT (79.2 M), CASED TO 168 FT (51.2 M). LSD 4,834.20 FT (1,473.464 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF PIPE COUPLING IN CASING CAP, 1.80 FT (0.549 M) ABOVE LSD (SINCE DEC. 14, 1962).

HIGHEST WATER LEVEL 15.46 FT (4.712 M) BELOW LSD, SEP. 18, 1974.
LOWEST WATER LEVEL 23.24 FT (7.084 M) BELOW LSD, APR. 24, 1964.
RECORDS AVAILABLE 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	18.77	JUNE 6, 1975	19.93	OCT. 8, 1975	15.61
MAR. 11	20.08	JULY 21	17.04	NOV. 17	16.46
APR. 23	20.76	SEP. 3	15.83		

435209N1115121.2 06N 39E 10BBB2 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 317 FT (96.6 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-316 FT (0-96.3 M), PERFORATED 307.5-312.5 FT (93.7-95.2 M), GRAVEL PACKED 290-317 FT (88.4-96.6 M), CONCRETE SEAL 265-290 FT (80.8-88.4 M), 317-339 FT (96.6-103.3 M). LSD 4,834.20 FT (1,473.464 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 2.32 FT (0.707 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 15.45 FT (4.709 M) BELOW LSD, SEP. 18, 1974.
LOWEST WATER LEVEL 22.65G FT (6.904 M) BELOW LSD, APR. 4, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	18.78	JUNE 6, 1975	19.96	OCT. 8, 1975	15.63
MAR. 11	20.10	JULY 21	17.11	NOV. 17	16.46
APR. 23	20.77	SEP. 3	15.87		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435209N1115121.3 06N 39E 10BBB3 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 545 FT (166.1 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-387 FT (0-118.0 M), PERFORATED 376.5-381.5 FT (114.8-116.3 M), GRAVEL PACKED 339-545 FT (103.3-166.1 M), CONCRETE SEAL 317-339 FT (96.6-103.3 M), 545-570 FT (166.1-173.7 M). LSD 4,834.20 FT (1,473.464 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 2.02 FT (0.616 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 15.38 FT (4.688 M) BELOW LSD, SEP. 18, 1974.
LOWEST WATER LEVEL 22.64G FT (6.901 M) BELOW LSD, APR. 4, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	18.71	JUNE 6, 1975	19.92	OCT. 8, 1975	15.56
MAR. 11	20.01	JULY 21	17.00	NOV. 17	16.40
APR. 23	20.71	SEP. 3	15.77		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435209N1115121.4 06N 39E 10BBB4 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SILICIC VOLCANIC ROCKS OF QUATERNARY AGE, REPORTED DEPTH 636.8 FT (194.1 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-600 FT (0-182.9 M), PERFORATED 592.5-597.5 FT (180.6-182.1 M), GRAVEL PACKED 570-636.5 FT (173.7-194.0 M), CONCRETE SEAL 545-570 FT (166.1-173.7 M). LSD 4,834.20 FT (1,473.464 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 1.74 FT (0.530 M) ABOVE LSD (SINCE AUG. 28, 1967).

HIGHEST WATER LEVEL 10.26G FT (3.127 M) BELOW LSD, OCT. 11, 1967.
LOWEST WATER LEVEL 20.25G FT (6.172 M) BELOW LSD, MAY 19, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	15.96	JUNE 6, 1975	18.45	OCT. 8, 1975	15.81
MAR. 11	17.01	JULY 21	17.78	NOV. 17	15.34
APR. 23	17.94	SEP. 3	16.63		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434915N1115405.1 06N 39E 30ADC1 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN (15 CM), DEPTH 295.0 FT (89.9 M), CASED TO 263 FT (80.2 M). LSD 4,816.92 FT (1,468.197 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 1-IN (2.5-CM) PIPE COUPLING IN CASING CAP, 2.00 FT (0.610 M) ABOVE LSD (SINCE JAN. 14, 1963).

HIGHEST WATER LEVEL 0.18 FT (0.055 M) BELOW LSD, OCT. 10, 1975.
LOWEST WATER LEVEL 7.29 FT (2.222 M) BELOW LSD, APR. 24, 1964.
RECORDS AVAILABLE 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	3.38	JUNE 6, 1975	3.82	OCT. 10, 1975	0.18
MAR. 11	4.34	AUG. 4	0.71	NOV. 17	1.11
APR. 21	4.73	SEP. 3	0.49		

434915N1115405.2 06N 39E 30ADC2 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 620 FT (189.0 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-445 FT (0-135.6 M), PERFORATED 437.5-442.5 FT (133.4-134.9 M), GRAVEL PACKED 406-620 FT (123.7-189.0 M), CONCRETE SEAL 385-406 FT (117.3-123.7 M), 620-638 FT (189.0-194.5 M). LSD 4,816.92 FT (1,468.197 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 2.20 FT (0.671 M) ABOVE LSD (SINCE SEPT. 5, 1967).

HIGHEST WATER LEVEL 1.73 FT (0.527 M) BELOW LSD, SEP. 20, 1971.
LOWEST WATER LEVEL 8.70G FT (2.652 M) BELOW LSD, APR. 4, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	4.98	JUNE 6, 1975	6.20	OCT. 10, 1975	1.78
MAR. 11	6.25	AUG. 4	2.84	NOV. 17	2.63
APR. 21	6.91	SEP. 3	2.14		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434915N1115405.3 06N 39E 30ADC3 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SNAKE RIVER GROUP, REPORTED DEPTH 699.7 FT (213.3 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-685 FT (0-208.8 M), PERFORATED 677.5-682.5 FT (206.5-208.0 M), GRAVEL PACKED 638-699.7 FT (194.5-213.3 M), CONCRETE SEAL 620-638 FT (189.0-194.5 M). LSD 4,816.92 FT (1,468.197 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE, 2.03 FT (0.619 M) ABOVE LSD (SINCE SEPT. 5, 1967).

HIGHEST WATER LEVEL 1.15 FT (0.351 M) BELOW LSD, OCT. 20, 1972.
LOWEST WATER LEVEL 7.74G FT (2.359 M) BELOW LSD, APR. 4, 1969.
RECORDS AVAILABLE 1967-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	3.54	JUNE 6, 1975	5.93	OCT. 10, 1975	1.37
MAR. 11	4.89	AUG. 4	3.16	NOV. 17	1.53
APR. 21	5.92	SEP. 3	2.06		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

435205N1114525.1 06N 40E 09BBB1 US BUREAU RECL MADISON COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 24.4 FT (7.4 M), WELL POINT 22-24 FT (6.7-7.3 M). LSD 4,886.53 FT (1,489.414 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). MP NO. 1 TOP OF COLLAR, 0.60 FT (0.183 M) ABOVE LSD (SINCE NOV. 8, 1966).

HIGHEST WATER LEVEL 1.77 FT (0.539 M) BELOW LSD, JULY 30, 1970.
LOWEST WATER LEVEL 18.68 FT (5.694 M) BELOW LSD, APR. 30, 1971.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1975	6.71	JUNE 6, 1975	14.06	OCT. 8, 1975	3.33
MAR. 6	12.05	JULY 10	6.22	NOV. 17	6.18
APR. 21	12.68	SEP. 3	2.83		

435237N1113527.1 06N 41E 02BDC1 H C ROBISON MADISON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 18 IN (46 CM), REPORTED DEPTH 350 FT (106.7 M), CASED TO 60 FT (18.3 M). LSD 5,131.80 FT (1,564.173 M) ABOVE MSL DATUM OF 1929, 1951 LEVELING, TENTATIVE ELEVATIONS. MP NO. 2 BOTTOM EDGE OF 5/8-IN (1.6-CM) HCLE OUTSIDE PUMPBASE WEST SIDE, 0.80 FT (0.244 M) ABOVE LSD (SINCE NOV. 20, 1973).

HIGHEST WATER LEVEL 267.6 G FT (81.564 M) BELOW LSD, AUG. 19, 1970.
LOWEST WATER LEVEL 279.48L FT (85.185 M) BELOW LSD, SEP. 17, 1973.
RECORDS AVAILABLE 1959, 1967, 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 11, 1975	271.94	SEP. 3, 1975	A	OCT. 8, 1975	N
JULY 10	A				

A WELL BEING PUMPED.
G MEASURED BY OUTSIDE AGENCY OR PERSON.
L ELECTRIC TAPE, M-SCOPE.
N NO MEASUREMENT.

435128N1113534.2 06N 41E 11CDB2 CLYDE PACKER MADISON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN WELDED TUFF AND ASH OF QUATERNARY AGE, DIAM 20 IN (51 CM), REPORTED DEPTH 512 FT (156.1 M), CASED TO 18 FT (5.5 M). LSD ABOUT 5,220 FT (1,591 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1-IN (2.5-CM) HOLE INSIDE PUMPBASE EAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 20, 1967).

HIGHEST WATER LEVEL 352.96 FT (107.582 M) BELOW LSD, NOV. 25, 1975.
LOWEST WATER LEVEL 364.4 G FT (111.069 M) BELOW LSD, AUG. 19, 1970.
RECORDS AVAILABLE 1967, 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	358.76L	JULY 21, 1975	A	OCT. 8, 1975	N
APR. 25	N	SEP. 3	362.70A	NOV. 25	352.96

A WELL BEING PUMPED.
G MEASURED BY OUTSIDE AGENCY OR PERSON.
L ELECTRIC TAPE, M-SCOPE.
N NO MEASUREMENT.

434638N1115304.1 05N 39E 08DAD1 US BUREAU RECL MADISON COUNTY

DRIVEN OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 1 1/4 IN (3.2 CM), DEPTH 27.5 FT (8.4 M), WELL POINT 26-28 FT (7.9-8.5 M). LSD 4,830.36 FT (1,472.294 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF COLLAR, 0.70 FT (0.213 M) ABOVE LSD (SINCE NOV. 8, 1966).

HIGHEST WATER LEVEL 4.37 FT (1.332 M) BELOW LSD, SEP. 10, 1974.
LOWEST WATER LEVEL 8.08 FT (2.463 M) BELOW LSD, MAR. 21, 1967.
RECORDS AVAILABLE 1966-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1975	7.50	JUNE 6, 1975	6.56	OCT. 10, 1975	5.28
MAR. 11	7.44	SEP. 15	5.03	NOV. 18	6.41
APR. 21	7.15				

434546N1115503.1 05N 39E 18CAC1 US BUREAU RECL MADISON COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), REPORTED DEPTH 336 FT (102.4 M), CASED TO 336 FT (102.4 M), 6 PERFORATIONS AT 300 FT (91.4 M), OPEN BOTTOM. LSD 4,823.49 FT (1,470.200 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE COUPLING IN CASING CAP, 1.90 FT (0.579 M) ABOVE LSD (SINCE JAN. 13, 1963).

HIGHEST WATER LEVEL 1.73 FT (0.527 M) ABOVE LSD, JAN. 8, 1971.
LOWEST WATER LEVEL 8.64 FT (2.633 M) BELOW LSD, JAN. 13, 1963.
RECORDS AVAILABLE 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1975	N	AUG. 4, 1975	0.13	OCT. 10, 1975	0.10
APR. 11	0.15	SEP. 15	0.14	NOV. 18	0.03
JUNE 6	0.12				

N NO MEASUREMENT.

434712N1114156.1 05N 40E C1CCD1 JENSEN BROS MADISON COUNTY

DRILLED UNUSED WATER-TABLE WELL IN BASALT OF QUATERNARY AGE, DIAM 20 IN (51 CM), REPORTED DEPTH 716 FT (218.2 M), CASED TO 104 FT (31.7 M). LSD ABOUT 5,305 FT (1,617 M) ABOVE MSL DATUM OF 1929. AUG. 24, 1972, WELL HAD FILLED IN TO A DEPTH OF 508.6 FT (155.0 M). MP NO. 2 TOP OF HOLE IN 55-GAL (208-L) DRUM SOUTH SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE MAY 1, 1973).

HIGHEST WATER LEVEL 439.8 G FT (134.051 M) BELOW LSD, SEP. 16, 1970.
LOWEST WATER LEVEL 449.76 FT (137.087 M) BELOW LSD, SEP. 27, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	442.62	SEP. 15, 1975	446.23		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

421917N1123549.1 13S 33E 04ADD1 GEORGE MAX KING ONEIDA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 4 IN (10 CM), DEPTH 145.8 FT (44.4 M), CASED TO 122 FT (37.2 M). LSD NOT AVAILABLE. MP NO. 1 TOP OF 4-IN (10-CM) CASING SOUTH SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE MAY 5, 1947).

HIGHEST WATER LEVEL 56.02 FT (17.075 M) BELOW LSD, SEP. 20, 1975.
LOWEST WATER LEVEL 81.60 FT (24.872 M) BELOW LSD, MAY 5, 1947.
RECORDS AVAILABLE 1947, 1969-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	57.66	SEP. 20, 1975	56.02		

421434N1121914.1 13S 35E 36CCD1 DAVE DESCHAMPS ONEIDA COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SEDIMENTS OF QUATERNARY AGE, DIAM 4 IN (10 CM), DEPTH 131 FT (39.9 M), CASED 0-131 FT (0-39.9 M). LSD ABOUT 4,853 FT (1,479 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING, 0.80 FT (0.244 M) ABOVE LSD (SINCE OCT. 25, 1946).

HIGHEST WATER LEVEL 80.06 FT (24.402 M) BELOW LSD, SEP. 20, 1975.
LOWEST WATER LEVEL 85.33 FT (26.009 M) BELOW LSD, APR. 21, 1964.
RECORDS AVAILABLE 1946-59, 1962-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	80.63	SEP. 20, 1975	80.06		

421219N1121841.1 14S 35E 13DBA1 PROG PUMP CO ONEIDA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 14 IN (36 CM), REPORTED DEPTH 289 FT (88.1 M), CASED TO 289 FT (88.1 M), PERFORATED OPPOSITE ALL GRAVELS 114-289 FT (34.7-88.1 M). LSD ABOUT 4,641 FT (1,415 M) ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING SOUTH SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE APR. 9, 1947).

HIGHEST WATER LEVEL 66.07 FT (20.138 M) BELOW LSD, APR. 26, 1953.
LOWEST WATER LEVEL 100.1 G FT (30.510 M) BELOW LSD, NOV. 11, 1964.
RECORDS AVAILABLE 1943-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	71.18	SEP. 20, 1975	82.69		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

420819N1124254.2 15S 32E 09AAA2 US BUR LAND MGT ONEIDA COUNTY

DRILLED STOCK WATER-TABLE WELL IN SEDIMENTS OF QUATERNARY AGE, DIAM 10 IN (25 CM), REPORTED DEPTH 270 FT (82.3 M), CASING DEPTH AND LSD NOT AVAILABLE. MP NO. 1 TOP OF STEEL PLATE OVER 10-IN (25-CM) CASING, 0.70 FT (0.213 M) ABOVE LSD (SINCE APR. 7, 1970).

HIGHEST WATER LEVEL 211.43G FT (64.444 M) BELOW LSD, APR. 7, 1970.
LOWEST WATER LEVEL 213.44 FT (65.056 M) BELOW LSD, MAY 2, 1974.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 15, 1975	213.74A	SEP. 20, 1975	211.81		

A WELL BEING PUMPED.
G MEASURED BY OUTSIDE AGENCY OR PERSON.

420851N1121824.1 15S 35E 01DAA1 WM ATKINSON ONEIDA COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN GRAVEL OF QUATERNARY AGE, DIAM 3 IN (7.6 CM), DEPTH 275 FT (83.8 M), CASED TO 249 FT (75.9 M). LSD 4,452.95 FT (1,357.259 M) ABOVE MSL DATUM OF 1929 (PRELIMINARY). REPORTED FLOWING JULY 25, 1931. MP NO. 1 TOP OF 3-IN (7.6-CM) CASING, 1.80 FT (0.549 M) ABOVE LSD (SINCE JULY 12, 1943).

HIGHEST WATER LEVEL 33.1 FT (10.089 M) ABOVE LSD, MAY 3, 1944.
LOWEST WATER LEVEL 8.46 FT (2.579 M) BELOW LSD, SEP. 14, 1962.
RECORDS AVAILABLE 1931, 1943-45, 1947-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975 +	21.73	SEP. 20, 1975 +	9.10		

420636N1121752.1 15S 35E 22AAB1 SAMARIA CEMETRY ONEIDA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 10 IN (25 CM), REPORTED DEPTH 229 FT (69.8 M), CASED TO 229 FT (69.8 M). LSD ABOUT 4,575 FT (1,394.460 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (1.9-CM) HOLE IN PUMPBASE SOUTHWEST SIDE, 0.90 FT (0.274 M) ABOVE LSD (SINCE JUNE 18, 1963).

HIGHEST WATER LEVEL 125.69 FT (38.310 M) BELOW LSD, SEP. 20, 1975.
LOWEST WATER LEVEL 142.00 FT (43.282 M) BELOW LSD, SEP. 15, 1963.
RECORDS AVAILABLE 1963-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975	137.25	SEP. 20, 1975	125.69		

420638N1121403.1 15S 36E 22ABA1 D L EVANS ONEIDA COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN GRAVEL OF QUATERNARY AGE, DIAM 8 IN (20 CM), DEPTH 100 FT (30.5 M), CASING DEPTH NOT AVAILABLE. LSD 4,419 FT (1,347 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING COUPLING, 1.00 FT (0.305 M) ABOVE LSD (SINCE SEPT. 15, 1963).

HIGHEST WATER LEVEL 28.50 FT (8.687 M) ABOVE LSD, SEP. 20, 1975.
LOWEST WATER LEVEL 12.03 FT (3.667 M) ABOVE LSD, SEP. 15, 1963.
RECORDS AVAILABLE 1943, 1947-60, 1963-75.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 19, 1975 +	19.92	SEP. 20, 1975 +	28.50		

420323N1125712.2 16S 30E 09ABB2 US BUR LAND MGT ONEIDA COUNTY

DRILLED STOCK WATER-TABLE WELL IN SALT LAKE FORMATION, DIAM 10 TO 8 IN (25 TO 20 CM), REPORTED DEPTH 485 FT (147.8 M), 10-IN (25-CM) CASING 0-212 FT (0-64.6 M), 8-IN (20-CM) CASING 200-485 FT (61.0-147.8 M), PERFORATED 200-485 FT (61.0-147.8 M). LSD NOT AVAILABLE. MP NO. 2 TOP OF 10-IN (25-CM) CASING NORTHWEST SIDE, 1.20 FT (0.366 M) ABOVE LSD (SINCE MAR. 22, 1971).

HIGHEST WATER LEVEL 71.86G FT (21.903 M) BELOW LSD, SEP. 8, 1970.
LOWEST WATER LEVEL 78.46G FT (23.915 M) BELOW LSD, JUNE 19, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	74.62	SEP. 20, 1975	74.35		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

420027N1124142.1 16S 32E 27DAB1 EARL HICKMAN ONEIDA COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN VALLEY FILL OF CENOZOIC AGE, DIAM 16 IN (41 CM), REPORTED DEPTH 230 FT (70.1 M), CASED TO 214 FT (65.2 M), PERFORATED 30-214 FT (9.1-65.2 M). MP NO. 1 BOTTOM OF 1/4-IN (0.64-CM) HOLE OUTSIDE PUMP BASE NORTH SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE APR. 13, 1970).

HIGHEST WATER LEVEL 17.55 FT (5.349 M) BELOW LSD, SEP. 27, 1973.
LOWEST WATER LEVEL 22.88 FT (6.974 M) BELOW LSD, SEP. 22, 1974.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	20.17	SEP. 20, 1975	17.92		

425746N1130939.1 05S 28E 26BBD1 US GEOL SURVEY POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 4 IN (10 CM), DEPTH 760.6 FT (231.8 M), CASED TO 760.6 FT (231.8 M), PERFORATED 730.6-760.6 FT (222.7-231.8 M). LSD 4,941.00 FT (1,506.017 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 2-IN (5.1-CM) PIPE COUPLING, 2.27 FT (0.692 M) ABOVE LSD (SINCE SEPT. 23, 1970).

HIGHEST WATER LEVEL 678.19 FT (206.712 M) BELOW LSD, MAR. 29, 1973.
LOWEST WATER LEVEL 680.73 FT (207.486 M) BELOW LSD, SEP. 21, 1974.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 28, 1975	678.76	SEP. 17, 1975	680.53		

425608N1123353.1 05S 33E 35CCD1 US GEOL SURVEY POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 60 FT (18.3 M), CASED TO 60 FT (18.3 M). LSD 4,424.58 FT (1,348.612 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED JULY 23, 1957. RECORDER REMOVED SEPT. 20, 1969. MP NO. 2 TOP OF CASING NORTHEAST SIDE, 2.10 FT (0.640 M) ABOVE LSD (SINCE MAR. 22, 1955).

HIGHEST WATER LEVEL 22.74 FT (6.931 M) BELOW LSD, OCT. 12, 1957.
LOWEST WATER LEVEL 26.36 FT (8.035 M) BELOW LSD, JULY 23, 1968.
RECORDS AVAILABLE 1955-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	24.29	AUG. 7, 1975	25.19	DEC. 11, 1975	23.80
MAY 28	24.25	SEP. 22	24.27		

425218N1124139.1 06S 32E 27ADD1 US GEOL SURVEY POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 IN (15 CM), DEPTH 62.7 FT (19.1 M), CASED TO 73 FT (22.2 M), PERFORATED 63-66 FT (19.2-20.1 M), CASING FILLED WITH SAND AND GRAVEL 63-73 FT (19.2-22.2 M). LSD 4,416.70 FT (1,346.210 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED FEB. 4, 1955. RECORDER REMOVED JAN. 15, 1969. MP NO. 2 TOP OF 6-IN (15-CM) CASING NORTH SIDE, 2.30 FT (0.701 M) ABOVE LSD (SINCE JAN. 12, 1955).

HIGHEST WATER LEVEL 31.35 FT (9.555 M) BELOW LSD, MAY 22, 1971, MAR. 20, 1972.
LOWEST WATER LEVEL 39.86 FT (12.149 M) BELOW LSD, OCT. 15, 1961, OCT. 16, 1961.
RECORDS AVAILABLE 1954-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1975	32.48	AUG. 8, 1975	36.42	DEC. 12, 1975	33.44
MAY 28	32.12	SEP. 22	36.07		

424732N1125320.1 07S 30E 24DDC1 C H VOLLMER POWER COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 16 IN (41 CM), REPORTED DEPTH 215 FT (65.5 M), CASED TO 187 FT (57.0 M). LSD 4,394.33 FT (1,339.392 M) ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED MAY 25, 1961. RECORDER REMOVED SEPT. 15, 1962. MP NO. 2 TOP OF CASING SOUTHWEST SIDE, 0.70 FT (0.213 M) ABOVE LSD (SINCE MAY 11, 1961).

HIGHEST WATER LEVEL 51.98 FT (15.844 M) BELOW LSD, MAR. 19, 1970.
LOWEST WATER LEVEL 74.88 FT (22.823 M) BELOW LSD, AUG. 23, 1961.
RECORDS AVAILABLE 1953, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	57.96	AUG. 7, 1975	62.05	DEC. 12, 1975	61.05
MAY 9	57.60	SEP. 22	66.19		

424720N1125747.1 07S 30E 28BBC1 JOHN RAST POWER COUNTY

DRILLED UNUSED WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 20 IN (51 CM), DEPTH 287.8 FT (87.7 M), CASED TO 3 FT (0.9 M). LSD 4,533.55 FT (1,381.826 M) ABOVE MSL DATUM OF 1929 (UNADJUSTED). ORIGINAL WELL, DIAM 18 TO 12 IN (46 TO 30 CM), DEPTH 518 FT (157.9 M), CASING WAS PULLED EXCEPT FOR A PIECE THAT IS BELOW WATER LEVEL, HOLE THEN FILLED TO PRESENT DEPTH. RECORDER INSTALLED MAY 25, 1961. RECORDER REMOVED JAN. 15, 1969. MP NO. 1 TOP OF CASING NORTH SIDE, 1.40 FT (0.427 M) ABOVE LSD (SINCE MAY 23, 1961).

HIGHEST WATER LEVEL 194.98 FT (59.430 M) BELOW LSD, MAR. 21, 1973.
LOWEST WATER LEVEL 206.00 FT (62.789 M) BELOW LSD, AUG. 2, 1974.
RECORDS AVAILABLE 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	196.03	AUG. 7, 1975	203.81C	DEC. 12, 1975	196.33
MAY 9	195.43	SEP. 22	202.54C		

C NEARBY WELL BEING PUMPED.

424748N1124941.1 07S 31E 22CBB1 AM FALLS AIRPRT POWER COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), DEPTH 103.8 FT (31.6 M), CASED TO 12 FT (3.7 M). LSD 4,413.74 FT (1,345.308 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MEASUREMENTS MADE IN 1928 FROM WSP 775, 1957-58 BY US BUREAU OF RECLAMATION. MP NO. 4 TOP OF 3/4-IN (1.9 CM) HOLE IN WELL SEAL NORTH SIDE, 1.04 FT (0.317 M) ABOVE LSD (SINCE SEPT. 20, 1974).

HIGHEST WATER LEVEL 53.80 FT (16.398 M) BELOW LSD, SEP. 22, 1971.
LOWEST WATER LEVEL 64.50 FT (19.660 M) BELOW LSD, OCT. 16, 1961.
RECORDS AVAILABLE 1928, 1950, 1957-58, 1961-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	59.19	AUG. 7, 1975	58.80	DEC. 12, 1975	59.58
MAY 28	58.49	SEP. 22	59.72		

424052N1130339.1 08S 29E 34CBC1 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN RAFT FORMATION, DIAM 4 TO 3 IN (10 TO 7.6 CM), DEPTH 665 FT (202.7 M), 4-IN (10-CM) CASING 0-170 FT (0-51.8 M), 3-IN (7.6-CM) CASING 313-665 FT (95.4-202.7 M), CONCRETE SEAL 665-673 FT (202.7-205.1 M). LSD ABOUT 4,388 FT (1,337 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN (10-CM) CASING EAST SIDE, AT LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 138.08 FT (42.087 M) BELOW LSD, MAR. 23, 1972.
LOWEST WATER LEVEL 151.31G FT (46.119 M) BELOW LSD, DEC. 2, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	145.89	JUNE 24, 1975	146.26	OCT. 30, 1975	146.52
MAR. 20	146.00	AUG. 7	146.70	DEC. 12	146.35
MAY 15	145.70	SEP. 21	146.45		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

424052N1130339.2 08S 29E 34CBC2 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND OF UNKNOWN AGE, DIAM 3 IN (7.6 CM), DEPTH 818 FT (249.3 M), 3-IN (7.6-CM) CASING 313-818 FT (95.4-249.3 M), PERFORATED 697-702 FT (212.4-214.0 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-704 FT (0-214.6 M), PERFORATED 696.5-701.5 FT (212.3-213.8 M), CASING FILLED WITH GRAVEL 673-818 FT (205.1-249.3 M), CONCRETE SEAL 665-673 FT (202.7-205.1 M), 818-826 FT (249.3-251.8 M). LSD ABOUT 4,388 FT (1,337 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3/4-IN (7.6-CM) PIPE EAST SIDE, 1.44 FT (0.439 M) ABOVE LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 149.08 FT (45.440 M) BELOW LSD, OCT. 30, 1975.
LOWEST WATER LEVEL 155.74 FT (47.470 M) BELOW LSD, APR. 16, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	151.68	JUNE 24, 1975	149.66	OCT. 30, 1975	149.08
MAR. 20	151.76	AUG. 7	150.34	DEC. 12	149.75
MAY 15	150.32	SEP. 21	150.04		

424052N1130339.3 08S 29E 34CBC3 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN STARLIGHT FORMATION, DIAM 3 IN (7.6 CM), DEPTH 1,028.1 FT (313.4 M), 3-IN (7.6-CM) CASING 826-899 FT (251.8-274.0 M), PERFORATED 852-858 FT (259.7-261.5 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-861 FT (0-262.4 M), PERFORATED 853.5-858.5 FT (260.1-261.7 M), CASING AND HOLE FILLED WITH GRAVEL 826-1,028.1 FT (251.8-313.4 M), CONCRETE SEAL 818-826 FT (249.3-251.8 M). LSD ABOUT 4,388 FT (1,337 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE EAST SIDE, 1.06 FT (0.323 M) ABOVE LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 57.80G FT (17.617 M) BELOW LSD, DEC. 2, 1970.
LOWEST WATER LEVEL 85.48 FT (26.054 M) BELOW LSD, DEC. 12, 1975.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	83.98	JUNE 24, 1975	84.66	OCT. 30, 1975	85.00
MAR. 20	84.19	AUG. 7	84.89	DEC. 12	85.48
MAY 15	84.48	SEP. 21	85.11		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

424359N1125408.1 08S 30E 23DCD1 HAROLD ISAAK POWER COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 5 IN (13 CM), DEPTH 273 FT (83.2 M), CASED TO 28 FT (8.5 M). LSD 4,511.5 FT (1,375.10 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING SOUTHWEST SIDE, 0.40 FT (0.122 M) ABOVE LSD (SINCE AUG. 17, 1949).

HIGHEST WATER LEVEL 204.88 FT (62.447 M) BELOW LSD, OCT. 16, 1961.
LOWEST WATER LEVEL 214.80G FT (65.471 M) BELOW LSD, AUG. 17, 1949.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	211.04	SEP. 21, 1975	211.47		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

424512N1125052.1 08S 31E 04CBB1 E HORNBACHER POWER COUNTY

DRILLED UNUSED WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN (15 CM), DEPTH 277 FT (84.4 M), CASED TO 16 FT (4.9 M). LSD 4,568.4 FT (1,392.45 M) ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING EAST SIDE, 0.50 FT (0.152 M) ABOVE LSD (SINCE AUG. 19, 1949).

HIGHEST WATER LEVEL 232.57 FT (70.887 M) BELOW LSD, JUNE 21, 1950.
LOWEST WATER LEVEL 244.83 FT (74.624 M) BELOW LSD, SEP. 13, 1966.
RECORDS AVAILABLE 1949-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1975	241.22	SEP. 21, 1975	243.34		

423837N1131343.1 09S 28E 18BAD1 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN RAFT FORMATION, DEPTH 150 FT (45.7 M), 1-IN (2.5-CM) PIEZOMETER TUBE 0-25 FT (0-7.6 M), PERFORATED 17.5-22.5 FT (5.3-6.9 M). LSD 4,216.80 FT (1,285.281 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE EAST SIDE, 1.21 FT (0.369 M) ABOVE LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 11.80 FT (3.597 M) BELOW LSD, JULY 26, 1973.
LOWEST WATER LEVEL 13.17 FT (4.014 M) BELOW LSD, APR. 16, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	12.90	JUNE 24, 1975	11.98	OCT. 30, 1975	12.18
MAR. 20	12.58	AUG. 7	12.03	DEC. 12	12.32
MAY 15	12.09	SEP. 21	12.14		

423837N1131343.2 09S 28E 18BAD2 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN RAFT FORMATION, DEPTH 505 FT (153.9 M), 3/4-IN (1.9-CM) PIEZOMETER TUBE 0-420 FT (0-128.0 M), PERFORATED 412.5-417.5 FT (125.7-127.2 M), GRAVEL PACKED 318-505 FT (96.9-153.9 M), CONCRETE SEAL 280-318 FT (85.3-96.9 M), 505-518 FT (153.9-157.9 M). LSD 4,216.80 FT (1,285.281 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 3/4-IN (1.9-CM) PIPE EAST SIDE, 1.83 FT (0.558 M) ABOVE LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 1.83 FT (0.558 M) ABOVE LSD, APR. 16, 1971.
LOWEST WATER LEVEL 6.64 FT (2.024 M) BELOW LSD, SEP. 22, 1971.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	5.06	JUNE 24, 1975	2.74	OCT. 30, 1975	5.77
MAR. 20	4.33	AUG. 7	3.78	DEC. 12	5.94
MAY 15	3.01	SEP. 21	5.02		

423837N1131343.3 09S 28E 18BAD3 US BUREAU RECL POWER COUNTY

DRILLED OBSERVATION ARTESIAN WELL IN STARLIGHT FORMATION, DEPTH 1,013.7 FT (309.0 M), 1-IN (2.5 CM) PIEZOMETER TUBE 0-554 FT (0-168.8 M), PERFORATED 546.5-551.5 FT (166.6-168.1 M), GRAVEL PACKED 518-1,013.7 FT (157.9-309.0 M), CONCRETE SEAL 505-518 FT (153.9-157.9 M). LSD 4,216.80 FT (1,285.281 M) ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1961. MP NO. 1 TOP OF 1-IN (2.5-CM) PIPE, 1.30 FT (0.396 M) ABOVE LSD (SINCE DEC. 2, 1970).

HIGHEST WATER LEVEL 36.13 FT (11.012 M) BELOW LSD, DEC. 12, 1975.
LOWEST WATER LEVEL 67.62G FT (20.611 M) BELOW LSD, DEC. 2, 1970.
RECORDS AVAILABLE 1970-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1975	37.07	JUNE 24, 1975	36.32	OCT. 30, 1975	36.26
MAR. 20	36.63	AUG. 7	36.35	DEC. 12	36.13
MAY 15	36.34	SEP. 21	36.34		

G MEASURED BY OUTSIDE AGENCY OR PERSON.

434936N1111436.1 06N 44E 22DDC1 US BUREAU RECL TETON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNAR AGE, DIAM 8 IN (20 CM), DEPTH 257.5 FT (84.0 M), CASED TO 242 FT (73.8 M). LSD 6,027.70 FT (1,837.243 M) ABOVE MSL DATUM OF 1929 (TENTATIVE ADJUSTMENT). MP NO. 1 TOP OF CASING, 1.65 FT (0.503 M) ABOVE LSD (SINCE JULY 18, 1958).

HIGHEST WATER LEVEL 177.68 FT (54.157 M) BELOW LSD, MAR. 17, 1972.
LOWEST WATER LEVEL 201.69 FT (61.475 M) BELOW LSD, APR. 23, 1964.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	200.04	SEP. 26, 1975	194.45		

434032N1110450.1 04N 45E 13ADA1 US BUREAU RECL TETON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 16 IN (41 CM), DEPTH 304.0 FT (92.7 M), CASED TO 301 FT (91.7 M), PERFORATED 230-240 FT (70.1-73.2 M), 255-295 FT (77.7-89.9 M). LSD 6,275.39 FT (1,912.739 M) ABOVE MSL DATUM OF 1929, WESTERN WYOMING SUPPLEMENTARY ADJUSTMENT OF 1940. RECORDER INSTALLED JULY 25, 1959. RECORDER REMOVED NOV. 24, 1971. MP NO. 3 TOP OF CASING EAST SIDE, 1.00 FT (0.305 M) ABOVE LSD (SINCE JULY 25, 1959).

HIGHEST WATER LEVEL 122.79 FT (37.426 M) BELOW LSD, JUNE 30, 1971.
LOWEST WATER LEVEL 203.09 FT (61.902 M) BELOW LSD, APR. 2, 1967.
RECORDS AVAILABLE 1958-75.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1975	199.34	SEP. 25, 1975	180.63		