RECLAMATION

Managing Water in the West

Idaho Water Supply Committee Meeting

April 15, 2022

Jon Rocha

U.S. Department of the Interior
Bureau of Reclamation

Boise System is at 60% Capacity

RECLAMATION

Boise System Storage Content- Apr 13, 2022

RECLAMATION

Boise System Inflows- Apr 1 to Jul 31

RECLAMATION

Boise System Operations Projections: WY2022

RFC ENSEMBLE FORECAST ISSUED:2022-04-13_19:37_GMT

RECLAMATION

Payette System is at 62% Capacity

RECLAMATION

Payette System Storage Content- Apr 13, 2022

RECLAMATION

Payette System Inflows- Apr 1 to Jul 31

RECLAMATION

Payette System Operations Projections: WY2022

RFC ENSEMBLE FORECAST ISSUED:2022-04-13_19:38_GMT

RECLAMATION

Owyhee is at 43% Capacity

RECLAMATION

Owyhee Storage Content- Apr 13, 2022

RECLAMATION

Owyhee Dam Inflows - Apr 1 to Jun 30

RECLAMATION

Owyhee Dam Operations Projections: WY2022

RFC ENSEMBLE FORECAST ISSUED:2022-04-13_19:37_GMT

Observed Data | Median | 25th & 75th Percentile | 10th & 90th Percentile | Min & Max | Median Rule Curve

4/14/2022 8:55

RECLAMATION

RECLAMATION

CURRENT MONTHLY FORECAST SUMMARY
APR 1, 2022

FORECAST POINT	FORECAST PERIOD	1991-2020 AVERAGE (KAF)	FORECAST (KAF)	PERCENT NORMAL
ANDERSON	APR-JUL	463	267	58%
BAKER	APR-JUL	54	18	33%
BEULAH	APR-JUN	50	17	34%
*** BOISE	APR-JUL	1238	750	61%
BULLY CREEK	APR-JUN	9	1	11%
CASCADE	APR-JUL	487	305	63%
DEADWOOD	APR-JUL	125	81	65%
HORSESHOE BEND	APR-JUL	1511	941	62%
OWYHEE	APR-JUN	292	140	48%
WARM SPRINGS	APR-JUN	60	24	40%
UNITY	APR-JUL	30	5	17%
MANN CREEK	APR-JUN	17	7	42%

* Coordinated with USACE

RECLAMATION

Questions

RECLAMATION