BUREAU OF RECLAMATION

Water Supply Committee Meeting May 2024

Middle Snake Field Office
Water Operations
Ryan Hedrick

Boise System Storage Content - May 7, 2024

- Boise River System (Anderson, Arrowrock, Lucky Peak) is at 89% of capacity
- Total space available: 106,050 ac-ft

Boise System Forecast - May 1 to Jul 31

- Forecasts generated at the first of the month
- Coordinated with USACE

Payette Basin

Payette System Storage Content - May 7, 2024

- Payette River System (Cascade, Deadwood) is at 85% of capacity
- Total space available: 123,974 ac-ft

Payette System Forecast - May 1 to Jul 31

Owyhee Basin

05/07/2024

NPDO 158 cfs
THF 174 cfs
HCDI 30122 cfs
Thief Valley
13575/13307
100% Full
PRHO 126 cfs
Phillips
52199/73000
72% Full
PWDO 89 cfs
PRRO 194 cfs
PHL 75 cfs
UNY 160 cfs
Unity
24877/24970
100% Full
Snake River
WEII 30359 cfs
Bully Creek
22687/23676
96% Full
MABO 313 cfs
MALO 671 cfs
Beulah
58241/59212
98% Full
VALO 575 cfs
BEUO 301 cfs
SNYI 24543 cfs
MADO 489 cfs
OWY 1669 cfs
WARO 474 cfs
SFMO 42 cfs
SWAI 20144 cfs
Warm Springs
168968/169639
100% Full
Owyhee
711949/715000
100% Full
ROMO 3187 cfs

Owyhee Storage Content - May 7, 2024

Owyhee Dam Forecast - May 1 to Jun 30

CURRENT MONTHLY FORECAST SUMMARY
MAY 1, 2024

FORECAST POINT	FORECAST PERIOD	1991-2020 AVERAGE (KAF)	FORECAST (KAF)	PERCENT NORMAL
ANDERSON	MAY-JUL	354	250	71%
BAKER	MAY-JUL	37	33	88%
BEULAH	MAY-JUN	28	24	85%
*** BOISE	MAY-JUL	915	725	79%
BULLY CREEK	MAY-JUN	2		#VALUE!
CASCADE	MAY-JUL	379	286	75%
DEADWOOD	MAY-JUL	105	78	74%
HORSESHOE BEND	MAY-JUL	1166	900	77%
OWYHEE	MAY-JUN	160	200	125%
WARM SPRINGS	MAY-JUN	26	23	90%
UNITY	MAY-JUL	13	9	70%
MANN CREEK	MAY-JUN	8	8	94%

* Coordinated with USACE

Questions

Ryan Hedrick
Middle Snake Field Office
Water Operations
208-383-2281